



ECO-CLEAN

100% BIODEGRADABLE CLEANER & DEGREASER

Green EZ™ Eco-Clean is an environmentally safe cleaning solution formulated primarily with biodegradable based ingredients. **Green EZ™ Eco-Clean** is designed for superior penetration and removal of oily, bituminous, and carbonaceous soils thereby providing superior cleaning performance verses other traditional type cleaners. **Green EZ™ Eco-Clean** is formulated with **Zero VOC's** for both user safety and eco-friendly sustainability and can be considered for subsequent project LEED credits.

BENEFITS:

- Dissolves and removes oil, carbon and soot residuals
- Low odor for safe indoor applications
- Concentrated formula for cost reduction
- Environmentally friendly LEED generating
- Zero V.O.C. content-100% solvent free formulation

COMPOSITION: Contains biodegradable components and alkaline builders, no phosphates, glycols, or co-solvents.

LEED CREDIT CONSIDERATIONS: EQ Credit 4.2: Low emitting materials (VOC < 25 g/L). Materials and Resources: **MR Credit 5.2:** Regional materials- Greater than 20% extracted, processed and manufactured regionally at production location: Kankakee, IL. 60901. 90% Content- Harvested within 500 miles. **MR Credit 6.2:** Rapidly renewable materials.

PHYSICAL PROPERTIES at 70° F (21°C):	APPROXIMATE VALUES:
Weight per Gallon:	8.81 +/- 0.10 lb./ gallon
Color & Odor:	Clear liquid with no odor
VOC content:	0 g/L, VOC free
pH:	11.70 (+/- 0.10) measured at 1 to 1 dilution with water
Flashpoint:	None

COVERAGE: Approx. 100-150 sq. ft./gallon. Actual square footage will depend on dilution rate used as well as method of application

DIRECTIONS FOR USE: Always test an area before overall application of **Green EZ™ Eco-Clean** to determine suitability and results.

SUGGESTED DILUTION / USE RATIOS: Dilute 1:1 by volume with clean potable water for normal stain removal. For tougher, heavily deposited residuals use **Green EZ™ Eco-Clean** at full strength.

APPLICATION: Apply the diluted or concentrated solution generously to the surface to be cleaned by simply by pouring or spraying onto horizontal surface. Spread and agitate lightly with a brush, Allow the **Green EZ™ Eco-Clean** adequate time to dwell, typically 1 hour, scrub again and remove with wet vacuum. Rinse the surface with water, wet-vacuum and check surface for residue. Additional rinsing may be required.



601 NORTH 5TH AVE • KANKAKEE, IL • 60901
630-257-5060 SPECCO.com





ECO-CLEAN

100% BIODEGRADABLE CLEANER & DEGREASER

CLEAN-UP: Clean all equipment with clean water.

CAUTIONS: For best results, do not apply *Green EZ™ Eco-Clean* when surfaces are below 40°F (4°C) or above 90°F (31°C). Do not mix or dilute *Green EZ Eco-Clean* with any other materials. *Green EZ™ Eco-Clean* will be slippery until cleaned and removed. *Green EZ™ Eco-Clean* solution should be kept from freezing.

GHS HAZARD RATING: WARNING



IRRITANT

RESPIRATORY TRACT, SKIN, AND EYE IRRITATION



HEALTH HAZARD

TARGET ORGAN TOXICITY- HARMFUL IF INGESTED

FIRST AID: REFER TO PRODUCT S.D.S. (SAFETY DATA SHEET) FOR COMPLETE HEALTH AND SAFETY INFORMATION BEFORE USING THIS PRODUCT. FOR MEDICAL EMERGENCIES ONLY –CALL INFOTRAC AT 800-535-5053.

WARNINGS & SAFETY INFORMATION: *GREEN EZ ECO-CLEAN* IS RELATIVELY SAFE TO USE. KEEP CONTAINERS CLOSED. AVOID INGESTION, SKIN AND EYE CONTACT AND INHALATION OF THE SPRAY MIST. KEEP AWAY FROM FOOD AND DRINK. WASH HANDS THOROUGHLY AFTER USE AND BEFORE EATING. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

H.M.I.S. CODES (Hazardous Materials Identification System):

HEALTH = 1, FLAMMABILITY = 0, REACTIVITY = 0, PERSONAL PROTECTION = C (Glasses, Gloves)

PACKAGING: 1 quart, 1, 5, 55 gallon containers

SHIPPING NAME: Concrete Degreaser Solution-Water Base - Not Regulated

STORAGE: 40° to 90° F. Protect from freezing. **SHELF LIFE:** 1 year properly stored

WARRANTY: *Specco Industries, Inc. (Specco) solely and expressly warrants that its products shall be free from defects in materials and workmanship for one (1) year from the date of purchase. No other representations or statements made by Specco representatives, in writing or orally, shall alter this warranty. Specco MAKES NO WARRANTIES, IMPLIED OR OTHERWISE, AS TO THE MERCHANTABILITY OR FITNESS FOR ORDINARY OR PARTICULAR PURPOSES OF ITS PRODUCTS AND EXCLUDES THE SAME. Replacement of any product shall be the sole and exclusive remedy available and buyer shall have no claim for incidental or consequential damages.*

Specco explicitly excludes any written or oral statements or implied warranty on the performance of an applied/installed product manufactured or sold by Specco or through a Specco authorized distributor or reseller. Specco has no control over adherence to Specco's application standards, site conditions, atmospheric variations, installer/applicator skill level or the determination of the suitability of any Specco products for a specific intended purpose. Buyer shall be solely responsible for determining the suitability of Specco's products for the Buyer's intended purposes.

REVISED: 01-13-22W



601 NORTH 5TH AVE • KANKAKEE, IL • 60901
630-257-5060 **SPECCO.com**





601 NORTH 5TH AVE • KANKAKEE, IL • 60901
630-257-5060 SPECCO.com

