


					l	
Article Print d Versio	late:	TW89 0 9110 06.07.2023 28	Pflegeölemulsion we Revision date: 12.01 Issue date: 12.01.20	1.2023	GB Page 1 / 8	Y
SEC	TION 1: Id	entification of th	e substance/mixtur	e and of the company	y/undertaking	
1.1.		dentifier (manufacturer/supp ne/designation	lier)	TW89 0 9110 Pflegeölemulsion weiß		
1.2.		dentified uses	ne substance or mixt	ure and uses advised a	gainst	
1.3.	-	the supplier of the	safety data sheet			
		er Lackfabrik GmbH	rter/downstream use	r /distributor): Telephone: +49 6063 57	710	
	D-64732 B			Telefax: +49 6063 57712		
	Labor	nt responsible for	nformation:			
1.4.	-	mpetent person): :y telephone numb	or	info@olf-lacke.de		
	Only availa	able during office ho	urs.	+49 6063 57710		
SEC	TION 2: Ha	azards identificat	ion			
2.1.	Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].					
2.2.	Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms					
	Hazard sta	atements not app	licable			
	Precautio	nary statements not app				
		mponents for labe not app	licable			
	Suppleme EUH211 EUH210				d when sprayed. Do not breat	the spray or mist.
2.3.	Other haz	ards				
	No informa	ation available.				
SEC	TION 3: C	omposition/infor	mation on ingredie	nts		
3.2.	Mixtures					
	Descriptio					
	Classifica EC No. CAS No. Index No. 203-905-0 111-76-2 603-014-0	REACH Design classifi 01-2119 2-butox	ation cation // Remark 0475108-36-xxxx yethanol	2 72/2008 [CLP] Tox. 4 H302 / Skin Irri	t. 2 H315 / Eye Irrit. 2	weight-% 1 - 2,5
		H319 Acute to	oxicity estimate (ATE):	ATE (oral): 1200 mg/kg	bw	



DENWÄLDER

ACKFABRIK

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).



Article No.:	TW89 0 9110	Pflegeölemulsion weiß
Print date:	06.07.2023	Revision date: 12.01.2023
Version:	28	Issue date: 12.01.2023

Page 3 / 8

SECTION 7: Handling and storage 7.1. **Precautions for safe handling**

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight.

Due to the content of organic solvents in the preparation:

Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

N-methyl-2-pyrrolidone Index No. 606-021-00-7 / EC No. 212-828-1 / CAS No. 872-50-4

TWA: 103 mg/m3; 25 ppm STEL: 309 mg/m3; 75 ppm

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used.


Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.





Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1.

Physical state:	Liquid
Colour:	refer to label
Odour:	characteristic
Odour threshold:	not applicable
Melting point/freezing point:	not applicable
Initial boiling point and boiling range:	100 °C
511	Source: DEST. WASSER
Flammability	Combustible liquid.
Lower and upper explosion limit:	
Lower explosion limit:	1,1 Vol-%
Hence could star Busit	Source: 2-butoxyethanol
Upper explosion limit:	10,6 Vol-% Source: 2-butoxyethanol
Flash point:	100 °C
Auto-ignition temperature:	238 °C
Auto-ignition temperature.	Source: 2-butoxyethanol
Decomposition temperature:	not applicable
pH at 20 °C:	6,5 - 9,5 / 100,0 weight-%
Cinematic viscosity (40°C):	< 80 mm²/s
Viscosity at 20 °C:	15 s 4 mm
Viscosity at 20 °C:	15 s 4 mm Method: DIN 53211
Solubility(ies):	
Solubility(ies): Water solubility at 20 °C:	Method: DIN 53211
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water:	Method: DIN 53211 see section 12
Solubility(ies): Water solubility at 20 °C:	Method: DIN 53211 see section 12 23 mbar
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C:	Method: DIN 53211 see section 12
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C: Density and/or relative density:	Method: DIN 53211 see section 12 23 mbar Source: DEST. WASSER
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C: Density and/or relative density: Density at 20 °C:	Method: DIN 53211 see section 12 23 mbar Source: DEST. WASSER 1,02 g/cm ³
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C: Density and/or relative density: Density at 20 °C: Relative vapour density:	Method: DIN 53211 see section 12 23 mbar Source: DEST. WASSER 1,02 g/cm ³ not applicable
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C: Density and/or relative density: Density at 20 °C: Relative vapour density: particle characteristics:	Method: DIN 53211 see section 12 23 mbar Source: DEST. WASSER 1,02 g/cm ³
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C: Density and/or relative density: Density at 20 °C: Relative vapour density: particle characteristics: Other information	Method: DIN 53211 see section 12 23 mbar Source: DEST. WASSER 1,02 g/cm ³ not applicable not applicable
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C: Density and/or relative density: Density at 20 °C: Relative vapour density: particle characteristics: Other information Solid content:	Method: DIN 53211 see section 12 23 mbar Source: DEST. WASSER 1,02 g/cm ³ not applicable
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C: Density and/or relative density: Density at 20 °C: Relative vapour density: particle characteristics: Other information	Method: DIN 53211 see section 12 23 mbar Source: DEST. WASSER 1,02 g/cm ³ not applicable not applicable 7 weight-%
Solubility(ies): Water solubility at 20 °C: Partition coefficient: n-octanol/water: Vapour pressure at 20 °C: Density and/or relative density: Density at 20 °C: Relative vapour density: particle characteristics: Other information Solid content: solvent content:	Method: DIN 53211 see section 12 23 mbar Source: DEST. WASSER 1,02 g/cm ³ not applicable not applicable

SEC

10.1. Reactivity

9.2.

No information available.



Article No.:	TW89 0 9110	Pflegeölemulsion weiß
Print date:	06.07.2023	Revision date: 12.01.2023
Version:	28	Issue date: 12.01.2023

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

EC No.	Designation	Classification according to
CAS No.		Regulation (EC) No 1272/2008
		[CLP]
212-828-1	N-methyl-2-pyrrolidone	Repr. 1B
872-50-4		

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability



Article No.:	TW89 0 9110	Pflegeölemulsion weiß
Print date:	06.07.2023	Revision date: 12.01.2023
Version:	28	Issue date: 12.01.2023

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

not applicable

not applicable

14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards Land transport (ADR/RID) not applicable Marine pollutant not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.



Article No.:	TW89 0 9110	Pflegeölemulsion weiß
Print date:	06.07.2023	Revision date: 12.01.2023
Version:	28	Issue date: 12.01.2023

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L): 17

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.		
203-905-0 111-76-2	2-butoxyethanol	01-2119475108-36-xxxx
212-828-1 872-50-4	N-methyl-2-pyrrolidone	01-2119472430-46-XXXX

SECTION 16: Other information

Full text of classification in section 3:

Full lext of classification	III Section 5.	
Acute Tox. 4 / H332	Acute toxicity (inhalative)	Harmful if inhaled.
Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.
Skin Irrit. 2 / H315	Skin corrosion/irritation	Causes skin irritation.
Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.
Repr. 1B / H360	Reproductive toxicity	May damage the unborn child.
STOT SE 3 / H335	STOT-single exposure	May cause respiratory irritation.

Abbreviations and acronyms

Abbreviations and a	acronyms
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative



Article No.:	TW89 0 9110	Pflegeölemulsion weiß
Print date:	06.07.2023	Revision date: 12.01.2023
Version:	28	Issue date: 12.01.2023

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.