

Discovery 1 & 2 Center Console Switch Plate


Installation Steps

Remove Cupholders

Twist to remove the top half of the cup holder.

With a phillips screwdriver, remove the screw from the top.

Remove the phillips screw from the side of the cup holder.



Remove transfer case shifter boot.

Push on the right side of the shifter boot and pry upwards.

Push and pry on all sides to release the boot from the center console.

Twist the knob counter-clockwise to remove.



Discovery 2 Auto

Remove transmission shifter boot.


Pull firmly upwards on shifter knob. This can take a lot of force. The knob will release suddenly.

Pry evenly on all 4 corners of the shift boot. Pry a little bit at a time on each corner.



Pull the boot straight upwards to release.

Move the boot forward and slide it off of the shifter.



To disconnect the bulkhead connector, press down on the indicated tab.

Flip the lever upwards and this will release the connector.



Discovery 1 and 2 Manual

Remove transmission shifter boot

Very similar to the transfer case shifter, simply push in and pry up from the side



Discovery 1 Auto

Remove transmission shifter bezel

You only need to remove the outer bezel. Just pry outward and up



Remove the old switch bezel

Gently pry off the old switch bezel. A little bit at a time evenly on all sides.

Remove the 4 small phillips head screws at the indicated locations.




Remove the 4 clipnuts from the tabs..

Install the new provided clipnuts at the same locations.



If you have broken tabs on your center console:

Use the regular nuts in those locations. Attach the switch holder directly to the new bezel in those locations using the provided nut and bolt. Use the clip nuts in the remaining locations.




Install the new switch bezel

Position your new switch bezel. Align the cut-outs with the window switches first.

Loosely secure the plate using the 4 provided phillips head screws. Keep them loose.

Then tighten all 4 screws. Do not overtighten.



Reassembly

Discovery 2 Auto

Reconnect the transmission shift boot. Make sure to pull the lever back down to lock the connector in place.



Reinstall the shifter boot. Be sure to line up the tabs with the holes.

Press down evenly on the shifter boot.



Reinstall the shifter knob. Give it a good hit to snap it into place.

Reinstall the transfer case shifter knob. Twist it clockwise onto the shaft.



Take a picture and tag us on instagram: @goldenrovers.

We would be so grateful if you left a review on the product page!

Thank you for your purchase.

Stay Golden 🌐✌️

