### **Crompton**

+ Perfect Hot Water for Perfect Care of your Loved Ones




**BATH MODES** 







Heating Solutions Catalogue 2023-24







Crompton

Crompton

Over the years, Crompton has spread its wings across markets and consumer products like fans, light sources, luminaries, pumps and households appliances such as geysers, mixer grinders, toasters, irons, etc.

Its state of the art manufacturing units are located in Goa,
Vadodara, Ahmednagar and Baddi. With 1,50,000 plus
retail points, Crompton aims to establish a positive
connect across India through its superior product range.

Experts at its R & D center innovate continuously to enhance convenience by delivering functional product range with stringent quality processes and certification of BEE and ISI.

We have a service network of 365+ touch points to give seamless service throughout the country.





Crompton

# HOW TO CHOOSE YOUR WATER HEATER

Key things you should know when selecting your water heaters

### What should be the capacity of the water heater?

The capacity of the water heater depends on the kind of usage:





Bathing - bucket



 $3_{\text{Members}}$ 

1-3L

Suggested Capacity

### Instant Water Heater




Washing utensils



6 Members

I-3L Suggested Capacity

### Storage Water Heater



Bathing - Shower



4<sub>Members</sub>

6L Suggested Capacity

### Storage Water Heater




Bathing – bucket



3

10-15L





# WHY CHOOSE CROMPTON WATER HEATER?

Crompton Care series is recommended by safe health - A global health organisation, which practices & promotes healthy, natural, clean, high quality products.







**BABY CARE** 



HAIR CARE



**HYGIENE CARE** 



1<sup>ST</sup> TIME IN INDUSTRY CERTIFIED BY PANEL OF EXPERT DOCTORS.




# STORAGE WATER HEATER

## POWERFUL HEATING ELEMENT

Comes with a 1200 gm superior heating element that provides faster heating to give you perfect hot water in 10 mins.

## SUPERIOR GLASSLINE TANK COATING

Excellent corrosion resistance ensured by superior glassline coating that ensures durability and longevity of the tank.



## SMART SHIELD CORROSION PROTECTION

Crompton's water heaters come with a specially designed sacrificial magnesium anode rod that is designed to protect the inner tank from corrosive elements thus enhancing life of the product.



### SUITABLE FOR HIGH-RISE BUILDINGS

High pressure rating and the use of multi-function valve in our models makes our water heaters withstand up to 10 bar pressure, and makes them suitable for high-rise buildings.



### 5 - STAR RATED ENERGY EFFICIENT

Crompton's 5 Star rated energy efficient water heaters help in reducing your electricity bill substantially.



### SMART ENERGY MANAGEMENT

Smart design with Standby cut off that consumes less electricity.



### **ADVANCED 3 - LEVEL SAFETY**


Crompton Water Heaters have advanced 3-level safety that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction.



### TRIPLE SHIELD PROTECTION

The glass line coated tank, Magnesium Anode, and blue glass lined incoloy element protects the water heater from corrosion oxidation and scaling, thereby giving a longer life.





### SOLARIUM QUBE IOT

Available in 15L, 25L



Remotely controlled by Mobile App



Smart scheduler



Digital temperature
Display



Smart Energy Management



Bathing modes



Powerful heating



Pra-set timer



Smart shield
Corrosion protection



Auto standby



Smart color-changing



Superior safety system



Nano polybono Technology



Energy saving In-Situ PUF



Rust & Shockproof body

WARRANTY

7yrs

2yrs
Element

2yrs
Product



Scan the QR code to download MyCROMPTON app Works on Android as well as IOS






### SMART HOME INTEGRATION







## SOLARIUM CARE

Available in 6L, 10L, 15L, 25L



Customised Bath Modes



Powerful heating



Superior glassline coating



Advanced 3 level safety



Energy saving Insitu PUF



Smart shield corrosion protection

WARRANTY

7yrs

3yrs

2yrs







recommended by PANEL OF EXPERT DOCTORS

### **CUSTOMISED BATHING MODES**



Unique temperature setting that prevents accidental hot water scalds or burns in babies and is ideal for their skin.



Unique temperature setting that is best for massaging the scalp with shampoo to get the excess dirt and oil off your hair and thus ensuring a relaxing bath for your hair.



temperature
setting that
kills bacteria and
viruses inside the
water and delivers
germ free water
for your loved ones.

### **SOLARIUM NEO**

Available in 6L. 10L. 15L. 25L



Superior glassline coating



Powerful incoloy heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs

3yrs
Element

2yrs
Product











10 Bar



Smart Energy

### **SOLARIUM EVO**

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob


**WARRANTY** 

7yrs

2yrs
Element

2yrs Product







ust proof 8



ar Smai

### **SOLARIUM QUBE**

Available in 10L, 15L, 25L



Nano poly bond technology



Powerful heating element



Color-Changing LED Indicator



Advanced 3 level safety



Energy saving Insitu PUF



Smart shield corrosion protection

**WARRANTY** 

7yrs

2yrs
Element

2yrs
Product











8 Bar

Smart Energy

### RAPIDJET PLUS

Available in 6L - 2kW & 3kW



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced
3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs

2yrs
Element

2yrs Product







Rust proof plastic body



8 Bar pressure



Smart Energ managemen

### **VERSA**













WARRANTY

7yrs

Product













### **REGERA**

Available in 10L, 15L, 25L













**WARRANTY** 

7yrs

2yrs Element











### **AMICA**

Available in 10L, 15L, 25L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

**WARRANTY** 

7yrs

2yrs
Element

2yrs
Product











Powder coated rust proof body

8 Bar pressure

Smart Energy

### **HYDRA JET**

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced
3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs

2yrs
Element

2yrs Product







Rust proof plastic body



8 Bar



Smart Energy

### **ARNO SUPREMUS**

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

**WARRANTY** 

5yrs

2yrs
Element

2yrs
Product











Powder coated rust proof body

8 Bar pressure

Smart Energy management

### **CLASSIC**

Available in 6L, 10L, 15L, 25L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



LED indicator for ease of use

**WARRANTY** 

5yrs

2yrs
Element

2yrs
Product







Powder coated rust proof body



### **RADIANT DLX**









3 level safety



Hi-Precision thermal,



**WARRANTY** 

5yrs

2yrs

2yrs Product











Rust proof plastic body

### **ARNO NEO**

Available in 35L, 50L













7yrs Tank

2yrs

2yrs







Smart Energy management

### **CLASSIC HORIZONTAL**

Available in 10L, 15L



Nano poly bond technology



Smart Shield
Corrosion Protection



8 Bar Pressure



Smart energy management



Energy Saving Insitu PUF



LED Indicator
For Ease Of Use

WARRANTY

5yrs

2yrs
Element

2yrs
Product













t Advanced

## **VERSA HORIZONTAL**

Available in 10L, 15L, 25L



Superior glassline coating



Smart Shield
Corrosion Protection



8 Bar Pressure



Smart energy management



Energy Saving Insitu PUF



Temperature Control Knob

**WARRANTY** 

7yrs

3yrs
Element










Rust proof plastic body





### **SOLARIUM VOGUE**

Available in 3L-3KW



High grade SS tank for long life



Powerful heating element



Color Changing LED Indicator



Advanced 4 level safety



Rust & Shock Proof ABS body



Anti Siphon Protection

**WARRANTY** 

5yrs
Tank

2yrs Element 2yrs
Product







Crompton

6.5 Bar Press<u>ure</u>



Elegant & stylish design

### RAPIDJET PLUS

Available in 31 - 3KW



High grade SS tank for long life



Powerful heating element



LED indicator for



Advanced 4 level safety



Rust & shock proof body



Anti Siphon Protection

WARRANTY

5yrs

2yrs
Element



### **HYDRA JET**

Available in 3L- 3KW













**WARRANTY** 

5yrs 2yrs Tank Element Product

2yrs



ISI marked for added safety



HydraJet





Elegant & stylish design

### **INSTA JET**

Available in 3L-3KW













WARRANTY

5yrs

2yrs Element









### **SOLARIUM NEO**

Available in 3L-3KW



High grade SS tank for long life



Powerful heating element



LED indicator for



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

**WARRANTY** 

5yrs

2yrs
Element

2yrs







Crompton

6.5 Bar Pressure



Elegant &

# RAPID JET

Available in 1L-3KW & 4.5KW , 3L- 3KW & 4.5 KW



High grade SS tank for long life



Powerful heating element



LED indicator for



Advanced 4 level



Rust and shock proof body



Anti Siphon Protection

**WARRANTY** 

5yrs

2yrs
Element

2yrs
Product





ISI marked for added safety



6.5 Bar Pressure



### **RAPID JET 5L**

Available in 5L



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphor Protection

WARRANTY

5yrs Tank

2yrs
Element

2yrs
Product







6.5 Bar Pressure Elegant &

\*tested under standard lab condition

# **SOLARIUM NEO 5L**

Available in 5L



High grade SS tank for long life



Powerful heating element



ease of use



Advanced 4 level



Rust and shock proof body



Anti Siphon Protection


**WARRANTY** 

5yrs
Tank

2yrs Element 2yrs Product

# Perfect Hot Water within 2mins\* Crompton Solarium Naco 6.5 Bar Pressure Stylish design \*tested under standard lab conditions





### RAPIDJET PRO

Available in 5.5kW











**WARRANTY** 

2yrs Product









6.5 Bar Pressure

**Perfect Hot Water** 

for all seasons

**(**)

FREE INSTALLATION

### RAPIDJET ROYALE

Available in 5.5kW









ELCB





**WARRANTY** 







# **AGWH 5000**

Available in 4.6L



Over Heat Protection



20 Minutes Gas Flow Cut-Off Timerer



Summer & winter burner selection



Automated Double ignition system



ISI Approved



Child Lock Safety



Flame Out Protection



PRV High water Pressure protection



Flue duct to avoiding smoke scaling, blockage and dry heating




Pure copper heat exchanger

WARRANTY

2yrs

Product






Extra Protection with
Double Solenoid Valve



85% heating efficiency



### IHL 201 & 251

Available in 1000W, 1500W



Shock proof plastic handle with IP68 protection



Heating element with longer life



Light-Weight



Powerful pure copper heating element



Water Level Indicator



ISI approved

IHL 201



IHL 251



WARRANTY

2yrs
Product

# IHL (102/104/152/ 154)

Available in 1000 W & 1500 W



Shock proof
Bakelite handle



Neon Lamp Indicator



Light-Weigh



Heating Element with Longer Life



Water Level Indicator



powerful pure copper heating element

WARRANTY

2yrs

Product



ISI approved



# IHL 402/ 452

### Available in 1000 W & 1500 W



Shock proof Bakelite handle



Neon Lamp



Light-Weight



Heating Element with Longer Life



Water Level Indicator



powerful pure copper heating element



ISI approved



IHL 402/452





WARRANTY

2yrs

Product

# WATER HEATER PRODUCT SPECIFICATION

SERIES		STORAGE											
PRODUCT		CLASSIC	ARNO SUPREMUS	HYDRA JET	AMICA	VERSA	REGERA	RAPID JET PLUS	SOLARIUM QUBE	SOLARIUM EVO	SOLARIUM NEO	SOLARIUM CARE	SOLARIUM QUBE IOT
ADVANCE FEATURES													
Pressure Rating	Safety Valve	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	10 Bar	8 Bar	8 BAR
TANK	MS_Glassline Coating		V	V		V	V			V	V	V	
	MS_ Polymer Coating	V											
	SS												
Heating Element	Incoloy + GL Coating												
	Copper + Ni Coating	√											
Thermostat (Auto)	Advance Microproceser												
	High precision Capillary												
	Stem Mechnical	V											
Temp Control Mode	Temp Adjustable Knob												
	Touch Sensor												V
Thermal Cut_off	High precision Capillary	√	√	V	√	√	V	√	V	V	V	V	V
	Stem Mechnical												
	Mechanical - Disc												
Anode Rod	Mg0	V	V	V	V	V	V	V	V	V	V	V	V
Mounting	Position on Wall	Vertical	Vertical										
	BEE /ISI	4 Star											
SPECIFICATIONS													
Power (W)	Power (W)		2000 W	2000 W	2000 W	2000 W	2000 W	2000W/3000W	2000 W	2000 W	2000 W	2000 W	2000 W
Capacity (Liters)		6L, 10L, 15L, 25L									6L, 10L, 15L, 25L	6L, 10L, 15L, 25L	
Reheating Time (max)		12 Min - 6L , 18 Min - 10L , 28 Min - 15L , 45 Min - 25L , 85 Min - 35L , 105 Min - 50L											
AESTHETICS													
Color		White	Ivory	White	White	White	White	White	White	lvory	Ivory	White	White
Body		Plastic + Sheet Metal	Plastic + Sheet Meta		Plastic + Sheet Metal		Plastic + Sheet Metal						
WARRANTY													
Tank		5	5	5	7	7	7	5	7	7	7	7	7
Heating Element		2											
Product		2											
Dimensions (in mm)		275 x 290 x 330 - 06L 315 x 330 x 362 - 10L 315x 330 x 462 - 15L 360x 375 x 542 - 25L	340 x 365 x 490 - 15L	325 x 345 x 420 -10L 365 x 385 x 455 - 15L 365 x 385 x 565 - 25L		280 x 300 x 355 -06L 335 x 360 x 380 -10L 335 x 360 x 495 - 15L 380 x 405 x 545 - 25L	320 x 340 x 425 - 10L 365 x 385 x 465 - 15L 365 x 385 x 600 - 25L	335 X 275 X 310 - 06L 2KW 335 X 275 X 310 - 06L 3KW	355 x 340 x 355 - 10L 400 x 390 x 420 - 15L 465 x 390 x 495 - 25L		310 X 290 X 460 - 10L 310 x 290 x 490 - 15L	325 x 290 x 380 - 6L 390 x 345 x 430 - 10L 390 x 415 x 430 - 15L 475 x 435 x 520 - 25L	
Net Weight (in Kgs)		5.2 Kg - 06L 6.2 Kg - 10L 7.8 Kg - 15L 9.5 Kg - 25L	7.6 Kg - 10L 9.5 Kg - 15L 11.7 Kg - 25L	7.19 Kg - 10L 8.75 Kg - 15L 10.80 Kg - 25L	6.65 Kg - 10L 8.25 Kg - 15L 10 Kg - 25L	5.5 Kg - 06L 6.65 Kg - 10L 8.25 Kg - 15L 10 Kg - 25L	7.7 Kg - 10L 9.2 Kg - 15L 11.3 Kg - 25L	5.5 Kgs-06L 2KW 5.67 Kgs - 06L 3KW	6.87 - 10L 8 Kg - 15L 10 Kg - 25L	8.05 Kg- 10L 8.95 Kg - 15L 11.7 Kg - 25L	5.79 Kgs - 6L 7.38 Kgs - 10L 9.28 Kgs - 15L 13.10 Kgs - 25L	6.15 Kgs - 6L 8.20 Kgs - 10L 9.47 Kgs - 15L 12.34 Kgs - 25L	8 Kgs - 15L 10 Kgs - 25L

# WATER HEATER PRODUCT SPECIFICATION

SERIES		STORAGE				INST	ANT		TANKLESS		HORIZONTAL		
PRODUCT		RADIANT DLX	ARNO NEO	RAPIDJET	SOLARIUM NEO	INSTA JET	HYDRA JET	RAPIDJET PLUS	SOLARIUM VOGUE	RAPIDJET PRO	RAPIDJET ROYALE	CLASSIC HZ	VERSA HZ
ADVANCE FEATURES													
Pressure Rating	Safety Valve	8 BAR	8 BAR	6 <b>.</b> 5 BAR	6.5 BAR	6.5 BAR	6 BAR	6.5 BAR	6 <b>.</b> 5 BAR	6 BAR	6 BAR	8 BAR	8 BAR
TANK	MS_Glassline Coating												
	MS_ Polymer Coating	√										√	
	SS			V	V	√		√	V				
Heating Element	Incoloy + GL Coating												
	Copper + Ni Coating	V	V	V	V	V		V	V			√	V
Thermostat (Auto)	Advance Microproceser												
	High precision Capillary	V	V										√
	Stem Mechnical			V		V			V			V	
Temp Control Mode	Temp Adjustable Knob	V	V							V			√
	Touch Sensor												
Thermal Cut_off	High precision Capillary	√	V										
	Stem Mechnical			V	V	V		V	V	V		V	
	Mechanical - Disc												✓
Anode Rod	MgO	V	V									V	V
Mounting	Position on Wall	Vertical	Vertical	Vertical	Vertical	Vertical		Vertical	Vertical	Horizontal		Horizontal	Horizontal
	BEE /ISI	5 Star	3 Star	ISI	ISI	ISI	ISI	ISI	ISI			3 Star	3 Star
SPECIFICATIONS													
Power (W)	Power (W)			3000 W/ 4500 W	3000 W	3000 W	3000 W	3000 W	3000 W			2000 W	2000 W
Capacity (Liters)	Capacity (Liters)		35L, 50L	1L, 3L, 5L					3L			10L, 15L	10L, 15L, 25L
Reheating Time (max)		12 Min - 6L , 18 Min - 10L , 28 Min - 15L , 45 Min - 25L , 85 Min - 35L , 105 Min - 50L											
AESTHETICS													
Color		Grey		White					White			White	
Body		Plastic	Plastic + Sheet Metal	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	-	-	Plastic + Sheet Metal	Plastic
WARRANTY													
Tank		5		5					5			5	
Heating Element		2		2					2			2	
Product		2		2					2			2	
Dimensions (in mm)		460 x 470 x 600 - 35L 460 x 470 x 760 - 50L	400 x 418 x 595 - 35L 400 x 418x 782 - 50L	205 x 212 x 405 - 5L 205 x 190 x 365 - 3L 170 x 165 x 320 - 1L	210 x 210 x 430 - 5L 190 x 190 x 385 - 3L	190 x 185 x 360 -3L	190 x 185 x 375					300 x 312 x 424 - 10L 315 x 325 x 485 - 15L	320 x 325 x 490 - 10L 320 x 325 x 600 - 15L 320 x 325 x 880 - 25L
Net Weight (in Kgs)		14.4 Kg - 35L 16.8 Kg - 50L	11.6 Kgs - 35L 14.33 Kgs - 50L	3.06 Kg - 5L 2.5 Kg - 3L 2.0 Kg - 1L	2.8 Kg - 5L 2.7 Kg - 3L	2.5 Kg- 3L	2.4 Kg- 3L	2.55 Kg- 3L	2.8 Kgs - 3L			7.18 Kg - 10L 8.16 Kg - 15L 12.3kg - 25L	8.4 Kgs - 10L 10.0 Kgs - 15L 13.8 Kgs - 25L
										*Abovo Spocs are re	eference purpose only	/ (subject to change	as per manufacture

### Crompton

### **CUSTOMER SERVICE**

In Crompton, through our commitment to service, we aim to exceed expectations and get rewarded with a smile. Our after-sales service team is dedicated to deliver excellent services and meet unique customer needs.



Crompton service executive will schedule a service appointment within 24 hours of your calling to our toll-free number **1800-419-0505.** 



Once the service appointment is fixed, our qualified and trained Crompton service technician will visit & your product problem will be resolved within 24 to 48 Hours.



All india whatsapp helpline number **7428713830** with 24 hours open **chat bot** access



**Scan QR** for registration of warranty, installation, and services on our website in seconds

Easy & Interactive | Instant Complaint Registration | Seamless Experience

### **CROMPTON GREAVES CONSUMER ELECTRICALS LIMITED**

### Registered Office:

Equinox Business Park, 1st Floor, Tower 3, LBS Marg, Kurla (W), Mumbai-400 070, India