

EXETER

FINE



24" x 48" Field Tile in Fog Cross-Cut
48" x 110" Slab in Fossil Vein-Cut



1" x 3" Mosaic in Fossil Vein-Cut
24" x 48" Field Tile in Jute Cross-Cut
48" x 110" Slab in Jute Cross-Cut



2" x 2" Mosaic in Mist Cross-Cut
24" x 48" Field Tile in Mist Cross-Cut



48" x 110" Chevron Deco Slab in Fog
 48" x 110" Slab in Jute Vein-Cut
 48" x 110" Fluted Deco Slab in Mist

48" x 110" Slab in Fossil Vein-Cut
 48" x 110" Slab in Pumice Vein-Cut

AVAILABLE STOCKED ITEMS:

8mm Floor/Wall Tiles - Rectified Edge				
SIZE	FINISH	TYPE	COLORS	
12" x 24"	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice	
		Vein-Cut		
8mm Mosaics - Rectified Edge				
SHEET SIZE	MOSAIC TYPE	FINISH	TYPE	COLORS
12" x 12"	2" x 2"	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice

SPECIAL ORDER ITEMS:

8mm Floor/Wall Tiles - Rectified Edge				
SIZE	FINISH	TYPE	COLORS	
24" x 48"	Matte Anti-Slip	Cross-Cut	Fog Jute Mist Fossil Pumice	
		Vein-Cut		
48" x 48"	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice	
8mm Mosaics - Rectified Edge				
SIZE	MOSAIC TYPE	FINISH	TYPE	COLORS
12" x 12"	1" x 3"	Matte	Vein-Cut	Fog Jute Mist Fossil Pumice
8mm Trim Pieces - Rectified Edge				
SIZE	TRIM TYPE	FINISH	TYPE	COLORS
3" x 12"	Bullnose	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice
			Vein-Cut	
6mm Slabs - Rectified Edge				
SIZE	SLAB TYPE	FINISH	TYPE	COLORS
48" x 110"	-	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice
			Vein-Cut	
48" x 110"	Chevron Deco	Matte	Cross-Cut	Fog Mist
	Flute Deco			
12mm Slabs - Rectified Edge				
SIZE	FINISH	TYPE	COLORS	
32" x 96"	Matte	Cross-Cut	Fog Jute Fossil	

All Sizes are Nominal.

CROSS-CUT COLORS:



Fog




Jute



Mist



Fossil



Pumice

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

VEIN-CUT COLORS:



Fog




Jute



Mist



Fossil



Pumice

Colors shown may vary from actual product. Final selection should be made from actual product samples.
Products and availability are subject to change, please refer to our website for the most up to date selection.

CHEVRON DECO:



Fog



Mist

FLUTE DECO:



Fog



Mist

2” x 2” CROSS-CUT MOSAICS:



Fog




Jute



Mist



Fossil



Pumice

1” x 3” VEIN-CUT MOSAICS:




Fog




Jute



Mist



Fossil



Pumice



24" x 48" Field Tile in Fossil Cross-Cut and Vein-Cut
48" x 110" Slab in Mist Vein-Cut



EXETER

Color Body Porcelain Tile

Features	Test Method	Value	
Dimensions	ASTM C499	Compliant	
Surface Quality		Min. 95% of tiles free of visible defects	
Warpage	ASTM C485	± 0.25%	
Wedging	ASTM C502	± 0.15%	
Water Absorption	ASTM C373	≤ 0.5%	
Breaking Strength	ASTM C648	≥ 250 lbf (1.11 kN)	
Thermal Shock Resistance	ASTM C484	Resistant	
Crazing Resistance	ASTM C424	Resistant	
Chemical Resistance (Domestic)	ASTM C650	A	
Chemical Resistance (Low Concentration)		LA	
Chemical Resistance (High Concentration)		HA	
Fire Resistance	-	A1/A1 _{FL}	
Slip Resistance (Wet)	ANSI A326.3	Matte	Grip
		DCOF 0.50	DCOF 0.79
LEED	-	Yes	
Recycled Content	-	≥ 28%	
VOC Emissions	-	Zero VOC	
Declare	-	Red List Free	
Environmental Product Declaration	-	Facility Specific	
Health Product Declaration	-	Available	
Greenguard	-	Greenguard Gold	
Green Squared	-	Yes	



This product will contribute to USGBC registered LEED projects.
It will also contricute to the ANSI approved NAHB Green Building Standard ICC 700.

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Tile
 - Matte Finish
 - 6mm | 8mm | 12mm Thicknesses
- Rectified Edge
 - V3 - Moderate Variation
 - Frost Resistance - Yes



Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.

