
FLUENT









3" x 12" Wall Tile in Black Glossy 3" x 12" Wall Tile in Black Matte


AVAILABLE IN:

7mm Wall Tile	S				
SIZE	FINISH		STOCKED COLORS	SPECIAL ORDER COLORS	
2" /"	Glossy		Cream Grey White	Black	
3" x 6"	Matte		White	Black	
7.8mm Wall Til	es				
SIZE	FINISH		STOCKED COLORS	SPECIAL ORDER COLORS	
2// 42//	Glossy		Cream Grey White	Black	
3" x 12"	Matte		White	Black	
A# 1/#	Glossy		Cream Grey White	Black	
4" x 16"	Matte		White	Black	
Trim Pieces					
SIZE	TYPE	FINISH	STOCKED COLORS	SPECIAL ORDER COLORS	
3" × 6"	Bullnose	Glossy	Cream Grey White	Black	
3" X 6"		Matte	White	Black	
2// 12//	Bullnose	Glossy	Cream Grey White	Black	
3" x 12"		Matte	White	Black	
A" v 14"	D. II.	Glossy	Cream Grey White	Black	
4" x 16"	Bullnose	Matte	White	Black	

All Sizes are Nominal.










Grey White









Features	Test Method	Value	
Water Absorption	ASTM C373	14.8%-17.1%2	
Breaking Strength	ASTM C648	≥ 150 lbf. avg	
Linear Thermal Expansion	ASTM C372	Conforms	
Thermal Shock Resistance	ASTM C484	Conforms	
Chemical Resistance	ASTM C650	Conforms	
Stain Resistance	ASTM C1378	Conforms	
Frost Resistance	ASTM C1026	No	
Bond Strength	ASTM C482	Conforms	
Thickness	ASTM C499	max ± 0.030 inch	
Surface Hardness	Mohs Scale	5 Mohs	
Warpage Edge	ASTM C485	Conforms	
Warpage Diagonal	ASTM C485	Conforms	
Recycled Content	-	7%	





This product will contribute to USGBC registered LEED projects.

It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.

Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Ceramic Wall Tile
- Matte | Glossy Finishes
- 7mm | 7.8mm Thicknesses
- Pressed Edge
- V1 Uniform Appearance
- Frost Resistance = No