

# ICC-ES Report

## PMG-1247

ICC-ES | (800) 423-6587 | (562) 699-0543 | [www.icc-es.org](http://www.icc-es.org)

Reissued 04/2019  
This report is subject to renewal 04/2020

EVALUATION SUBJECT:

## HYDROSTATIC GREASE SEPARATOR

**DIVISION:**

22 00 00—PLUMBING

**SECTION:**

22 13 16—SANITARY WASTE AND VENT PIPING

Report Holder:

**GOSLYN, LP**

Look for the ICC-ES marks of Conformity!



## ICC-ES PMG Product Certificate

**PMG-1247**

Effective Date: April 2019

This listing is subject to re-examination in one year.



[www.icc-es-pmg.org](http://www.icc-es-pmg.org) | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING  
Section: 22 13 16—Sanitary Waste and Vent Piping

### Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Hydrostatic Grease Separator

Listee: Goslyn, LP  
1904 University Business Drive, Suite #310  
McKinney TX 75071  
[www.goslyn.com](http://www.goslyn.com)

### Compliance with the following codes:

2018, 2015, 2012 and 2009 *International Plumbing Code*® (IPC)  
2018, 2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)\*  
2018, 2015, 2012 and 2009 *International Residential Code*® (IRC)  
2015, 2010 and 2005 *National Plumbing Code Canada*® (NPC)\*\*

\**Uniform Plumbing Code* is a copyrighted publication of the International Association of Plumbing and Mechanical Officials

\*\**National Plumbing Code Canada* is a copyrighted publication of the National Research Council Canada

### Compliance with the following standard:

ASME A112.14.3-2000(R2014) Grease Interceptors  
ASME A112.14.4-2001(R2017) Grease Removal Device  
PDI G101-2015, Testing and Rating procedure for Hydro Mechanical Grease Interceptors with appendix of installation and maintenance  
CAN/CSA B481.1-2012(R2017) Testing and rating of grease interceptors using lard

### Identification:

Goslyn Hydrostatic Grease Separator: The unit and the packaging must be permanently and legibly marked with the manufacturer's name or trademark, model number, "Inlet" and "outlet", ASME A112.14.3, ASME A112.14.4, product type by rating, efficiency at rated capacity, flow rate, grease capacity, and the ICC-ES PMG listing mark.

### Installation:

The Goslyn Hydrostatic Grease Separator is to be installed in accordance with the manufacturer's instructions and the requirements of the IPC and UPC.

### Models:

Goslyn Model(s); GOS20, GOS40, GOS60, GOS80, GOS80LP

## Conditions of Listing:

1. The Goslyn Hydrostatic Grease Separator must be installed in accordance with the manufacturer's published installation instructions and the applicable code.
2. The Goslyn Hydrostatic Grease Separator is manufactured in Shanghai, China, under a quality control program with annual surveillance inspections by ICC-ES.