

DECK JET WATER FEATURE

Installation Instructions

IMPORTANT SAFETY INSTRUCTIONS READ AND FOLLOW ALL INSTRUCTIONS SAVE THESE INSTRUCTIONS

CAUTION: Before installing this product, read and follow all warning notices and instructions in this Guide. Failure to follow warnings and instructions can result in severe injury, death, or property damage. Call (800) 831-7133 for additional free copies of these instructions. Please refer to www.pentairpool.com for more information related to this product.



IMPORTANT NOTICE

Attention Installer: These Installation Instructions contains important information about the installation, operation and safe use of this underwater pool and spa light. This Guide should be given to the owner and/or operator of this equipment. Attention User: These Installation Instructions contains important information that will help you in operating and maintaining this product. Please retain it for future reference.


This innovative water effect is designed to be cast into the concrete deck or gunite sidewall of a swimming pool. It can also be mounted through the sidewall of a vinyl liner in-ground or above ground pool. It is furnished with five water effect eyeballs, one of which you will install in the body after the pool is complete.

It is recommended that you supply the Deck Jet water feature with filtered water. Also, if more than one Deck Jet water feature is used on this pool, we recommend that a PVC ball valve be used to control the flow to EACH effect. This is because the flow and pressure requirements are so low that any difference in water pressure caused by piping length will be noticed.

The supply piping to the Deck Jet water feature can be any size (1/2" recommended). The connection on the bottom of the body is 11/2" slip.

If the Deck Jet water feature is to be mounted into concrete or gunite:

- 1. Place the plastic parts bag in a safe location. This contains all the parts you will need to activate the water effects after the pool hardscape is complete.
- 2. Leave the red gunite shield pressed securely in the body to prevent contamination of the internal threads.
- 3. You will need to adapt your supply piping to the 1½ " PVC slip connection with a reducing bushing. Glue the bushing to the body.
- 4. Glue the supply piping to the bushing.
- 5. Secure the body to prevent movement during the gunite/concrete placement. You can drill holes in the horizontal flange and wire the body to the rebar. Because the Deck Jet watere feature is round, you can orient it in any direction.
- 6. The top flange of the shield plug should be flush with the FINAL prepared surface.




If the Deck Jet water feature is to be mounted into the sidewall of a vinyl lined pool:

- 1. Place the plastic parts bag in a safe location. This contains all the parts you will need to activate the water effects after the pool hardscape is complete.
- 2. Cut a 2-3/8" diameter hole, above water level, at the location desired.
- 3. Put a gasket on the body and insert the body through the hole from the outside.
- 4. Put on the remaining gasket, friction ring, and nut. Tighten the nut until the gasket is compressed slightly. All threads on the nut should be engaged, but it is recommended that the body not stick out of the nut too far. If desired, a bead of silicone caulking can be applied to better seal the pool wall.
- 5. You will need to adapt your supply piping to the $1\frac{1}{2}$ " PVC slip connection with a reducing bushing (1/2" piping is recommended).
- 6. Glue the supply piping to the bushing.
- 7. Support the piping on the outside of pool to prevent potential pipe breakage.

Replacement Parts

Item No.	Part Number	Description Friction Ring
1	87200800	Fitting Nut ,Sealing Liner 2" Nut
2	87200700	Friction Ring, SIF
3	87201200	Gasket TH-AGF 3.5" OD x 2-3/8" ID
4	590005	Plug, Gunite Shield, L20
5	590010	Eyeball Kit (includes: Installation Card
6	590011	Accessory Kit (includes: Capture Ring – (2 qty.), O-ring – (3 qty.), Filter Pad – (2 qty.) Silicone Lubricant – (1 qty.)





WATER SOLUTIONS

1620 HAWKINS AVE., SANFORD, NC 27330 • (919) 566-8000 10951 WEST LOS ANGELES AVE., MOORPARK, CA 93021 • (805) 553-5000 WWW.PENTAIRPOOL.COM

All Pentair trademarks and logos are owned by Pentair, Inc. Pentair Aquatic Systems[™] is a trademark of Pentair Water Pool and Spa, Inc. and/or its affiliated companies in the United States and/ or other countries. Unless expressly noted, names and brands of third parties that may be used in this document are not used to indicate an affiliation or endorsement between the owners of these names and brands and Pentair Water Pool and Spa, Inc. Those names and brands may be the trademarks or registered trademarks of those third parties. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer.

© 2012 Pentair Aquatic Systems. All rights reserved. This document is subject to change without notice.

P/N 590009 REV. B 8/27/12

