

DATA SHEET

COIL SPRING COMPRESSOR C/W UNIVERSAL JAWS

6 08395000











PRODUCT DESCRIPTION:

- Dismantles McPherson struts safe and easy and handles approximately 90% of all cars
- Supplied with two sets of standard jaws which are easily changed and feature hard-wearing polyurethane inserts (ø80-120mm and ø80-200mm)
- The high-tech protective inserts improve safety considerably by forming themselves around and gripping the spring firmly to prevent it from slipping from the jaw. In addition, the insert protects the spring from scratches and therefore from corrosion
- The large user-friendly and ergonomic adjusting handle makes manual positioning of the jaw fast and easy
- The jaws are secured with strong bolts and equipped with a lip which locks the spring during compression for improved safety
- TUV approved Safety Factor 4
- Maximum Load 1500kg





SPARE PARTS

COIL SPRING COMPRESSOR REPAIR KIT 083950-01



OPTIONAL ACCESSORIES

SAFETY WIRE FOR VICE MOUNTED SPRING COMPRESSORS

Suiable for use with 08395000 & 08400000 Spring Compressors

New and durable wire for improved safety

To ensure maximum safety the heavy-duty steel wire can be locked around the spring during compression to prevent the risk of injury

COMPATIBLE JAWS

80 - 120MM UNIVERSAL JAW





80-145MM CONICAL SPRING JAW @ 08400600



SPECIAL JAW BMW & RENAULT 6 08400700

BMW 3 series E46, E90, 5 series E39,E60, F10 Renault Megane 2, 3

SPECIAL JAW MERC C CLASS **68400800**

SPECIAL JAW MERC E CLASS **6 08400900**

SPECIAL JAW - MERCEDES W204/5 W207 **6 08401600**



COPYRIGHT 2022 - SYKES-PICKAVANT LTD. ALL RIGHTS RESERVED. ALL PRODUCTS SUBJECT TO AVAILABILITY. E&OE.







