

Version: 01 Dated: 02nd June 2015 Doc No: FISDS080 Page 1 of 7

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier		
Product Name:	AEROSOL AIR CONDITIONER CLEANER - CITRUS	
Product Code:	FACTL	

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet		
Manufacturer:	Fortron International	
Address:	Unit 4 Cannel road, Burnwtood Business Park, Burntwood, Staffordshire, WS7 3FU	
Country:	United Kingdom	
Telephone:	01543 679 900	

1.4 Emergency telephone number

01543 679 900 (Office Hours Only)

2. HAZARD IDENTIFICATION

Classification under CLP	Aquatic Chronic 3: H412; Flam. Aerosol 1: H222; -: H229
Most important adverse effec	ets: Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful to
	aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements:	H222:Extremely flammable aerosol. H229: Pressurised container: May burst if heated H412: Harmful to aquatic life with long lasting effects.		
Hazard pictograms:	GHS02: Flame		
Signal words:	Danger		
Precautionary statements:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use. P261: Avoid breathing spray. P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501: Dispose of contents/container to hazardous or special waste collection point.		
2.3. Other hazards			
PBT:	This product is not identified as a PBT/vPvB substance.		

Version: 01 Dated: 02nd June 2015 Doc No: FISDS080 Page 2 of 7

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous ingredients:

ETHANOL - REACH registered number(s): 01-2119457610-43

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304	30 - 50%

BUTANE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-448-7 106-97-8	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220;	10 - 30%	
		Press. Gas: H280		

PROPANE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-827-9	74-98-6	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	10 - 30%

ISOBUTANE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-857-2	75-28-5	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	10 - 30%

3-IODO-2-PROPYNYL BUTYLCARBAMATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
259-627-5	55406-53-6	-	Acute Tox. 3: H331; Acute Tox. 4: H302; STOT RE 1: H372; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	<1%

4. FIRST AID MEASURES

4.1. Description	4.1. Description of first aid measures			
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.			
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.			
Ingestion:	Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Consult a doctor.			
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down. Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.			

4.2. Most important symptoms and effects, both acute and delayed			
Skin contact:	There may be mild irritation at the site of contact.		
Eye contact:	There may be irritation and redness. The eyes may water profusely.		
Ingestion:	There may be difficulty swallowing. Headaches or general malaise may result. There may be vomiting and diarrhoea. The casualty may appear intoxicated. There may be loss of consciousness.		
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. Drowsiness or mental confusion may occur. There may be loss of consciousness.		
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.		

Version: 01 Dated: 02nd June 2015 Doc No: FISDS080 Page 3 of 7

4.3. Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use water spray to cool containers. Suitable extinguishing media for the surrounding fire

should be used.

5.2. Special hazards arising from the substance or mixture

Extinguishing media: Extremely flammable. In combustion emits toxic fumes. Fire exposed aerosols should be sprayed with

water to reduce risk of rupture/explosion. Contents of aerosol will add to fuelling of fire.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Eliminate all sources of ignition. If outside keep bystanders upwind and away from danger point.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. Handling requirements: Smoking is forbidden.

7.2. Conditions for safe storage, including any incompatibilities

Storage	Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight.
conditions:	
Suitable	Not applicable.

7.3. Specific end use(s)

packaging:

Version: 01 Dated: 02nd June 2015 Doc No: FISDS080 Page 4 of 7

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Hazardous ingredients:

ETHANOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1920 mg/m3	-	-	-

BUTANE

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1450 mg/m3	1810 mg/m3	-	-

PROPANE

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1800 mg/m3	7200 mg/m3	-	_

ISOBUTANE

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	2400 mg/m3	9600 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.	
--------------------------------	--

8.2. Exposure controls		
Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.	
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.	
Hand protection:	Protective gloves.	
Eye protection:	Safety glasses.	
Skin protection:	Protective clothing.	
Environmental:	No special requirement.	

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties		
State	Aerosol	
Colour	Colourless	
Odour	Pleasant	
Evaporation rate	Fast	
Oxidising	Not applicable.	
Solubility in water	Slightly soluble	
Also soluble in:	Most organic solvents.	
Viscosity	Non-viscous Non-viscous	
Boiling point/range°C:	<100	
Viscosity test method	Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3104/3105)	

Version: 01 Dated: 02nd June 2015 Doc No: FISDS080 Page 5 of 7

Melting point/range°C	No data available
Flammability limits %: lower:	No data available
upper	No data available
Flash point°C	-20
Part.coeff. n-octanol/water	No data available
Autoflammability°C	No data available
Vapour pressure	No data available
Relative density	Not applicable.
РH	Not applicable.
VOC g/l	No data available.

9.2. Other information	
Other information	No data available

10. STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity	Stable under recommended transport or storage conditions.

10.2. Chemical stability	
Chemical stability	Stable under normal conditions.

10.3. Possibility of hazardous reactions	
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid		
Conditions to avoid	Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.	

10.5. Incompatible materials	
Materials to avoid:	Strong acids. Strong bases. Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products	
Haz. decomp. producIn combustion emits toxic fumes.	In combustion emits toxic fumes

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Hazardous ingredients:

ETHANOL

DERMAL	RBT	LD50	>2000	mg/kg
ORL	MUS	1H LC50	>20	mg/kg
ORL	RAT	LD50	>2000	mg/kg

Toxicity values:	No data available.

Version: 01 Dated: 02nd June 2015 Doc No: FISDS080 Page 6 of 7

Symptoms / routes of exposure

Skin contact	There may be mild irritation at the site of contact.
Eye contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be difficulty swallowing. Headaches or general malaise may result. There may be vomiting and diarrhoea. The casualty may appear intoxicated. There may be loss of consciousness.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. Drowsiness or mental confusion may occur. There may be loss of consciousness.

Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Delayed / Illillicalate checis.	inimediale checis can be expected until shortlerin exposure.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Hazardous ingredients:

ETHANOL

ALGAE	48H EC50	>100	mg/l
Daphnia magna	48H EC50	>100	mg/l
FISH	96H LC50	>100	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification This product is not identified as a PBT/vPvB substance

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal operations	Transfer to a suitable container and arrange for collection by specialised disposal company.
NB	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Version: 01 Dated: 02nd June 2015 Doc No: FISDS080 Page 7 of 7

14. TRANSPORT INFORMATION		
14.1. UN number		
UN number:	UN1950	
14.2. UN proper shipping name		
Shipping name:	AEROSOLS	
14.3. Transport hazard class(es)		
Transport class:	2	
14.4. Packing group		
14.5. Environmental hazards		
Environmentally hazardous:	No	
14.6. Special precautions for user		
Special precautions:	Limited Quantity - 1 Litre/Kilo	
Tunnel code:	D	
Transport category:	2	

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

16. OTHER INFORMATION

Other information:

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

Phrases used in s.2 and s.3:

H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

H229: Pressurised container: May burst if heated

H302: Harmful if swallowed.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is

conclusively proven that no other routes of exposure cause the hazard>.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

^{*} indicates text in the SDS which has changed since the last revision.