

SAFETY DATA SHEET FORTRON DIESEL PARTICULATE FILTER CLEANER

Page: 1

Compilation date: 16/06/2015

Revision date: 21/10/2020

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FORTRON DIESEL PARTICULATE FILTER CLEANER

Product code: T1092

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: * PC13: Fuels.

1.3. Details of the supplier of the safety data sheet

Company name: Fortron International Unit 4 Cannel Road Burntwood Business Park Burntwood, Staffordshire WS7 3FU United Kingdom Tel: 01543 679 900 Fax: 01543 679 901

Email: sales@sykes-pickavant.com

1.4. Emergency telephone number

Emergency tel: 01543 679 900

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Asp. Tox. 1: H304; Aquatic Chronic 2: H411; Flam. Liq. 3: H226; Skin Irrit. 2: H315; STOT SE 3: H336

- Most important adverse effects: Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
- 2.2. Label elements Label elements: Hazard statements: H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

FORTRON DIESEL PARTICULATE FILTER CLEANER

Page: 2

	5
Hazard pictograms:	GHS02: Flame
	GHS07: Exclamation mark
	GHS08: Health hazard
	GHS09: Environmental
Signal words:	Danger
Precautionary statements:	P210: Keep away from heat, hot surfaces, sparks, open flames and other
	ignition sources. No smoking.
	P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves/protective clothing/eye protection/face
	protection.
	P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.
	P331: Do NOT induce vomiting.
	P362: Take off contaminated clothing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

KEROSINE (PETROLEUM), HYDRODESULPHURIZED - REACH registered number(s): 01-2119462828-25 -XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
265-184-9	64742-81	-	Flam. Liq. 3: H226; Skin Irrit. 2:	70-
	-0		H315; Asp. Tox. 1: H304;	90%
		Aquatic Chronic 2: H411; STOT		
			SE 3: H336	

2-ETHYLHEXYL NITRATE - REACH registered number(s): 01-2119539586-27-XXXX

248-363-6	27247-96	-	Aquatic Chronic 2: H411; -:	1-5%
	-7		H302+H312+H332; -: EUH044;	
			-: EUH066	

2-ETHYLHEXAN-1-OL - REACH registered number(s): 01-2119487289-20-XXXX

203-234-3	104-76-7	-	STOT SE 3: H335; Acute Tox. 4:	1-5%
			H332; Skin Irrit. 2: H315; Eye	
			Irrit. 2: H319	

FORTRON DIESEL PARTICULATE FILTER CLEANER

Page: 3

ORGANOMETALLIC FERROUS C	OMPOUND - REACH registered number(s): 01-0000020037-79-0000		
479-710-1	STOT RE 2: H373; Aquatic 1-5% Chronic 4: H413 1		
Section 4: First aid meas	sures		
4.1. Description of fir	rst aid measures		
Skin contact:	Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin.		
Eye contact:	Bathe the eye with running water for 15 minutes.		
Ingestion:	Do not induce vomiting. Wash out mouth with water. Consult a doctor.		
Inhalation:	Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.		
4.2. Most important s	symptoms and effects, both acute and delayed		
Skin contact:	There may be irritation and redness at the site of contact.		
Eye contact:	There may be irritation and redness.		
Ingestion:	Nausea and stomach pain may occur. There may be vomiting and diarrhoea.		
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.		
	Drowsiness or mental confusion may occur.		
4.3. Indication of any	y immediate medical attention and special treatment needed		
mmediate / special treatment:	Do not induce vomiting. Eye bathing equipment should be available on the premises.		
Section 5: Fire-fighting	measures		
5.1. Extinguishing me	edia		
Extinguishing media:	Water spray. Carbon dioxide. Alcohol resistant foam. Dry chemical powder. Use water spray to cool containers.		
5.2. Special hazards	arising from the substance or mixture		
Exposure hazards:	Flammable. In combustion emits toxic fumes.		
5.3. Advice for fire-fi	ghters		
Advice for fire-fighters:	S: Wear self-contained breathing apparatus. Wear protective clothing to		
	prevent contact with skin and eyes.		
Section 6: Accidental rel	ease measures		
6.1. Personal precaut	tions, protective equipment and emergency procedures		
Personal precautions:	Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. Turn leaking containers leak-side up to prevent the escape of liquid.		

[cont...]

FORTRON DIESEL PARTICULATE FILTER CLEANER

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Gloves (solvent-resistant). Breakthrough time of the glove material > 4 hours.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid Colour: Dark red Odour: Characteristic odour Evaporation rate: Moderate

FORTRON DIESEL PARTICULATE FILTER CLEANER

Oxidising:	Not applicable.		0
Solubility in water:	Insoluble		
Viscosity:	Non-viscous		
Kinematic viscosity:	<=20.5		
Viscosity test method:	Kinematic viscosity in 10-6	m2/s at 40°C (ISO 3104/3105)	
Boiling point/range°C:	150-300	Melting point/range°C:	Not applicable.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	40	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	>200	Vapour pressure:	No data available.
Relative density:	0.815	pH:	Not applicable.
VOC g/I:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Oxidising agents. Reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

KEROSINE (PETROLEUM), HYDRODESULPHURIZED

	000 mg/kg
--	-----------

Page: 5

FORTRON DIESEL PARTICULATE FILTER CLEANER

Page: 6

2-ETHYLHEXYL NITRATE

ORAL RAT LD50 >10 g/kg

2-ETHYLHEXAN-1-OL

ORAL	RAT	LD50	2047	mg/kg
VAPOURS	RAT	LD50	0.89	mg/l

ORGANOMETALLIC FERROUS COMPOUND

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

2-ETHYLHEXYL NITRATE

ALGAE	72H ErC50	3.22	mg/l
DAPHNIA	48H EC50	>12.6	mg/l
FISH	96H LC50	2.0	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Volatile. Floats on water. Insoluble in water.

FORTRON DIESEL PARTICULATE FILTER CLEANER

Page: 7

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1993

14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.

(KEROSINE (PETROLEUM), HYDRODESULPHURIZED)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: Limited Quantity - 5 L/kg

Tunnel code: D/E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixi

Specific regulations: * Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: * A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

FORTRON DIESEL PARTICULATE FILTER CLEANER

Section 16: Other information	
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission
	Regulation (EU) No 2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH044: Risk of explosion if heated under confinement.
	EUH066: Repeated exposure may cause skin dryness or cracking.
	H226: Flammable liquid and vapour.
	H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H335: May cause respiratory irritation.
	H336: May cause drowsiness or dizziness.
	H373: May cause damage to organs through prolonged or repeated
	exposure ([oral]).
	H411: Toxic to aquatic life with long lasting effects.
	H413: May cause long lasting harmful effects to aquatic life.
Legal disclaimer:	The above information is believed to be correct but does not purport to be
	all inclusive and shall be used only as a guide. This company shall not be
	held liable for any damage resulting from handling or from contact with the
	above product.