


3000W Water Fog Machine With LCD Display

Double Holes



Menu UP DOWN

TIMER VOLUME MANUAL

Operation:

1. Indicator: Red indicator on when connect with the Current; Green indicator on when working
2. Menu: Parameter setting (as below) , Press it for 5s to keep
3. UP/DOWN: Adjust the Parameter
4. TIMER: circulatory spraying and stop time setting
5. VOLUME: Continuous Spray when Press;stop when don't pres again
6. MANUAL: Spray when Press;stop when don't press again
7. Wireless Remote Control: press A/B Key to work, press A/B key again to stop
8. DMX Controller Control: CH1-- Output

Note: put the 1L oil each time and put 1L again when used up

Menu Setting:

- | | | |
|--------------|-------|--|
| 1. Addr | 1-511 | DMX512 setting |
| 2. Pump | 0 | None |
| | 1-100 | Continuous spraying (output can't be adjustable) |
| 3. Wind(fan) | | fixed wind speed (cannot adjust) |
| 4. Interval | 1-200 | circulatory spray waiting time setting |
| 5. Duration | 1-200 | circulatory spray working time setting |

Accessories:

Power Cable(1pcs),DMX

Cable(1pcs),Wireless Remoter(1pcs), Smoke Hose(2sets)

Description:

This machine use the ultrasonic water mist mixing principle to make the fog affixed to the earth to spread. It Can work for a long time, it does not need to use dry ice, the main Consumables is the distilled water or pure water, with very low cost, harmless to the environment and the human. Interface function has the smoke output interval, output time, fog output, continuous output and DMX-512 settings. Applicable to large bars, large-scale performances, product launches and other places to use.

Features:

1. The whole housing is stainless steel welding, spray black paint, rustproof and durable, with a remote control function;
2. Oil and water tanks set up drainage holes, the oil will not spill during the transport;
3. Oil free Protection system, more secure use;
4. Updated the guide tube material, more lightweight, more durable, take up less space;
5. LCD control interface and support DMX-512X signal control
6. Level display, oil level easy to be watched!
7. Please be sure to use the original high-quality professional smoke! Otherwise, the effect is poor or easy to failure, and can not be free warranty!
8. The use of the original PRO-V smoke oil can create a faster chic smoke effect. (Recommended for POR-V, or PRO-A or PRO-D)

Note: Please add distilled water or purified water

Specifications:

Voltage	AC110/220V-240V 50/60HZ
Fuse	15A
Power	3000W
Heat-uptime	4min
Output	4400cuft/min
Fluid Consumption Rate	45min/L
Atomization Maximum Duration	80min
Max Output Coverage	About 300m2
DMX-512	∫
Wireless Remote Controller	W4
Water Tank Total Capacity	18kg
Tank Capacity	2L
N.W.	47kg
G.W.	55kg
Flight Case Size	88*39*56(cm)
Package Size	89*40*57(cm)
DMX Channel	1
Consumables	PRO-V/PRO-A/PRO-D