Tote Slide

Installation Guide



CAUTIONS:

Please read through all of the installation instructions before beginning the installation of your Tote Slide. We recommend that you always use safety glasses/goggles when installing the Tote Slide. Use only HEAVY DUTY totes that have straight sides and snap-on, folding, or locking lids. Your totes need to have an unobstructed lip that extends at least 3/8" from the sides.

Product Info

MADE IN THE USA

The **Tote Slide Storage System** was designed specifically to utilize the wasted space above your garage door, and beyond. Engineered to be durable, lightweight, and easy to install, our patented storage system allows for neat organization of your seasonal items, with zero wasted space. Hidden from street view, the Tote Slide provides a safe and secure way to store and organize your holiday totes.

- 84" x 78"
- Stores 9 heavy duty 27 gallon totes/bins
- Load capacity: 35 lbs per tote
- Manufactured with the highest quality powder coated steel
- Rails are adjustable to fit any size tote
- 15" of clearance needed for 12 & 17 gallon totes
- 18" of clearance needed for 27 gallon totes
- Fully adjustable and expandable
- Comes complete with all parts and hardware in one box
- Lifetime limited warranty
- Patented & patents pending
- Totes sold separately



Each Tote Slide Includes:

Support Rails



Slide Bolts




Channel Rails



Channel Rail Connectors



Lag Screws & Washers



Wing Nuts & Lock Washers



Tools Required:



Installation Instructions:

- 1. Connect 2 sets of 3 26" Support Rails
- 2. The Support Rails can be installed either along or across the wooden joist(s)
- 3. Attach the Support Rails to the wooden ceiling joists 48" apart, using eight Lag Screws
 - Pre-drill using a 7/32" Drill Bit before inserting Lag Screws
 - 1/2" Socket required
- 4. Connect eight 42" Channel Rails using the four Channel Rail Connectors
 - Use a Rubber Mallet if necessary to ensure a tight fit
- Insert the Slide Bolts into the Channel Rails approx. 48" apart and loosely hand tighten the Wing Nuts
 - Use Lock Washers on the same side of the Channel Rails as the Wing Nuts
- 6. Slide all four complete Channel Rails into the Support Rails
 - The Tote Slide is adjustable to fit any sized Tote
- 7. Use an Empty Tote to fit your Channel Rails
 - After ensuring a snug fit on your Tote, fully hand-tighten all Wing Nuts
- 8. If necessary, use Pliers to tighten Wing Nuts further
 - DO NOT over-tighten
- 9. We recommend the black totes with yellow lids from Home Depot, Lowes, Costco, or other similar retailers
 - Totes must have a reinforced "thick" lip
- 10. 27-gallon totes can be stored with 18" of clearance from the ceiling
- 11. 17-gallon totes can be stored with 15" of clearance from the ceiling
- 12. For additional storage, combine multiple systems

Maximize Your Storage:



27 gallon totes



10 totes per system

17 gallon totes



13 totes per system

18" of clearance needed for 27 gallon totes



Recommended Tote



COSTCO, LOWES, HOME DEPOT, OFFICE MAX



For More Information:



Website:

Ceilingsam.com/installation

Youtube:

https://www.youtube.com/watch?v=yblnwL2Z6zM

