

Assembly Instructions & Care Guide

Installation in this guide are for reference only and may differ slightly from the actual product.

CONTENT

Before You Start	1
Overview	
Important Safety Instructions	1
Warning	1
Preparation	1
Material Specifications	2
Component Part	3
Step I	4
Step II	5
Step III	6
Step IV	7
Troubleshoot	8
Usage and Maintenance	9
Use and Care	9
Help Center	10

Before You Start

Overview

No matter what problems or questions you encounter during the installation or use of the chandelier, please feel free to contact us, we will reply to you within 24 hours and quickly solve or answer for you!

When you leave a message to us online, please leave your order ID and case details.

The more detailed and accurate descriptions you provide the faster and more accurate solutions we will offer!

Important Safety Instructions

These instructions are provided for your safety. It is very important that you have reed them completely before beginning the instelletion of your fixture.

- 1. We recommend installation by a ficensed electrician.
- 2. This fixture is an E12 light source
- 3. If any speciel control devices are used with this fxture, follow the instructions carefuly to assure full complance with N.Ec.requirenhents. If there are any questions, contact a qualified electrical contractor.
- 4. Please make sure shut off the main electical supply before Installattion changing bulbs or ceaning liloht fxture.

Warning

This is not a toy and the product has no play value.

Keep at least 3 ft away from cribs, bassinets, and toddler beds.

Keep out ofreach ofchildren under 3 years old.

Preparation

- 1. Please prepare the E12 bulb of the packing in advaince.
- 2. Please keep the installation place dean and tidy to avoid missing tiny accessories.

Solid Metal Frame

This lighting fixture features a solid metal frame that ensures excellent durability and structural stability.

The surface is treated with multiple finishing processes to provide rust and corrosion resistance, while offering a refined metallic texture that combines functionality with decorative appeal.

Natural Marble

Crafted from natural marble, each piece showcases unique, organic veining for a timeless and elegant look. The marble is hard, wear-resistant, and smooth in texture, adding a touch of sophistication and enhancing the overall aesthetic of the space.

If you encounter any questions or problems during the assembly process, please do not hesitate to contact us. We strive to provide excellent customer support and will respond to your inquiries within 24 hours. Our team will offer you a suitable solution to address anyconcems you may have contact us.

Houlte Customer Help Center



service@houlte.com www.houlte.com



213-270-4973







Youtube



Facebook




Instagram



Tiktok


Component Part



A*4	B*3	C*16	D*1	E*1
F*89				

STEP I Unpacking

Open the box, and take out all the accessories, you will get the following items.




FAQ

Q: When I open the box, I find that the Spanish marble fittings are broken, what should I do?

A: Since Spanish marble lampshade fittings are handmade and inherently fragile, we have taken this situation into consideration. We have prepared spare glass fittings in each box, which is sufficient for your installation needs. If there are extra broken Spanish marble fittings fittings, please contact us in time, we will send new Spanish marble fittings to you.

STEP II Branch Adjustment




FAQ

Q: Do I need to install the iron pipe components in order?

A: No, you need to use the movable clips to fasten to the lamp body and lock the screwsinto place.

STEP III Wiring and Mounting

- 1. Adjust the length of hanging cable and wire according to your requirement.
- 2. Take off the mounting bracket from ceiling canopy, and install it on ceiling.
- 3. Connect lamp wires and your house wires together.
- 4. Install the lamp frame on ceiling.




FAQ

Q: How do I differentiate between Neutral wire, Live wire and Ground wire?

A: We have distinguished markings between the N and L wires and the brass wire on the mounting bracket is the ground wire.

STEP IV Hanging Pendants



FAQ

Q: What if the bulb is not vertical when installing?

A: We can loosen the bulb to fine-tune the angle. Ensure the light bulb is vertical when being locked! So that the light bulb will not touch the inner wall of the lampshade!

Troubleshoot

Product Category	Fault	Cause Analysis	Handing Method
Pendants	The light will not turn on	A bulb is burned out	Replace the bulb
		The power is off	Ensure the power supply is on
		There is a faulty wire connection	Check the wiring. Contact A qualified and licensed electrician ifyou are not capable to solve wiring problems.
		There is a faulty switch	Test or replace the switch
	The fuse blows or the circuit breaker trips when the light is turned on	There are crossed wires or the power wire is grounding out	Discontinue use of the fixture. Check the wire connections or contact a qualified electrician.
	Strobe	Drive Failure	Contact our after-sales service, may need to replace the driver.
		Wiring Error	Rewire according to the manual
		Light Source Failure	Replace the light source, if the problem can not be ruled out. please contact customer service.
	Abnormal noise	Drive Failure	Contact our after-sales service, may need to replace the driver.

Usage and Maintenance

Use and Care

- · Before you perform any clean ing or maintenance work, turn offthe electricity at the main circuit
- · breaker panel.
- · Wipe the fixture with a damp, soft cloth.
- · Do not use any abrasive cleaners or cleaners that contain alcohol.

When replacing bulbs, use 60-watt MAX for E26/27 bu lb and E12/14 bulb, 40-watt MAX for G9 bulb, 20-watt MAX for G4 bulb.

Help Center

Treat your lighting furniture with care and follow the maintenance guidelines. In return, your furniture will provide you with lasting comfort and support. For any additional inquiries or assistance, please do not hesitate to contact us at service@houlte.com



We look forward to seeing you again soon.