
HOULTE



Assembly Instructions & Care Guide

Illustrations in this guide are for reference only and may differ slightly from the actual product.

Usage and Maintenance

Use and Care

- Leave it vacant for half a month before use, maintain good ventilation to eliminate any odor.
- Place items steadily, heavier items should be placed at the bottom to avoid tipping over.
 For high temperature or frozen items, please put a heat-resistant pad underneath.
- Do not directly push or drag hard objects on the furniture to avoid scratching the surface.
- Avoid prolonged exposure to sunlight or heat sources to prevent discoloration or fading.
 Pay attention to moisture prevention to avoid mold. Keep the furniture placed steadily to prevent breakage or loosening.
- Please educate children to stay away from the glass sharp corners of the furniture.
- When opening and closing doors or drawers, handle them gently and check the screws regularly to tighten them.
- Use a soft dry cloth to dust, a slightly damp cloth to clean the surface, avoid abrasive cleaners.

Help Center

Treat your furniture with care and follow the maintenance guidelines. In return, your furniture will provide you with lasting comfort and support. For any additional inquiries or assistance, please do not hesitate to contact us at https://www.houlte.com







Missing parts



Returns&Refunds



service@houlte.com



213-270-4973



Website



Facebook



Whatsapp



Youtube



Instagram



Tiktok

We look forward to seeing you again soon.

CONTENT

Before You Start

Overview	01
Caution	01
Material Specifications	01
Installation Guide	
Exploded Views	02
Component Parts	03
Hardware	04
Assembly Directions	05-13
Troubleshoot	· 14 - 15

Before You Start

Overview

- 1. Check and ensure you have received all packages and necessary parts.
- 2.Prepare adequate assembly space. We recommend using pads or cardboard to prevent the floor from scratches.
- 3.Read the instructions to familiarize yourself with the assembly requirements. Allow sufficient time and have someone available to assist you if needed.
- 4. Place all hardware on a soft surface for easy identification.
- 5. The seller is not responsible for any damage or injury caused by improper assembly or use.
- 6.If you need further assistance, please contact us through service@houlte.com

Caution

- 1. Children must not assemble this product. During assembly, keep small parts away from children as swallowing or inhaling them could be fatal.
- 2.Do not allow children to stand, climb, or play on the product, as it may tip over and cause serious injury.
- 3. Keep plastic packaging bags away from children to prevent risks of suffocation.
- Avoid sharp objects and corrosive chemicals to prevent product damage or personal injury.

Material Specifications

Solid Wood & Engineered Wood


Natural grains, scars, and color variations are inherent in wood, which contribute to its unique beauty. Slight color changes may occur under different lighting and angles, due to variations in wood grain and light intensity.

Marble and Engineered Stone

Each marble and engineered stone piece has a unique pattern. Due to the nature of the materials, the pattern may differ from the one you see when purchasing.

Installation Guide

Exploded Views





Install your new product with care, following the instructions step-by-step. Do not skip any steps. Care fully distinguish between left and right components. Do not over-tighten screws or use power tools, as this may damage the product.

Tools You May Need *You might need a screwdriver (+/-) to complete this assembly




Persons and Time Needed For Assembly





HOULTE I 03

Hardware



the screw rod

Step 01:

A=4




B=4



O=2






Step 02:

C=4






Step 03:

A=6



B=10







Step 04:

C=10










Step 06:

A=6



B=10






Step 07:

C=10







Step 08:

E=1








-G

Step 11:

I=4







Step 12:

I=4





Step 13:



Step 14:

J=4

K=12

M=4

K=4


K=12

M=4

Step 15:

K=12






Step 16:


N=8




K=8







Step 18:



Finished!

Fantastic, we're nearly there! Please carry out the following checks:


- 1. Have you tightened all the screws?
- 2. Are the levelers aligned with and making contact with the ground?


Troubleshoot


Product Category	Fault	Cause Analysis	Handing Method
Wood furniture	Door opening is not flexible	The furniture is not leveled	Turn the bottom feet to adjust the height.
		The door hinges should be adjusted properly.	Adjust door hinges and apply lubricating oil.
	Inflexible opening of drawer	Overload or deformation	Reduce weight,adjust guide rails, lubricate
	Loose component connection	Loose hinges or screws	The poke part should be coated with an appropriate amount of 502 glue, then re-install or tighten the screws.
	Minor scratches	friction with hard or sharp objects	Use a brush to apply similar pigment ink along wood grain to the scratches, then wipe off the excess.
	Corrosive stains	Accidentally stained with chemical solvents such as nail polish, nail polish remover, ect.	Wipe them with a dry cotton cloth immediately

Possible Issues During Assembly:

* The two boards can't be aligned at he same level.







* Holes on the bards and poles are not aligned, so screws can't be installed.








Recommended Solution:


* Please sightly loosen all screws and adjust the bards. Because the diameter of the holes on the pipes 23 mm lager than that of bots, the position of the boards can be adjusted.




* If it is still doesn't work after adjustment, please contact us for more solutions.

Door Panel Adjustment Instruction


FRONT VIEW




UP AND DOWN
Use screws to adjust the gaps at the top and bottom of door.



FRONT VIEW



LEFT AND RIGHT Use screw to adjust the gaps at left and right of the door.



TOP VIEW

