



OEM Lighting Catalog

Q1 2024 Rev 1.3

Strong Manufacturing Capability



CERTIFIED LABS



SMT LINES



PAN & PLATE METAL WORK



PAINT WORKSHOP



ASSEMBLY LINES



WAREHOUSE

LEADTIME DISCLAIMER

OEM products are manufactured on a made-to-order basis. The standard lead time from order initiation to delivery at the customer's premises typically spans from 60 to 90 days. Each product is subject to a distinct minimum order quantity, with the specific minimum quantity varying for each product. Please contact Epoweron sales agents for the detail.

LED Disk Light	Pg.3
LED Disk Light with Motion Sensor	Pg.4
LED Plastic Mini Panel Light CCT Tunable	Pg.5
LED Mini Panel Light CCT tunable	Pg.6
LED Round Recessed Lighting with Junction Box	Pg.7
LED Round & Square Aluminum Panel Light	Pg.8
LED Ceiling Mount Light	Pg.9
LED Double Ring Flush Mount Light	Pg.10-12
LED Flush Mount Light	Pg.13-14
LED Surface Mount Light	Pg.15
LED Decorative Surface Mount Light	Pg.16-18
LED Strip and Wrap Lights	Pg.19-22
LED Vapor and Overbed Lights	Pg. 23
LED Wall Sconce	Pg.24-26
LED Vanity Light	Pg.27-31
E26 Vanity and Pedant Light	Pg.32-36
LED Crystal Pendent Light	Pg.37-38
LED Acrylic Pendent Light	Pg.39
LED Undercabinet Light	Pg.40
LED Track Light	Pg.41
LED Picture Light	Pg.42
LED Cylinder	Pg.43-44
LED Tape	Pg.45
Flexible Panel	Pg.46
LED Step Light	Pg.47
Address Lights and House Numbers	Pg.48
LED Outdoor Up and Down Wall Cylinder	Pg.49-51
LED Outdoor Wall Sconce	Pg.52-57
E26 Outdoor Wall Sconce	Pg.58-59
Outdoor Lantern	Pg.60-62
Makeup Mirror	Pg.63
LED Mirror	Pg.64-70

LED Disk Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL080512WAC	D:5-1/2"*H:1"	AC12W	120VAC	800LM	3000k/4000k/5000k	YES
BLCL080715WAC	D:7-1/2"*H:1"	AC15W	120VAC	1000LM	3000k/4000k/5000k	YES
BLCL0801217WAC	D:12"*H:1"	AC17W	120VAC	1100LM	3000k/4000k/5000k	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL01AC512	D:5-1/2"*H:1"	AC12W	120VAC	800LM	3000k/4000k/5000k	YES
BLCL01AC715	D:7-1/2"*H:1"	AC15W	120VAC	1000LM	3000k/4000k/5000k	YES
BLCL01AC1217	D:12"*H:1"	AC17W	120VAC	1100LM	3000k/4000k/5000k	YES
BLCL01AC715-3CCT	D:7-1/2"*H:1"	AC15W	120VAC	1000LM	3CCT-3000k/4000k/5000k	YES
BLCL01AC1217-3CCT	D:12"*H:1"	AC17W	120VAC	1100LM	3CCT-3000k/4000k/5000k	YES

LED Disk Light With Motion Sensor




Two Installation Methods




Ceiling Mount

Wall Mount

Sensor Detection Range:




Ceiling Mount sensor Detection Range



Wall Mount sensor Detection Range

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL01AC715PIR	D:8"*H:1-1/4"	AC15W	120VAC	1000LM	3000k/4000k/5000k	YES
BLCL01AC1220PIR	D:12"*H:1-1/4"	AC20W	120VAC	1100LM	3000k/4000k/5000k	YES
BLCL01AC715PIR	D:8"*H:1-1/4"	AC15W	120VAC	1000LM	3000k/4000k/5000k	YES
BLCL01AC1220PIR	D:12"*H:1-1/4"	AC20W	120VAC	1100LM	3000k/4000k/5000k	YES

LED Flushmount with Motion Sensor



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL301625W-MS	D:16"*H:4-1/2"	25W	120V-277VAC	1500LM	3000K/4000K/5000K	0-10V dimmable

LED Plastic Mini Panel CCT Tunable



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BR-MPR-5D10CC	D:5.3"*H:0.67"	AC10W	120VAC	700LM	3CCT-3000K/4000K/5000K	YES
BR-MPR-7D15CC	D:7.1"*H:0.67"	AC15W	120VAC	1000LM	3CCT-3000K/4000K/5000K	YES
BR-MPR-9D18CC	D:9"*H:0.67"	AC18W	120VAC	1250LM	3CCT-3000K/4000K/5000K	YES
BR-MPR-12D24CC	D:12"*H:0.67"	AC24W	120VAC	1650LM	3CCT-3000K/4000K/5000K	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BR-MPRS-5D10CC	SQ:5.3"*H:0.67" AC	10W	120VAC	700LM	3CCT-3000K/4000K/5000K	YES
BR-MPS-7D15CC	SQ:7.1"*H:0.67" AC	15W	120VAC	1000LM	3CCT-3000K/4000K/5000K	YES
BR-MPS-9D18CC	SQ:9"*H:0.67" AC	18W	120VAC	1250LM	3CCT-3000K/4000K/5000K	YES
BR-MPS-12D24CC	SQ:12"*H:0.67" AC	24W	120VAC	1650LM	3CCT-3000K/4000K/5000K	YES

LED Mini Panel CCT Tunable

LED Round Surface Mini Panel CCT tunable w/ Battery back-up



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BR-MPR-7D15CC-EM	D:7"*H:1-3/4"	AC15W EM12W	120VAC	1000LM	3CCT-3000K/4000K/5000K	YES
BR-MPR-9D18CC-EM	D:9"*H:1-3/4"	AC18W EM12W	120VAC	1250LM	3CCT-3000K/4000K/5000K	YES

LED Round Surface Mini Panel CCT tunable w/ Motion Sensor



Day Mode and Night Mode



Motion Sensor works both day and night with Day Mode




Motion Sensor works only in Night with Night Mode (Not Lighting during the day)

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BR-MPR-7D15CC-MS	D:7.1"*H:0.67"	AC15W	120VAC	1000LM	3CCT-3000K/4000K/5000K	YES
BR-MPR-9D18CC-MS	D:9"*H:0.67"	AC18W	120VAC	1250LM	3CCT-3000K/4000K/5000K	YES
BR-MPR-12D24CC-MS	D:12"*H:0.67"	AC24W	120VAC	1650LM	3CCT-3000K/4000K/5000K	YES

LED Round Recessed Lighting with Junction Box




RECOMMENDED INSTALLATION DISTANCE



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL110410W-3CCT	D:4-3/4"*H:3/4"	10W	120VAC	650LM	3CCT-3000k/4000k/5000k	YES
BLCL110615W-3CCT	D:6-3/4"*H:3/4"	15W	120VAC	950LM	3CCT-3000k/4000k/5000k	YES



RECOMMENDED INSTALLATION DISTANCE



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL120510W-3CCT	SQ:4-3/4"*H:3/4"	10W	120VAC	650LM	3CCT-3000k/4000k/5000k	YES
BLCL120715W-3CCT	SQ:6-3/4"*H:3/4"	15W	120VAC	950LM	3CCT-3000k/4000k/5000k	YES

LED Round & Square Aluminum Panel Light

LED Round Aluminum Panel Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL140510W	D:5-1/2"*H:1"	AC10W	120VAC	650LM	3000k/4000k/5000k	YES
BLCL140715W	D:7-1/2"*H:1"	AC15W	120VAC	800LM	3000k/4000k/5000k	YES
BLCL140915W	D:9-1/2"*H:1"	AC15W	120VAC	850LM	3000k/4000k/5000k	YES
BLCL141120W	D:11"*H:1"	AC20W	120VAC	1200LM	3000k/4000k/5000k	YES
BLCL141320W	D:13"*H:1"	AC20W	120VAC	1200LM	3000k/4000k/5000k	YES
BLCL141530W	D:15"*H:1"	AC30W	120VAC	1800LM	3000k/4000k/5000k	YES
BLCL141830W	D:18"*H:1"	AC30W	120VAC	1800LM	3000k/4000k/5000k	YES
BLCL142030W	D:20"*H:1"	AC30W	120VAC	1800LM	3000k/4000k/5000k	YES
BLCL142240W	D:22"*H:1"	AC40W	120VAC	2400LM	3000k/4000k/5000k	YES

LED Square Aluminum Panel Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL140510W-SQ	SQ:5-1/2"*H:1"	AC10W	120VAC	650LM	3000k/4000k/5000k	YES
BLCL140715W-SQ	SQ:7-1/2"*H:1"	AC15W	120VAC	800LM	3000k/4000k/5000k	YES
BLCL140915W-SQ	SQ:9-1/2"*H:1"	AC15W	120VAC	850LM	3000k/4000k/5000k	YES
BLCL141120W-SQ	SQ:11"*H:1"	AC20W	120VAC	1200LM	3000k/4000k/5000k	YES
BLCL141320W-SQ	SQ:13"*H:1"	AC20W	120VAC	1200LM	3000k/4000k/5000k	YES
BLCL141530W-SQ	SQ:15"*H:1"	AC30W	120VAC	1800LM	3000k/4000k/5000k	YES

LED Ceiling Mount



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL151528W	D:15"*H:9"	28W	120VAC	1800LM	3000k/4000k/5000k	YES
BLCL151528W-3CCT	D:15"*H:9"	28W	120VAC	1800LM	3CCT-3000K/4000K/5000K	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BR-BLF-1248D35AC	L:12"*W:48"H:1-1/2"	35W	120V	3500LM	3CCT-3000K/4000K/5000K	DIM

LED Double Ring Flush Mount



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL011015WAC-3CCT	D:10"*H:3"	AC15W	120VAC	1050LM	3CCT-3000K/4000K/5000K	YES
BLCL011215WAC-3CCT	D:12"*H:3"	AC15W	120VAC	1100LM	3CCT-3000K/4000K/5000K	YES
BLCL011420WAC-3CCT	D:14"*H:3-1/2"	AC20W	120VAC	1400LM	3CCT-3000K/4000K/5000K	YES
BLCL011625WAC-3CCT	D:16"*H:4"	AC25W	120VAC	1700LM	3CCT-3000K/4000K/5000K	YES
BLCL011830WAC-3CCT	D:18"*H:4"	AC30W	120VAC	2100LM	3CCT-3000K/4000K/5000K	YES


LED Double Ring Flushmount 120-277V



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL011215WAC-3CCT-120-277	D:12"*H:3"	DC15W	120-277V	1200LM	3CCT-3000K/4000K/5000K	NO
BLCL011420WAC-3CCT-120-277	D:14"*H:3-1/2"	DC20W	120-277V	1600LM	3CCT-3000K/4000K/5000K	NO
BLCL011625WAC-3CCT-120-277	D:16"*H:4"	DC25W	120-277V	2000LM	3CCT-3000K/4000K/5000K	NO
BLCL011830WAC-3CCT-120-277	D:18"*H:4"	DC30W	120-277V	2400LM	3CCT-3000K/4000K/5000K	NO

LED Double Ring Flush Mount

LED Double Ring Flushmount with Motion Sensor



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL011215W3CCT-MS	D:12"*H:3"	15W	120-277V	1200LM	3CCT-3000k/4000k/5000k	NO
BLCL011420W3CCT-MS	D:14"*H:3-1/2"	20W	120-277V	1600LM	3CCT-3000k/4000k/5000k	NO
BLCL011625W3CCT-MS	D:16"*H:4"	25W	120-277V	2000LM	3CCT-3000k/4000k/5000k	NO

LED Double Ring Flushmount with Battery back-up



Our emergency backup lights automatically illuminate when the power goes out in your home. The rechargeable battery provides 90 minutes of emergency backup lighting keeping you safe when it matters most.

Item No	Dimensions	Power	EM-WATTS	Voltage	Lumen	CCT	Dimmable
BLCL011215W-EM-3CCT	D:12"*H:3"	15W	6W	120-277VAC	1100LM	3CCT-3000k/4000k/5000k	YES
BLCL011420W-EM-3CCT	D:14"*H:3-1/2"	20W	12W	120-277VAC	1400LM	3CCT-3000k/4000k/5000k	YES
BLCL011625W-EM-3CCT	D:16"*H:4"	25W	12W	120-277VAC	1700LM	3CCT-3000k/4000k/5000k	YES

LED Double Ring Flush Mount

LED Oval Double Ring Flush Mount



COLOR ADJUSTABLE



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL012430W	D:24"*W:13-1/2"H:4"	30W	120-277VAC	2100LM	3000K/4000K/5000K	YES
BLCL012430W-3CCT	D:24"*W:13-1/2"H:4"	30W	120-277VAC	2100LM	3CCT-3000K/4000K/5000K	YES
BLCL013235W	D:32"*W:18"H:4"	35W	120-277VAC	2800LM	3000K/4000K/5000K	YES
BLCL013235W-3CCT	D:32"*W:18"H:4"	35W	120-277VAC	2800LM	3CCT-3000K/4000K/5000K	YES

LED Double Ring Semi-Flushmount



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLSF011215WAC	D:12"*H:9"	AC15W	120VAC	1100LM	3000k/4000k/5000k	YES
BLSF011625WAC	D:16"*H:10"	AC25W	120VAC	1700LM	3000k/4000k/5000k	YES
BLSF011215W-3CCT	D:12"*H:9"	AC15W	120VAC	1100LM	3CCT-3000k/4000k/5000k	YES
BLSF011625W-3CCT	D:16"*H:10"	AC25W	120VAC	1700LM	3CCT-3000k/4000k/5000k	YES

LED Flush Mount



3000 K WARM WHITE 4000 K BRIGHT WHITE 5000 K DAYLIGHT

There is a dip switch inside of each fixture that can be used to change the color temperature



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL021215WAC-3CCT	D:12"*H:3"	AC15W	120VAC	1100LM	3CCT-3000k/4000k/5000k	YES
BLCL021420WAC-3CCT	D:14"*H:3"	AC20W	120VAC	1400LM	3CCT-3000k/4000k/5000k	YES
BLCL021625WAC-3CCT	D:16"*H:4"	AC25W	120VAC	1700LM	3CCT-3000k/4000k/5000k	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL381215W-3CCT	D:12"*H:4-1/4"	15W	120VAC	900LM	3CCT-3000K/4000K/5000K	YES
BLCL381425W-3CCT	D:14"*H:4-1/4"	25W	120VAC	1500LM	3CCT-3000K/4000K/5000K	YES
BLCL381635W-3CCT	D:16"*H:4-1/4"	35W	120VAC	2300LM	3CCT-3000K/4000K/5000K	YES

LED Flush Mount



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL211220WAC-3CCT	D:12"*H:2-1/2"	AC20W	120VAC	100LM	3CCT-3000K/4000K/5000K	YES
BLCL211425WAC-3CCT	D:14"*H:2-1/2"	AC25W	120VAC	1250LM	3CCT-3000K/4000K/5000K	YES
BLCL211835WAC-3CCT	D:18"*H:3"	AC35W	120VAC	1750LM	3CCT-3000K/4000K/5000K	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL221320WAC-3CCT	D:13"*H:2-1/2"	AC20W	120VAC	1400LM	3CCT-3000K/4000K/5000K	YES
BLCL2221530WAC-3CCT	D:15"*H:2-1/2"	AC30W	120VAC	2100LM	3CCT-3000K/4000K/5000K	YES

LED Surface Mount Light

LED Round Mushroom Surface Mount Light



There is a dip switch inside of each fixture that can be used to change the color temperature



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL071115WAC-CCT	D:11"*H:3"	AC15W	120VAC	1100LM	3CCT-3000k/4000k/5000k	YES
BLCL071320WAC-CCT	D:13"*H:3"	AC20W	120VAC	1500LM	3CCT-3000k/4000k/5000k	YES
BLCL071525WAC-CCT	D:15"*H:4"	AC25W	120VAC	1700LM	3CCT-3000k/4000k/5000k	YES

LED Decorative Surface Mount Light



There is a dip switch inside of each fixture that can be used to change the color temperature



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL081420WAC-CCT	D:14"*H:3-1/2"	AC20W	120VAC	1400LM	3CCT-3000k/4000k/5000k	YES
BLCL081630WAC-CCT	D:16"*H:3-1/2"	AC30W	120VAC	2100LM	3CCT-3000k/4000k/5000k	YES

LED Decorative Surface Mount Light

LED Fabric Shade Surface Mount Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL161115WAC-3CCT	D:11"*H:5"	AC15W	120VAC	1000LM	3CCT-3000K/4000K/5000K	YES
BLCL161320WAC-3CCT	D:13"*H:5"	AC20W	120VAC	1200LM	3CCT-3000K/4000K/5000K	YES
BLCL161523WAC-3CCT	D:15"*H:5"	AC23W	120VAC	1500LM	3CCT-3000K/4000K/5000K	YES
BLCL161728WAC3-CCT	D:17"*H:5"	AC28W	120VAC	1800LM	3CCT-3000K/4000K/5000K	YES



There is a dip switch inside of each fixture that can be used to change the color temperature



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL171215WAC-CCT	D:12"*H:3-1/2"	AC15W	120VAC	1000LM	3CCT-3000k/4000k/5000k	YES
BLCL171420WAC-CCT	D:14"*H:3-1/2"	AC20W	120VAC	1400LM	3CCT-3000k/4000k/5000k	YES

LED Decorative Surface Mount Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL181215WAC-3CCT	SQ:12"*H:4"	AC15W	120VAC	1000LM	3CCT-3000K/4000K/5000K	YES
BLCL181420WAC-3CCT	SQ:14"*H:4"	AC20W	120VAC	1200LM	3CCT-3000K/4000K/5000K	YES
BLCL181623WAC-3CCT	SQ:16"*H:4"	AC23W	120VAC	1500LM	3CCT-3000K/4000K/5000K	YES
BLCL181828WAC-3CCT	SQ:18"*H:4"	AC28W	120VAC	1800LM	3CCT-3000K/4000K/5000K	YES



There is a dip switch inside of each fixture that can be used to change the color temperature



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL182420WAC-CCT	L:24"*W:10"*H:3-1/2"	DC20W	120VAC	1200LM	3CCT-3000k/4000k/5000k	YES
BLCL184040WAC-CCT	L:48"*W:10"*H:3-1/2"	DC40W	120VAC	2500LM	3CCT-3000k/4000k/5000k	YES

LED Decorative Surface Mount Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL191220WAC-3CCT	D:12"*H:3"	AC20W	120VAC	1200LM	3CCT-3000K/4000K/5000K	YES
BLCL191424WAC-3CCT	D:14"*H:3"	AC24W	120VAC	1650LM	3CCT-3000K/4000K/5000K	YES
BLCL191628WAC-3CCT	D:16"*H:3"	AC28W	120VAC	1900LM	3CCT-3000K/4000K/5000K	YES
BLCL191835WAC-3CCT	D:18"*H:4"	AC35W	120VAC	2100LM	3CCT-3000K/4000K/5000K	YES
BLCL192042WAC-3CCT	D:20"*H:4"	AC42W	120VAC	2500LM	3CCT-3000K/4000K/5000K	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL201220WAC-3CCT	D:12"*H:2"	AC20W	120VAC	1200LM	3CCT-3000K/4000K/5000K	YES
BLCL201224WAC-3CCT	D:14"*H:2"	AC24W	120VAC	1650LM	3CCT-3000K/4000K/5000K	YES
BLCL201628WAC-3CCT	D:16"*H:2"	AC28W	120VAC	1900LM	3CCT-3000K/4000K/5000K	YES
BLC201835WAC-3CCT	D:18"*H:2"	AC35W	120VAC	2100LM	3CCT-3000K/4000K/5000K	YES

LED Strip and Wrap Lights

LED Strip Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL312410W	L:24"*W:2"*H:2"	10W	100-277V	700LM	3000K/4000K/5000K	NO
BLCL314818W	L:48"*W:2"*H:2"	18W	100-277V	1300LM	3000K/4000K/5000K	NO
BLCL312418W	L:24"*W:3"*H:2"	18W	100-277V	1300LM	3000K/4000K/5000K	NO
BLVL314835W	L:48"*W:3"*H:2"	35W	100-277V	2800LM	3000K/4000K/5000K	NO

LED Wraparound Flush Mount Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL302420W	L:24"*W:5-1/2"*H:3"	20W	100-277V	1400LM	3000K/4000K/5000K	NO
BLCL302420C	L:24"*W:5-1/2"*H:3"	20W	100-277V	1400LM	3CCT-3000K/4000K/5000K	NO
BLCL304835W	L:48"*W:5-1/2"*H:3"	35W	100-277V	2800LM	3000K/4000K/5000K	NO
BLCL304835C	L:48"*W:5-1/2"*H:3"	35W	100-277V	2800LM	3CCT-3000K/4000K/5000K	NO

LED Strip and Wrap Lights

LED Linear Light



2 MOUNTING SELECTABLE



Suspended



Ceiling

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL292410W	L:24"*W:2"*H:2-1/2"	10W	100-277V	600LM	3000K/4000K/5000K	NO
BLCL294820W	L:48"*W:2"*H:2-1/2"	20W	100-277V	1200LM	3000K/4000K/5000K	NO
BLCL299640W	L:96"*W:2"*H:2-1/2"	40W	100-277V	3600LM	3000K/4000K/5000K	NO
BLVL2914460W	L:144"*W:2"*H:2-1/2"	60W	100-277V	4800LM	3000K/4000K/5000K	NO
BLVL2919280W	L:192"*W:2"*H:2-1/2"	80W	100-277V	7200LM	3000K/4000K/5000K	NO

LED Wraparound Flush Mount Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL282420W	L:24"*W:10"*H:4"	20W	120V	1400LM	3000K/4000K/5000K	Dim
BLCL282420C	L:24"*W:10"*H:4"	20W	120V	1400LM	3CCT-3000K/4000K/5000K	Dim
BLCL284835W	L:48"*W:10"*H:4"	35W	120V	2800LM	3000K/4000K/5000K	Dim
BLCL284835C	L:48"*W:10"*H:4"	35W	120V	2800LM	3CCT-3000K/4000K/5000K	Dim

LED Strip and Wrap Lights

LED Strip Light Fixture

LED Strip Light Fixture with Battery back-up



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL274840W	L:48"*W:5"*H:3"	40W	100-277V	1200LM	3000K/4000K/5000K	0-10V Dim
BLCL274840W-EM	L:48"*W:5"*H:3"	40W/EM12W	100-277V	3600LM	3000K/4000K/5000K	0-10V Dim
BLVL279680W	L:96"*W:5"*H:3"	80W	100-277V	4800LM	3000K/4000K/5000K	0-10V Dim
BLVL279680W-EM	L:96"*W:5"*H:3"	80W/EM12W	100-277V	7200LM	3000K/4000K/5000K	0-10V Dim

LED Wraparound Flush Mount Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL345135W	L:51"*W:11"*H:4"	35W	100-277V	3000LM	3000K/4000K/5000K	NO
BLCL345170W	L:51"*W:17"*H:4"	70W	100-277V	5600LM	3000K/4000K/5000K	NO

LED Strip and Wrap Lights

LED Wrap Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL324935W	L:49"*W:7"*H:2-1/2"	35W	100-277V	3000LM	3000K/4000K/5000K	NO
BLCL324935W-EM	L:49"*W:7"*H:2-1/2"	35W/EM12W	100-277V	3000LM	3000K/4000K/5000K	NO
BLCL324975W	L:49"*W:11"*H:2-1/2"	70W	100-277V	6000LM	3000K/4000K/5000K	NO
BLCL324975W-EM	L:49"*W:11"*H:2-1/2"	70W/EM12W	100-277V	6000LM	3000K/4000K/5000K	NO

LED Wrap Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL362420W	L:24"*W:5"*H:5"	20W	100-277V	2000LM	3000K/4000K/5000K	0-10v Dim
BLCL36840W	L:48"*W:5"*H:5"	40W	100-277V	4000LM	3000K/4000K/5000K	0-10v Dim
BLCL362420W-EM	L:24"*W:5"*H:5"	20W/EM12W	100-277V	2000LM	3000K/4000K/5000K	0-10v Dim
BLCL364840W-EM	L:48"*W:5"*H:5"	40W/EM12W	100-277V	4000LM	3000K/4000K/5000K	0-10v Dim
BLCL362420W-SENSOR	L:24"*W:5"*H:5"	20W	100-277V	2000LM	3000K/4000K/5000K	0-10v Dim
BLCL364840W-SENSOR	L:48"*W:5"*H:5"	40W	100-277V	4000LM	3000K/4000K/5000K	0-10v Dim

LED Vapor and Overbed Lights

LED Vapor Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLCL3549350W	L:49-5/8"*W:5"*H:3- 1/2"	50W	100-277V	5000LM	3000K/4000K/5000K	0-10V Dim
BLCL3549350W-EM	L:49-5/8"*W:5"*H:3- 1/2"	50W/EM12W	100-277V	5000LM	3000K/4000K/5000K	0-10V Dim

LED Overbed Lighting, Up and Down Lighting



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLHP2430W	L:24"*H:4-1/2"E:4-1/2"	10W-30W	120-277VAC	2100LM	3000k/4000k/5000k	NO
BLHP3645W	L:36"*H:4-1/2"E:4-1/2"	15W-45W	120-277VAC	2450LM	3000k/4000k/5000k	NO
BLHP4860W	L:48"*H:4-1/2"E:4-1/2"	20W-60W	120-277VAC	4200LM	3000k/4000k/5000k	NO

LED Wall Sconce



3 COLOR TEMPERATURE SELECTABLE

3000K **4000K** **5000K**

- 3000K/WARM WHITE** Warm and relaxing, ideal for bedroom and hallway etc.
- 4000K/COOL WHITE** Gives a neutral glow, suitable for living room, kitchen and other areas
- 5000K/DAY LIGHT** Bright and clear, widely used in study, workshop and office

CCT Toggle Switch, Not On/ Off Switch

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLWL011215W	W:12"*H:6"*E:3"	15W	120VAC	1050LM	3000k/4000k/5000k	YES
BLWL011215W-3CCT	W:12"*H:6"*E:3"	15W	120VAC	1050LM	3CCT-3000K/4000K/5000K	YES



3000 K WARM WHITE **4000 K BRIGHT WHITE** **5000 K DAYLIGHT**

ETL Intertek **ENERGY STAR** **DAMP LOCATION** **INDOOR LIGHTING**

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLWL031015W	W:8"*H:10"*E:3-1/2"	15W	120VAC	1050LM	3000k/4000k/5000k	YES
BLWL031015W-3CCT	W:8"*H:10"*E:3-1/2"	15W	120VAC	1050LM	3CCT-3000K/4000K/5000K	YES

LED Wall Sconce



3 COLOR TEMPERATURE SELECTABLE

3000K **4000K** **5000K**

3000K/WARM WHITE Warm and relaxing, ideal for bedroom and hallway etc

4000K/COOL WHITE Gives a neutral glow, suitable for living room, kitchen and other areas

5000K/DAY LIGHT Bright and clear, widely used in study, workshop and office

CCT Toggle Switch, Not On/ Off Switch

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLWL0215WAC	L:7"*H:10"*E:3"	AC15W	120VAC	1050LM	3000k/4000k/5000k	YES
BLWL0215WAC-3CCT	L:7"*H:10"*E:3"	AC15W	120VAC	1050LM	3CCT-3000k/4000k/5000k	YES



3 COLOR TEMPERATURE SELECTABLE

3000K **4000K** **5000K**

3000K/WARM WHITE Warm and relaxing, ideal for bedroom and hallway etc

4000K/COOL WHITE Gives a neutral glow, suitable for living room, kitchen and other areas

5000K/DAY LIGHT Bright and clear, widely used in study, workshop and office

CCT Toggle Switch, Not On/ Off Switch

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLWL0425WAC	L:9-1/2"*H:10"*E:4"	DC25W	120VAC	1750LM	3000k/4000k/5000k	YES
BLWL0425WAC-3CCT	L:9-1/2"*H:10"*E:4"	DC25W	120VAC	1750LM	3CCT-3000k/4000k/5000k	YES

LED Wall Sconce



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLWL051215W	W:5-1/2"*H:12"*E:5"	15W	120VAC	1050LM	3000k/4000k/5000k	YES
BLWL051215W-3CCT	W:15-1/2"*H:12"*E:5"	15W	120VAC	1050LM	3CCT-3000K/4000K/5000K	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLWL061015W	W:8"*H:10"*E:3-1/2"	15W	120VAC	1050LM	3000k/4000k/5000k	YES
BLWL061015W-3CCT	W:8"*H:10"*E:3-1/2"	15W	120VAC	1050LM	3CCT-3000K/4000K/5000K	YES

LED Vanity Lamp



Item No	Dimensions	Power	Voltage	CCT	Lumen	Dimmable
BLVN011820WAC-3CCT	L:18"*W:5-5/8"H:5"	AC20W	120VAC	3CCT-3000K/4000K/5000K	1400LM	YES
BLVN012425WAC-3CCT	L:24"*W:5-5/8"H:5"	AC25W	120VAC	3CCT-3000K/4000K/5000K	1800LM	YES
BLVN013630WAC-3CCT	L:36"*W:5-5/8"H:5"	AC30W	120VAC	3CCT-3000K/4000K/5000K	2200LM	YES
BLVN014835WAC-3CCT	L:48"*W:5-5/8"H:5"	AC35W	120VAC	3CCT-3000K/4000K/5000K	2800LM	YES



Item No	Dimensions	Power	Voltage	Kelvin	Lumen	Dimmable
BLVN021820WAC-3CCT	L:18"*W:5-5/8"H:5"	AC20W	120VAC	3CCT-3000K/4000K/5000K	1400LM	YES
BLVN022425WAC-3CCT	L:24"*W:5-5/8"H:5"	AC25W	120VAC	3CCT-3000K/4000K/5000K	1800LM	YES
BLVN023630WAC-3CCT	L:36"*W:5-5/8"H:5"	AC30W	120VAC	3CCT-3000K/4000K/5000K	2200LM	YES
BLVN024835WAC-3CCT	L:48"*W:5-5/8"H:5"	AC35W	120VAC	3CCT-3000K/4000K/5000K	2800LM	YES

LED Vanity Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLVN031820W-3CCT	L:18"*H:4 1/2"*E:3"	AC20W	120VAC	1400LM	3CCT-3000K/4000K/5000K	YES
BLVN032425W-3CCT	L:24"*H:4- 1/2"*E:3"	AC25W	120VAC	1800LM	3CCT-3000K/4000K/5000K	YES
BLVN033630W-3CCT	L:36"*H:4- 1/2"*E:3"	AC30W	120VAC	2200LM	3CCT-3000K/4000K/5000K	YES
BLVN0434835W-3CCT	L:48"*H:4- 1/2"*E:3"	AC35W	120VAC	2800LM	3CCT-3000K/4000K/5000K	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLVN041820W-3CCT	L:18"*H:4- 1/2"*E:3"	AC20W	120VAC	1400LM	3CCT-3000K/4000K/5000K	YES
BLVN042425W-3CCT	L:24"*H:4- 1/2"*E:3"	AC25W	120VAC	1800LM	3CCT-3000K/4000K/5000K	YES
BLVN043630W-3CCT	L:36"*H:4- 1/2"*E:3"	AC30W	120VAC	2200LM	3CCT-3000K/4000K/5000K	YES
BLVN044835W-3CCT	L:48"*H:4- 1/2"*E:3"	AC35W	120VAC	2800LM	3CCT-3000K/4000K/5000K	YES

LED Vanity Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLVN051820WAC-3CCT	L:18"*W:4-1/2"H:4-3/4"	AC20W	120VAC	1400LM	3CCT-3000k/4000k/5000k	YES
BLVN052425WAC-3CCT	L:24"*W:4-1/2"H:4-3/4"	AC25W	120VAC	1800LM	3CCT-3000k/4000k/5000k	YES
BLVN053630WAC-3CCT	L:36"*W:4-1/2"H:4-3/4"	AC30W	120VAC	2200LM	3CCT-3000k/4000k/5000k	YES
BLVN054835WAC-3CCT	L:48"*W:4-1/2"H:4-3/4"	AC35W	120VAC	2800LM	3CCT-3000k/4000k/5000k	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLVN061820WAC-3CCT	L:18"*W:4-3/4"H:5"	AC20W	120VAC	1400LM	3CCT-3000k/4000k/5000k	YES
BLVN062425WAC-3CCT	L:24"*W:4-3/4"H:5"	AC25W	120VAC	1800LM	3CCT-3000k/4000k/5000k	YES
BLVN063630WAC-3CCT	L:36"*W:4-3/4"H:5"	AC30W	120VAC	2200LM	3CCT-3000k/4000k/5000k	YES
BLVN064835WAC-3CCT	L:48"*W:4-3/4"H:5"	AC35W	120VAC	2800LM	3CCT-3000k/4000k/5000k	YES

LED Vanity Light



Item No	Dimensions	Power	Voltage	CCT	Lumen	Dimmable
BLVN07-2D12CC	L:15"*H:5-1/8"E:3-1/4"	AC12W	120VAC	3CCT-3000K/4000K/5000K	840LM	YES
BLVN07-3D15CC	L:18-1/8"*H:5-1/8"E:3-1/4"	AC15W	120VAC	3CCT-3000K/4000K/5000K	1050LM	YES
BLVN07-4D23CC	L:24"*H:5-1/8"E:3-1/4"	AC23W	120VAC	3CCT-3000K/4000K/5000K	1600LM	YES
BLVN07-5D28CC	L:30"*H:5-1/8"E:3-1/4"	AC28W	120VAC	3CCT-3000K/4000K/5000K	1950LM	YES
BLVN07-6D35CC	L:36"*H:5-1/8"E:3-1/4"	AC35W	120VAC	3CCT-3000K/4000K/5000K	2450LM	YES



Item No	Dimensions	Power	Voltage	CCT	Lumen	Dimmable
BLVN08-2D12CC	L:13-1/4"*H:4-3/8"E:3-3/4"	AC12W	120VAC	3CCT-3000K/4000K/5000K	840LM	YES
BLVN08-3D15CC	L:19-5/8"*H:4-3/8"E:3-3/4"	AC15W	120VAC	3CCT-3000K/4000K/5000K	1050LM	YES
BLVN08-4D23CC	L:26-1/8"*H:4-3/8"E:3-3/4"	AC23W	120VAC	3CCT-3000K/4000K/5000K	1600LM	YES
BLVN08-5D28CC	L:32-7/8"*H:4-3/8"E:3-3/4"	AC28W	120VAC	3CCT-3000K/4000K/5000K	1950LM	YES
BLVN08-6D35CC	L:39-3/8"*H:4-3/8"E:3-3/4"	AC35W	120VAC	3CCT-3000K/4000K/5000K	2450LM	YES

LED Vanity Light

Where can this vanity lights be used to?




Item No	Dimensions	Power	Voltage	CCT	Lumen	Dimmable
BLVN091820C	L:18"*H:4-1/2"*E:7"	DC20W	120VAC	3CCT-3000K/4000K/5000K	1400LM	YES
BLVN092425C	L:24"*H:4-1/2"*E:7"	DC25W	120VAC	3CCT-3000K/4000K/5000K	1750LM	YES
BLVN093630C	L:36"*H:4-1/2"*E:7"	DC30W	120VAC	3CCT-3000K/4000K/5000K	2100LM	YES
BLVN094835C	L:48"*H:4-1/2"*E:7"	DC35W	120VAC	3CCT-3000K/4000K/5000K	2450LM	YES



Item No	Dimensions	Power	Voltage	CCT	Lumen	Dimmable
BLVN103L15W-3CCT	L:13"*H:11"E:10"	DC15W	120VAC	1000LM	3CCT-3000k/4000k/5000k	YES
BLVN105L27W-3CCT	L:27"*H:11"E:10"	DC30W	120VAC	2000LM	3CCT-3000k/4000k/5000k	YES

E26 Vanity Light



Item No	Dimensions	Lamp	Metal Finish	Glass Finish
BLVN11-1L-E26	L:5"*H:7"E:6"	1*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
BLVN11-2L-E26	L:16"*H:7"E:6"	2*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
BLVN11-3L-E26	L:24"*H:7"E:6"	3*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
BLVN11-4L-E26	L:30"*H:7"E:6"	4*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass



Item No	Dimensions	Lamp	Metal Finish	Glass Finish
BLVN12-1L-E26	L:5"*H:10"E:7-1/2"	1*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
BLVN12-2L-E26	L:15"*H:10"E:7-1/2" L:22-	2*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
BLVN12-3L-E26	1/2"*H:10"E:7-1/2" L:30-	3*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
BLVN12-4L-E26	1/2"*H:10"E:7-1/2"	4*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass

E26 Vanity Light



Item No	Dimensions	Lamp	Metal Finish	Glass Finish
BLVN13-1L-E26	L:5"*H:9"E:7"	1*E26 (9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
BLVN13-2L-E26	L:16"*H:9"E:7"	2*E26 (9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
BLVN13-3L-E26	L:24"*H:9"E:7"	3*E26 (9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass



Item No	Dimensions	Lamp	Metal Finish	Glass Finish
BLVN14-1L-E26	L:4-3/4"*H:10"*E:5-1/2"	1*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
BLVN14-2L-E26	L:13"*H:10"*E:5-1/2"	2*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
BLVN14-3L-E26	L:22"*H:10"*E:5-1/2"	3*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass

E26 Vanity Light



Item No	Dimensions	Lamp	Metal Finish	Glass Finish
FML01-1L-E26	L:4-3/4"*H:12"*E:5-3/4"	1*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML01-2L-E26	L:13"*H:10"*E:5-3/4"	2*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML01-3L-E26	L:22"*H:10"*E:5-3/4"	3*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML01-4L-E26	L:31"*H:10"*E:5-3/4"	4*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML01-1P-E26	D:5"*H:11" ,6FT Cord	1*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML01-4P-E26	L:31"*W:4-1/2"*H:48"	4*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML01-3H-E26	D:18"*H:16-3/8" ,5FT Chain	3*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML01-5H-E26	D:22"*H:20-3/8" ,5FT Chain	5*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass

E26 Vanity and Pedant Light



Item No	Dimensions	Lamp	Metal Finish	Glass Finish
FML02-1L-E26	L:4-3/4"*H:9-1/2"*E:5-1/2"	1*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML02-2L-E26	L:12-1/2"*H:9-1/2"*E:5-1/2"	2*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML02-3L-E26	L:20"*H:9-1/2"*E:5-1/2"	3*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML02-4L-E26	L:27-1/2"*H:9-1/2"*E:5-1/2"	4*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML02-1P-E26	D:5"*H:51-1/4"	1*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML02-4P-E26	L:27-1/2"*W:4-1/2"*H:48"	4*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML02-3H-E26	D:17"*H:16-3/8" ,5FT Chain	3*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass
FML02-5H-E26	D:24"*H:20-3/8" ,5FT Chain	5*E26(9W E26 A19 LED Lamps Included)	BN,CH,BZ	Opal Glass

E26 Vanity and Pedant Light




Item No	Dimension	Lamp	Metal Finish	Glass Finish
FML03-1L-E26	L:4-3/4"*H:11"*E:8"	1*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
FML03-2L-E26	L:15"*H:11"*E:8"	2*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
FML03-3L-E26	L:22-1/2"*H:11"*E:8"	3*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
FML03-4L-E26	L:30-1/2"*H:11"*E:8"	4*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
FML03-1P-E26	D:5"*H:51"	1*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
FML03-4P-E26	L:30-1/2"*W:4-1/2"*H:48"	4*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
FML03-3H-E26	D:18"*H:16-3/8" ,5FT Chain	3*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass
FML03-5H-E26	D:23"*H:20-3/8" ,5FT Chain	5*E26(5W E26 ST58 LED Lamps Included)	BN,CH,BZ	Clear Glass

LED Crystal Pendant Light



Item No	Dimensions	Power	Voltage	Lumen	Dimmable
BLPD010509W	D:5"*H:13" 6 feet cord "	9W	120V AC	500LM	YES
BLPD011018W	D:9.5"*H:13" 6 feet cord "	18W	120V AC	850LM	YES
BLPD013026W	L:30"*W4-1/2"H:13" 6 feet cord "	26W	120V AC	1600LM	YES
BLPD011430W	D:14"*H:13" 6 feet cord "	30W	120V AC	1800LM	YES

LED Crystal Pendant Light



Item No	Dimensions	Power	Voltage	Lumen	Dimmable
BLPD050505W	D:4"*H:56" (3*12"+1*6" stems)	5W	120V AC	300LM	YES
BLPD051018W	D:9.5"*H:57" (3*12"+1*6" stems)	15W	120V AC	800LM	YES
BLPD052720W	BL:27"*W4-1/2"H:57" (3*12"+1*6" stems)	20W	120V AC	1100LM	YES
BLPD051425W	D:14"*H:57" (3*12"+1*6" stems)	25W	120V AC	1300LM	YES

LED Acrylic Pendant Light



Item No	Dimensions	Power	Voltage	CCT	Lumen	Dimmable
BLPD062035W	D:19-3/4"*H:77"(6 feet cord)DC	30W	120VAC	3CCT-3000K/4000K/5000K	2100LM	YES



Item No	Dimensions	Power	Voltage	CCT	Lumen	Dimmable
BLPD072035W	D:19-3/4"*H:77"(6 feet cord)DC	30W	120VAC	3CCT-3000K/4000K/5000K	2100LM	YES

LED Under Cabinet Light



2700 K WARM WHITE 3000 K WARM WHITE 4000 K BRIGHT WHITE



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLUL011208W-3CCT	L12"*W5"*H1"	8W	120V	550LM	3CCT-2700k/3000k/4000k	YES
BLUL011810W-3CCT	L18"*W5"*H1"	10W	120V	600LM	3CCT-2700k/3000k/4000k	YES
BLUL012411W-3CCT	L24"*W5"*H1"	11W	120V	700LM	3CCT-2700k/3000k/4000k	YES
BLUL013315W-3CCT	L33"*W5"*H1"	15W	120V	1000LM	3CCT-2700k/3000k/4000k	YES
BLUL014220W-3CCT	L42"*W5"*H1"	20W	120V	1400LM	3CCT-2700k/3000k/4000k	YES



2700 K WARM WHITE 3000 K WARM WHITE 4000 K BRIGHT WHITE



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLUL020903W-3CCT	9"*W3-5/8"*H1"	3W	120V	200LM	3CCT-2700k/3000k/4000k	YES
BLUL021205W-3CCT	12"*W3-5/8"*H1"	5W	120V	350LM	3CCT-2700k/3000k/4000k	YES
BLUL0201808W-3CCT	18"*W3-5/8"*H1"	8W	120V	560LM	3CCT-2700k/3000k/4000k	YES
BLUL0202412W-3CCT	24"*W3-5/8"*H1"	12W	120V	840LM	3CCT-2700k/3000k/4000k	YES
BLUL023216W-3CCT	32"*W3-5/8"*H1"	16W	120V	1100LM	3CCT-2700k/3000k/4000k	YES
BLUL024120W-3CCT	41"*W3-5/8"*H1"	20W	120V	1400LM	3CCT-2700k/3000k/4000k	YES
BLUL024824W-3CCT	48"*W3-5/8"*H1"	24W	120V	1680LM	3CCT-2700k/3000k/4000k	YES

LED Track Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLTK012415W	L:24.5"*W:5"*E6"	DC15W	120VAC	950LM	3000k/4000k/5000k	YES
BLTK013220W	L:32"*W:5"*E6"	DC20W	120VAC	1400LM	3000k/4000k/5000k	YES
BLTK013825W	L:38.5"*W:5"*E6"	DC25W	120VAC	1750LM	3000k/4000k/5000k	YES
BLTK014830W	L:47.5"*W:5"*E6"	DC30W	120VAC	21000LM	3000k/4000k/5000k	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLTK022415W	L:24.5"*W:5"*E6"	DC15W	120VAC	950LM	3000k/4000k/5000k	YES
BLTK023220W	L:32"*W:5"*E6"	DC20W	120VAC	1400LM	3000k/4000k/5000k	YES
BLTK023825W	L:38.5"*W:5"*E6"	DC25W	120VAC	1750LM	3000k/4000k/5000k	YES
BLTK024830W	L:47.5"*W:5"*E6"	DC30W	120VAC	21000LM	3000k/4000k/5000k	YES

LED Picture Light



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLPC01715W	L17"*H7-1/2"*E8-3/4"	15W	120VAC	1000LM	3000k/4000k/5000k	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLPC022415W	L24"*H7-1/2"*E8-3/4"	15W	120VAC	1000LM	3000k/4000k/5000k	YES


LED Cylinder



Finish

- BK 
- WH 
- BZ 
- SN 

Surface




Item No	Trim Size	Lumens	Voltage	Wattage	CCT	Dimmable
HT-G3SMD418WIV	4	1260	120-277VAC	18	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD425WIV	4	1750	120-277VAC	25	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD525WIV	5	1750	120-277VAC	25	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD536WIV	5	2520	120-277VAC	36	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD618WIV	5	1260	120-277VAC	18	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD625WIV	6	1750	120-277VAC	25	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD636WIV	6	2520	120-277VAC	36	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD643WIV	6	3010	120-277VAC	43	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD843WIV	8	3010	120-277VAC	43	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD856WIV	8	3920	120-277VAC	56	5CCT-27/30/35/40/5000K	Yes

LED Cylinder




Finish

- BK 
- WH 
- BZ 
- SN 




Pendant

Cord



Stem



Max. 20° Slope


Item No	Trim Size	Lumens	Voltage	Wattage	CCT	Dimmable
HT-G3PMD418WIV	4	1260	120-277VAC	18	5CCT-27/30/35/40/5000K	Yes
HT-G3PMD425WIV	4	1750	120-277VAC	25	5CCT-27/30/35/40/5000K	Yes
HT-G3MD525WIV	5	1260	120-277VAC	18	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD536WIV	5	1750	120-277VAC	25	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD618WIV	5	2520	120-277VAC	36	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD625WIV	6	1260	120-277VAC	18	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD625WIV	6	1750	120-277VAC	25	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD636WIV	6	2520	120-277VAC	36	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD643WIV	6	3010	120-277VAC	43	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD843WIV	8	3010	120-277VAC	43	5CCT-27/30/35/40/5000K	Yes
HT-G3SMD856WIV	8	3920	120-277VAC	56	5CCT-27/30/35/40/5000K	Yes

LED Tape




- Efficacy up to 130 Lumens/W
- Heat-conductive adhesive tape included
- IP Rating options (IP68, IP67 and IP65)
- 24VDC Input
- CCT Options 2700/2900/3500/3000/4000/5000/5700/6300/6500K


CN-H2835-240-24




CN-H2835-160-24



CN-H2835-128-24



CN-H2835-64-24



Item No	Type	Wattage	Strip Width	Max Run	CCT	Dimmable
CH-H2835-240-24	Indoor	6.58 /ft	0.55 inch	24.60 ft	5CCT-27/30/35/40/5000K	Yes
CH-H2835-160-24	Indoor	4.40 /ft	0.39 inch	18.04 ft	5CCT-27/30/35/40/5000K	Yes
CH-H2835-128-24	Indoor	3.51 /ft	0.39 inch	22.96 ft	5CCT-27/30/35/40/5000K	Yes
CH-H2835-160-24	Indoor	2.34 /ft	0.39 inch	31.17 ft	5CCT-27/30/35/40/5000K	Yes
CWT-H2835-240-24	Outdoor	6.58 /ft	0.55 inch	24.60 ft	5CCT-27/30/35/40/5000K	Yes
CWT-H2835-160-24	Outdoor	4.40 /ft	0.39 inch	18.04 ft	5CCT-27/30/35/40/5000K	Yes
CWT-H2835-128-24	Outdoor	3.51 /ft	0.39 inch	22.96 ft	5CCT-27/30/35/40/5000K	Yes
CWT-H2835-160-24	Outdoor	2.34 /ft	0.39 inch	31.17 ft	5CCT-27/30/35/40/5000K	Yes

Flexible Panel




- Adopt high quality 2835 LED.
- PCB adopts FPC with high flexibility
- Quick Connector XH-3Y & Multiple Connection spot: Pin type assemblies are easy and stable way to connect panels.
- Flexible and cuttable every 76.2*50.8mm to satisfy different requirements
- IP22(non-waterproof) & IP64(spray glue coated) available
- Color temperature can be customized

Model No.	Light Color	Color Temperature(K)/ Wavelength(nm)	Beam Angle	Luminous Flu (lm/pcs)	Efficacy (lm/W)	Voltage (V DC)	Power (W/pcs)
H150-WN-H2835-576-24-W1	W	6500	120°	2188	95	24V	23
	N	2700		2096	91		23
	W+N	4300		4285	93		46

Model No.	LED Quantity/pc	Product Size L*W*H(mm)	Max Run(Single Feed)(pcs)	Min Cuttable Length(mm)	Working Temperature	Storage Temperature
H150-WN-H2835-576-24-W1	576	610*305*8	3	76.2*50.8	-20~+60°C	-20~+70°C

Min cuttable unit



LED Step Light


LED Step Lights CCT tunable

LED Step Lights CCT tunable w/ Photocell

LED Step Lights CCT tunable w/ Photocell and Motion Sensor



5%-100% DIMMABLE



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLSTL0103C	L:4-3/4"H:2-13/16"E1-3/4"	3W	120VAC	120LM	3CCT-3000K/4000K/5000K	YES
BLSTL0103C-PH	L:4-3/4"H:2-13/16"E1-3/4"	3W	120VAC	120LM	3CCT-3000K/4000K/5000K	YES
BLSTL0103C-PH-MS	L:4-3/4"H:2-13/16"E1-3/4"	3W	120VAC	120LM	3CCT-3000K/4000K/5000K	YES

LED Step Lights CCT tunable

LED Step Lights CCT tunable w/ Photocell

LED Step Lights CCT tunable w/ Photocell and Motion Sensor



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLSTL01203C	L:2-13/16"H:4-3/4"E1-3/4"	3W	120VAC	80LM	3CCT-3000K/4000K/5000K	YES
BLSTL0203C-PH	L:2-13/16"H:4-3/4"E1-3/4"	3W	120VAC	80LM	3CCT-3000K/4000K/5000K	YES
BLSTL0203C-PH-MS	L:2-13/16"H:4-3/4"E1-3/4"	3W	120VAC	80LM	3CCT-3000K/4000K/5000K	YES

Address Light and House Numbers

House Numbers - Metal Address Lights Personalized Address Number Sign Plaque



BLHN01



VBLHN04



BLHN06



BLHN02



BLHN05



BLHN03



BLHN07

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLHN01	W:6"H:10"E:2"	5W	120V	150LM	3000k/4000k/5000k	YES
BLHN02	10"W x 5"H x 2-1/8"E	6W	120V	150LM	3000k/4000k/5000k	YES
BLHN03	20"W x 10"H x 2"E	15W	120V	750LM	3000k/4000k/5000k	YES
BLHN04	4-1/2"W x 24"H x 2"E	15W	120V	750LM	3000k/4000k/5000k	YES
BLHN05	4-1/2"W x 18"H x 3"E	12W	120V	600LM	3000k/4000k/5000k	YES
BLHN06	6"W x 24"H x 2-1/2"E	24W	120V	1500LM	3000k/4000k/5000k	YES
BLHN07	12.4"W x 6.9"H x 2.25"E	6W	120V	150LM	3000K/4000K/5000K	YES

LED Outdoor Up & Down Wall Cylinder



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW010809W	W:4-1/2"*H:6"*E:4"	9W	120V	600LM	3000k/4000k/5000k	YES
BLOW011218W	W:4-1/2"*H:8"*E:4"	18W	120V	1200LM	3000k/4000k/5000k	YES

Round Outdoor Wall Cylinder

Round Outdoor Wall Cylinder w/ Photocell



Item No	Dimensions	Lamp	Metal Finish	Glass Finish
BLOW02081L-E26	W:4-3/4"*H:8"*E:6-3/8"	1*E26(Lamps not Included)	BK,BZ,WH	Clear Glass
BLOW02122L-E26	W:4-3/4"*H:12"*E:6-3/8"	2*E26(Lamps not Included)	BK,BZ,WH	Clear Glass
BLOW02081L-E26-PH	W:4-3/4"*H:8"*E:6-3/8"	1*E26(Lamps not Included)	BK,BZ,WH	Clear Glass
BLOW02122L-E26-PH	W:4-3/4"*H:12"*E:6-3/8"	2*E26(Lamps not Included)	BK,BZ,WH	Clear Glass

LED Outdoor Up & Down Wall Cylinder

LED Round Outdoor Wall Cylinder CCT tunable w/ Photocell



LED ROUND OUTDOOR WALL CYLINDER WITH BATTERY BACK-UP has a modern design with effective up/down illumination. The built-in battery provides 90 minutes of power in case of emergency. This fixture has a tempered glass cover and durable die-cast aluminum body that is highly resistant to rust. It operates on 120-277V circuits with Triac dimming. It is also CCT tunable, letting you set it to 3000K, 4000K or 5000K with a simple switch. Comes in a BLACK or BRONZE finish.

Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW020809W-3CCT	W:4-3/4"*H:8"*E:6-3/8"	9W	120V	600LM	3CCT-3000k/4000k/5000k	YES
BLOW021218W-3CCT	W:4-3/4"*H:12"*E:6-3/8"	18W	120V	1200LM	3CCT-3000k/4000k/5000k	YES
BLOW020809W-3CCT-PH	W:4-3/4"*H:8"*E:6-3/8"	9W	120V	600LM	3CCT-3000k/4000k/5000k	YES
BLOW021218W-3CCT-PH	W:4-3/4"*H:12"*E:6-3/8"	18W	120V	1200LM	3CCT-3000k/4000k/5000k	YES

LED Outdoor Up & Down Wall Cylinder

E26 Square Outdoor Wall Cylinder

E26 Square Outdoor Wall Cylinder w/ Photocell



Item No	Dimensions	Lamp	Metal Finish	Glass Finish
BLOW03081L-E26	W:4-3/4"*H:7-7/8"*E:6"	1*E26(Lamps no Included)	BK,BZ,WH	Clear Glass
BLOW03112L-E26	W:4-3/4"*H:11-1/2"*E:6"	2*E26(Lamps no Included)	BK,BZ,WH	Clear Glass
BLOW03081L-E26-PH	W:4-3/4"*H:7-7/8"*E:6"	1*E26(Lamps no Included)	BK,BZ,WH	Clear Glass
BLOW03112L-E26-PH	W:4-3/4"*H:11-1/2"*E:6"	2*E26(Lamps no Included)	BK,BZ,WH	Clear Glass

LED Square Outdoor Wall Cylinder CCT tunable

LED Square Outdoor Wall Cylinder CCT tunable w/ Photocell



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW030809W-3CCT	W:4-3/4"*H:7-7/8"*E:6"	9W	120V	600LM	3CCT-3000k/4000k/5000k	YES
BLOW031118W-3CCT	W:4-3/4"*H:11-1/2"*E:6"	18W	120V	1200LM	3CCT-3000k/4000k/5000k	YES
BLOW030809W-3CCT-PH	W:4-3/4"*H:7-7/8"*E:6"	9W	120V	600LM	3CCT-3000k/4000k/5000k	YES
BLOW031118W-3CCT-PH	W:4-3/4"*H:11-1/2"*E:6"	18W	120V	1200LM	3CCT-3000k/4000k/5000k	YES

LED Outdoor Wall Sconce



ALUMINUM BODY WATER PROOF STRONG CORROSION RESISTANCE



AVAILABLE SIZE:




AVAILABLE FINISH:



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW041015WAC-3CCT	W:7"*H:10"*E:3"	15W	120V	1050LM	3cct-3000k/4000k/5000k	YES
BLOW041820WAC-3CCT	W:7"*H:18"*E:4"	20W	120V	1400LM	3cct-3000k/4000k/5000k	YES
BLOW042423WAC-3CCT	W:7"*H:24"*E:4"	23W	120V	1600LM	3cct-3000k/4000k/5000k	YES
BLOW043028WAC-3CCT	W:7"*H:30"*E:4"	28W	120V	1950LM	3cct-3000k/4000k/5000k	YES
BLOW043635WAC-3CCT	W:7"*H:36"*E:4"	35W	120V	2450LM	3cct-3000k/4000k/5000k	YES
BLOW041015WAC-3CCT-PH	W:7"*H:10"*E:3"	15W	120V	1050LM	3cct-3000k/4000k/5000k	YES
BLOW041820WAC-3CCT-PH	W:7"*H:18"*E:4"	20W	120V	1400LM	3cct-3000k/4000k/5000k	YES
BLOW042423WAC-3CCT-PH	W:7"*H:24"*E:4"	23W	120V	1600LM	3cct-3000k/4000k/5000k	YES
BLOW043028WAC-3CCT-PH	W:7"*H:30"*E:4"	28W	120V	1950LM	3cct-3000k/4000k/5000k	YES
BLOW043635WAC-3CCT-PH	W:7"*H:36"*E:4"	35W	120V	2450LM	3cct-3000k/4000k/5000k	YES

LED Outdoor Wall Sconce



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW051215W-3CCT	L:6"*H:12"*E:4"	15W	120V-277VAC	750LM	3CCT-3000k/4000k/5000k	NO
BLOW051820W-3CCT	L:6"*H:18"*E:4"	20W	120V-277VAC	1000LM	3CCT-3000k/4000k/5000k	NO
BLOW052423W-3CCT	L:6"*H:24"*E:4"	23W	120V-277VAC	1200LM	3CCT-3000k/4000k/5000k	NO
BLOW053028W-3CCT	L:6"*H:30"*E:4"	28W	120V-277VAC	1500LM	3CCT-3000k/4000k/5000k	NO


Outdoor Wall Sconce

Outdoor Wall Sconce w/ Photocell



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW050812W-3CCT	W:6"*H:8"*E:3-1/2"	12W	120-277V	600LM	3CCT-3000k/4000k/5000k	NO
BLOW051220W-3CCT	W:6"*H:14"*E:3-1/2"	20W	120-277V	1200LM	3CCT-3000k/4000k/5000k	NO
BLOW050812W-3CCT-PH	W:6"*H:8"*E:3-1/2"	12W	120-277V	600LM	3CCT-3000k/4000k/5000k	NO
BLOW051220W-3CCT-PH	W:6"*H:14"*E:3-1/2"	20W	120-277V	1200LM	3CCT-3000k/4000k/5000k	NO

LED Outdoor Wall Sconce




Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW061818W-3CCT	L:6"*H:18"E:2-1/2"	18W	120V-277VAC	1250LM	3CCT-3000k/4000k/5000k	NO
BLOW062424W-3CCT	L:6"*H:24"E:2-1/2"	24W	120V-277VAC	1650LM	3CCT-3000k/4000k/5000k	NO
BLOW063630W-3CCT	L:6"*H:36"E:2-1/2"	30W	120V-277VAC	2100LM	3CCT-3000k/4000k/5000k	NO
BLOW064836W-3CCT	L:6"*H:48"E:2-1/2"	36W	120V-277VAC	2500LM	3CCT-3000k/4000k/5000k	NO
BLOW067240W-3CCT	L:6"*H:72"E:2-1/2"	40W	120V-277VAC	2800LM	3CCT-3000k/4000k/5000k	NO



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW071818W-3CCT	L:6"*H:18"E:2-1/2"	18W	120V-277VAC	1250LM	3CCT-3000k/4000k/5000k	NO
BLOW072424W-3CCT	L:6"*H:24"E:2-1/2"	24W	120V-277VAC	1650LM	3CCT-3000k/4000k/5000k	NO
BLOW073630W-3CCT	L:6"*H:36"E:2-1/2"	30W	120V-277VAC	2100LM	3CCT-3000k/4000k/5000k	NO
BLOW074836W-3CCT	L:6"*H:48"E:2-1/2"	36W	120V-277VAC	2500LM	3CCT-3000k/4000k/5000k	NO
BLOW077240W-3CCT	L:6"*H:72"E:2-1/2"	40W	120V-277VAC	2800LM	3CCT-3000k/4000k/5000k	NO

LED Outdoor Wall Sconce



Item No	Dimensions W:4-	Power	Voltage	Lumen	CCT	Dimmable
BLOW081210W	3/4"*H:12"*E:2-3/4"	10W	120V	500LM	3000k/4000k/5000k	YES
BLOW081210W-3CCT	W:4-3/4"*H:12"*E:2-3/4"	10W	120V	500LM	3CCT-3000k/4000k/5000k	YES



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW091010W	W:4-3/4"*H:10"*E:4-1/2"	10W	120V	600LM	3000k/4000k/5000k	YES
BLOW091410W	W:4-3/4"*H:14"*E:4-1/2"	10W	120V	600LM	3000k/4000k/5000k	YES
BLOW091810W	W:4-3/4"*H:18"*E:4-1/2"	10W	120V	600LM	3000k/4000k/5000k	YES
BLOW091810W	W:4-3/4"*H:24"*E:4-1/2"	10W	120V	600LM	3000k/4000k/5000k	YES

LED Outdoor Wall Lamp



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW161012W	W:12"*H:10"*E:15-1/4"	AC12W	120VAC	750LM	3000k/4000k/5000k	YES
BLOW161012W-PC	W:12"*H:10"*E:15-1/4"	AC12W	120VAC	750LM	3000k/4000k/5000k	YES

LED Outdoor Wall Sconce w/ PIR Motion Sensor



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW170709W	W:6-3/8"*H:7-3/8"*E:6-5/8"	AC9W	120VAC	550LM	3000k/4000k/5000k	YES
BLOW170712W-SENSOR	W:8-1/4"*H:10-3/4"*E:108"	AC12W	120VAC	800LM	3000k/4000k/5000k	YES

LED Outdoor Wall Lamp



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW270809W	W:4-1/2"*H:8"*E6"	AC9W	120VAC	550LM	3000k/4000k/5000k	YES
BLOW271109W	W:4-1/2"*H:11"*E6"	AC9W	120VAC	550LM	3000k/4000k/5000k	YES



BLOW280112W BLOW280312W



BLOW280212W BLOW280412W




Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW280112W	W:6-1/4"*H:6-1/4"*E4"	A12W	120VAC	600LM	3000k/4000k/5000k	YES
BLOW280212W	W:6-1/4"*H:6-1/4"*E4"	A12W	120VAC	600LM	3000k/4000k/5000k	YES
BLOW280312W	W:6-1/4"*H:6-1/4"*E4"	A12W	120VAC	600LM	3000k/4000k/5000k	YES
BLOW280412W	W:6-1/4"*H:6-1/4"*E4"	A12W	120VAC	600LM	3000k/4000k/5000k	YES

E26 Outdoor Wall Sconce

Outdoor Wall Sconce

Outdoor Wall Sconce w/ Photocell

Outdoor Wall Sconce w/ PIR Motion Sensor



Item No	Dimensions	Lamp	Finish	Glass Finish
BLOW02081L-E26	W:4-3/4"*H:8"*E:6-3/8"	1*E26(Lamps no Included)	BK	Clear Seedy Glass
BLOW02081L-E26-PH	W:4-3/4"*H:8"*E:6-3/8"	1*E26(Lamps no Included)	BK	Clear Seedy Glass
BLOW02081L-E26-SENSOR	W:4-3/4"*H:8"*E:6-3/8"	1*E26(Lamps no Included)	BK	Clear Seedy Glass

Outdoor Lamp

Outdoor Lamp w/ Photocell



Item No	Dimensions	Lamp	Finish	Glass Finish
BLOW2115W-E26	W:6-1/2"*H:15"*E7-1/2"	1*E26(Lamps no Included)	BK	Clear Water Glass
BLOW2115W-E26-PH	W:6-1/2"*H:15"*E7-1/2"	1*E26(Lamps no Included)	BK	Clear Water Glass
BLOW2115H-E26	W:6-1/2"*H:15 "3 feet chain 6 feet cord	1*E26(Lamps no Included)	BK	Clear Water Glass
BLOW2115H-E26-PH	W:6-1/2"*H:15 "3 feet chain 6 feet cord	1*E26(Lamps no Included)	BK	Clear Water Glass

E26 Outdoor Wall Sconce



BLOW22S-E26



BLOW22M-E26



Item No	Dimensions	Lamp	Finish	Glass Finish
BLOW22S-E26	W:5"*H:13-1/2"*E:7"	1*E26(Lamps no Included)	BK	Clear Glass
BLOW22M-E26	W:6"*H:18"*E:7-1/2"	1*E26(Lamps no Included)	BK	Clear Glass



BLOW290120W



BLOW290220W



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
BLOW290120W	D:11"*H:3-1/2"	DC20W	120VAC	1000LM	3000k/4000k/5000k	YES
BLOW290220W	D:11"*H:3-1/2"	DC20W	120VAC	1000LM	3000k/4000k/5000k	YES

Outdoor Lantern



LJC19-1206-M



LJC19-1207-M



LJC19-1201-M



LJC19-1202-M



LJC19-1208-M



LJC19-1203-M



LJC19-1204-M



LJC19-1001-M



LJC19-1209-M



LJC19-1211-M



LJC19-1204-M



LJC-0803-M

Outdoor Lantern



LJC180256-1-M



LJC202001-M



LJC202001-M



LT-US-G2WL14WP2278-33



LJC19-1207-S



LJC19-1201-S



LJC19-1202-S



LJC19-1208-S



LJC19-1203-S



LJC19-1204-S



LJC19-1001-S



LJC19-1209-S

Outdoor Lantern



LJC19-0802-S



LJC19-0803-S



LJC19-1211-S



LJC-0801-S



LJC-0803-S



LJC-0804-S



LJC180256-1-S



LJC202001-S



LJC202001-S

Makeup Mirror

Professional 8.5" Large Lighted Makeup Mirror Updated with 3 Color Lights, 1X/10X Magnifying Swivel Vanity Brightness Dimmable Cosmetic Mirror with 48 Premium LED Lights, Senior Pearl Nickel



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-05-TL-8D	D:8-1/2"*H:15-1/2"	10W	120VAC	500LM	3CCT-3000K/4000K/5000K	YES


Wall Mounted Lighted Makeup Mirror, 8" Rechargeable Double-Sided Magnifying Mirror 1x/10x, 3 Colors Led Vanity Mirror with Lights, Touch Dimmable 360° Rotation Foldable Light up Mirror



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-06-WL-8D	D:8-1/2"*H:10-1/2"*E12-1/2"	10W	120VAC	500LM	3CCT-3000K/4000K/5000K	YES

LED Round Mirror


Touch sensor 3000K-4000K-6000K CCT step change Dimming Defogger



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-07-24D-21W	D:24"*E:1-1/2"	21W	120VAC	2300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-07-30D-28W	D:30"*E:1-1/2"	28W	120VAC	3000LM	3CCT-3000K/4000K/6000K	YES
FM-MI-07-36D-35W	D:36"*E:1-1/2"	35W	120VAC	3800LM	3CCT-3000K/4000K/6000K	YES
FM-MI-07-42D-42W	D:42"*E:1-1/2"	42W	120VAC	4600LM	3CCT-3000K/4000K/6000K	YES

LED Oval Mirror

Touch sensor 3000K-4000K-6000K CCT step change Dimming Defogger



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-08-2436-30W	D:24"*H:36"*E:1-1/2"	30W	120VAC	3300LM	3CCT-3000K/4000K/6000K	YES


LED Mirror

**Touch sensor 3000K-4000K-6000K CCT
step change Dimming Defogger**



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-09-24D-21W	D:24"*E:1-1/2"	21W	120VAC	2300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-09-30D-28W	D:30"*E:1-1/2"	28W	120VAC	3000LM	3CCT-3000K/4000K/6000K	YES
FM-MI-09-36D-35W	D:36"*E:1-1/2"	35W	120VAC	3800LM	3CCT-3000K/4000K/6000K	YES
FM-MI-09-42D-42W	D:42"*E:1-1/2"	42W	120VAC	4600LM	3CCT-3000K/4000K/6000K	YES


**Touch sensor 3000K-4000K-6000K
CCT step change Dimming Defogger**



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-10-24D-21W	D:24"*E:1-1/2"	21W	120VAC	2300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-10-30D-28W	D:30"*E:1-1/2"	28W	120VAC	3000LM	3CCT-3000K/4000K/6000K	YES
FM-MI-10-36D-35W	D:36"*E:1-1/2"	35W	120VAC	3800LM	3CCT-3000K/4000K/6000K	YES
FM-MI-10-42D-42W	D:42"*E:1-1/2"	42W	120VAC	4600LM	3CCT-3000K/4000K/6000K	YES

LED Mirror

**Touch sensor 3000K-4000K-6000K CCT
step change Dimming Defogger**



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-11-2436-21W	W:24"*H:36"*E:1-1/2"	21W	120VAC	2300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-11-2448-29W	W:24"*H:48"*E:1-1/2"	29W	120VAC	3150LM	3CCT-3000K/4000K/6000K	YES
FM-MI-11-3636-21W	W:36"*H:36"*E:1-1/2"	21W	120VAC	2300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-11-3648-29W	W:36"*H:48"*E:1-1/2"	29W	120VAC	3150LM	3CCT-3000K/4000K/6000K	YES


**Touch sensor 3000K-4000K-6000K CCT
step change Dimming Defogger**



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-12-2436-21W	W:24"*H:36"*E:1-1/2"	32W	120VAC	3500LM	3CCT-3000K/4000K/6000K	YES
FM-MI-12-3036-28W	W:30"*H:36"*E:1-1/2"	38W	120VAC	4150LM	3CCT-3000K/4000K/6000K	YES
FM-MI-12-3636-28W	W:36"*H:36"*E:1-1/2"	42W	120VAC	4600LM	3CCT-3000K/4000K/6000K	YES
FM-MI-12-4836-28W	W:48"*H:36"*E:1-1/2"	50W	120VAC	5500LM	3CCT-3000K/4000K/6000K	YES
FM-MI-10-6036-42W	W:60"*H:36"*E:1-1/2"	58W	120VAC	6350LM	3CCT-3000K/4000K/6000K	YES

LED Mirror

Touch sensor 3000K-4000K 6000K
CCT step change Dimming Defogger



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-11-2436-21W	W:24"*H:36"*E:1-1/2"	21W	120VAC	2300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-11-2448-29W	W:24"*H:48"*E:1-1/2"	29W	120VAC	3150LM	3CCT-3000K/4000K/6000K	YES
FM-MI-11-3636-21W	W:36"*H:36"*E:1-1/2"	21W	120VAC	2300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-11-3648-29W	W:36"*H:48"*E:1-1/2"	29W	120VAC	3150LM	3CCT-3000K/4000K/6000K	YES


Touch sensor 3000K-4000K-6000K
CCT step change Dimming Defogger



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-12-2436-32W	W:24"*H:36"*E:1-1/2"	32W	120VAC	3500LM	3CCT-3000K/4000K/6000K	YES
FM-MI-12-3036-38W	W:30"*H:36"*E:1-1/2"	38W	120VAC	4150LM	3CCT-3000K/4000K/6000K	YES
FM-MI-12-3636-42W	W:36"*H:36"*E:1-1/2"	42W	120VAC	4600LM	3CCT-3000K/4000K/6000K	YES
FM-MI-12-4836-50W	W:48"*H:36"*E:1-1/2"	50W	120VAC	5500LM	3CCT-3000K/4000K/6000K	YES
FM-MI-12-6036-58W	W:60"*H:36"*E:1-1/2"	58W	120VAC	6350LM	3CCT-3000K/4000K/6000K	YES

LED Mirror

Touch sensor
3000K-4000K-6000K CCT step
change Dimming Defogger



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-13-2436-21W	W:24"*H:36"*E:1-1/2"	32W	120VAC	3500LM	3CCT-3000K/4000K/6000K	YES
FM-MI-13-3036-28W	W:30"*H:36"*E:1-1/2"	38W	120VAC	4150LM	3CCT-3000K/4000K/6000K	YES
FM-MI-13-3636-28W	W:36"*H:36"*E:1-1/2"	42W	120VAC	4600LM	3CCT-3000K/4000K/6000K	YES
FM-MI-13-4836-28W	W:48"*H:36"*E:1-1/2"	50W	120VAC	5500LM	3CCT-3000K/4000K/6000K	YES
FM-MI-13-6036-42W	W:60"*H:36"*E:1-1/2"	58W	120VAC	6350LM	3CCT-3000K/4000K/6000K	YES


Touch sensor
3000K-4000K-6000K CCT step
change Dimming Defogger



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-14-2842-15W	W:28"*H:42"*E:4"	15W	120VAC	1650LM	3CCT-3000K/4000K/6000K	YES

LED Mirror

Touch sensor 3000K-4000K-6000K CCT step change Dimming Defogger



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-15-2436-21W	W:24"*H:36"*E:1-1/2"	30W	120VAC	3300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-15-3036-28W	W:30"*H:36"*E:1-1/2"	36W	120VAC	3950LM	3CCT-3000K/4000K/6000K	YES
FM-MI-15-3636-28W	W:36"*H:36"*E:1-1/2"	40W	120VAC	4400LM	3CCT-3000K/4000K/6000K	YES
FM-MI-15-4836-28W	W:48"*H:36"*E:1-1/2"	48W	120VAC	5300LM	3CCT-3000K/4000K/6000K	YES
FM-MI-15-6036-42W	W:60"*H:36"*E:1-1/2"	6W	120VAC	6150LM	3CCT-3000K/4000K/6000K	YES

Touch sensor 3000K-4000K-6000K CCT step change Dimming Defogger



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-16-2436-21W	W:24"*H:36"*E:1-1/2"	32W	120VAC	3500LM	3CCT-3000K/4000K/6000K	YES
FM-MI-16-3036-28W	W:30"*H:36"*E:1-1/2"	38W	120VAC	4150LM	3CCT-3000K/4000K/6000K	YES
FM-MI-16-3636-28W	W:36"*H:36"*E:1-1/2"	42W	120VAC	4600LM	3CCT-3000K/4000K/6000K	YES
FM-MI-16-4836-28W	W:48"*H:36"*E:1-1/2"	50W	120VAC	5500LM	3CCT-3000K/4000K/6000K	YES
FM-MI-16-6036-42W	W:60"*H:36"*E:1-1/2"	58W	120VAC	6350LM	3CCT-3000K/4000K/6000K	YES

LED Mirror

Touch sensor 3000K-4000K-6000K CCT
step change Dimming



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-17-3026-15W	W:30"*H:26"*E:4"	15W	120VAC	1650LM	3CCT-3000K/4000K/6000K	YES
FM-MI-11-4026-15W	W:40"*H:26"*E:4"	15W	120VAC	1650LM	3CCT-3000K/4000K/6000K	YES

Touch sensor 3000K-4000K-6000K CCT
step change Dimming



Item No	Dimensions	Power	Voltage	Lumen	CCT	Dimmable
FM-MI-18-2466-21W	W:24"*H:66"*E:1-1/2"	55W	120VAC	6000LM	3CCT-3000K/4000K/6000K	YES