Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

- Trade name: MAR CLEANER JR 100ML\*10 L171
- · CAS Number:
- 67-63-0
- EC number:
- 200-661-7
- Index number: 603-117-00-0
- Registration number 01-2119457558-25-XXXX
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com
- Further information obtainable from: Bison QESH
- 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact:
- In England and Wales: NHS 111 dial 111
- In Scotland: NHS 24 dial 111

## **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

(Contd. of page 1)

#### Trade name: MAR CLEANER JR 100ML\*10 L171

· Hazard pictograms



#### · Signal word Danger

- Hazard-determining components of labelling: propan-2-ol
- · Hazard statements
- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with national regulations.
- · Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- propan-2-ol
- Hazard statements

H336 May cause drowsiness or dizziness.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

- P102 Keep out of reach of children.
- P261 Avoid breathing vapours.

P501 Dispose of contents/container in accordance with national regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

- GB-EN

(Contd. on page 3)

Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

#### Trade name: MAR CLEANER JR 100ML\*10 L171

(Contd. of page 2)

SECTION 3: Composition/information on ingredients				
<ul> <li>3.1 Substances</li> <li>CAS No. Description 67-63-0 propan-2-ol</li> <li>Identification number(s)</li> <li>EC number: 200-661-7</li> <li>Index number: 603-117-00-0</li> </ul>				
· Dangerous components:				
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol Flam. Liq. 2, H225;  Eye Irrit. 2, H319; STOT SE 3, H336	50-100%		

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- No special measures required.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Water haze
- Alcohol resistant foam
- Fire-extinguishing powder
- Carbon dioxide
- $\cdot$  5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)

GB-EN

Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

## Trade name: MAR CLEANER JR 100ML\*10 L171

(Contd. of page 3)

SECTION 6: Accidental release measures
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.</li> <li>6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.</li> <li>6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.</li> <li>6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> </ul>
SECTION 7: Handling and storage
<ul> <li><b>7.1 Precautions for safe handling</b> <ul> <li>Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).</li> <li>Ensure good ventilation/exhaustion at the workplace.</li> <li>Prevent formation of aerosols.</li> </ul> </li> <li><b>Information about fire - and explosion protection:</b> <ul> <li>Keep ignition sources away - Do not smoke.</li> <li>Protect against electrostatic charges.</li> </ul> </li> </ul>
<ul> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage:</li> <li>Requirements to be met by storerooms and receptacles: Store in a cool location.</li> <li>Information about storage in one common storage facility: Not required.</li> <li>Further information about storage conditions: Keep container tightly sealed.</li> <li>Store in cool, dry conditions in well sealed receptacles.</li> <li>Storage class: 3</li> <li>7.3 Specific end use(s) No further relevant information available.</li> </ul>
SECTION 8: Exposure controls/personal protection
• 8.1 Control parameters
<ul> <li>Ingredients with limit values that require monitoring at the workplace:</li> <li>67-63-0 propan-2-ol</li> </ul>
WEL       Short-term value: 1250 mg/m³, 500 ppm         Long-term value: 999 mg/m³, 400 ppm
• Additional information: The lists valid during the making were used as basis.
<ul> <li>• 8.2 Exposure controls</li> <li>• Appropriate engineering controls No further data; see item 7.</li> <li>(Contd. on page 5)</li> <li>GB-EN</li> </ul>

Printing date 12.02.2023

· Physical state

boiling range · Flammability

· Odour threshold:

• Melting point/freezing point:

Lower and upper explosion limit

· Boiling point or initial boiling point and

· Colour:

· Odour:

· Lower:

· Upper:


· Flash point:

Ignition temperature:

Version number 22 (replaces version 21)

Revision: 12.02.2023

#### Trade name: MAR CLEANER JR 100ML\*10 L171



Fluid

Clear

-89.5 °C

82 °C

2 Vol %

425 °C

12 Vol % 12 °C

Alcohol-like

Not determined.

Highly flammable.

(Contd. on page 6)

GB-EN

Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

### Trade name: MAR CLEANER JR 100ML\*10 L171

	(Contd. of page
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	2.43 mPas
Solubility	
water at 20 °C:	1 g/l
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	43 hPa
Density and/or relative density	
Density at 20 °C:	0.785 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for the
5.2 Other information	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Liquid
Important information on protection of hea	
and environment, and on safety.	
Auto-ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation
Explosive properties.	explosive air/vapour mixtures are possible.
Organic solvents:	99.9 %
Water:	0.1 %
Solids content:	0.0 %
Molecular weight	60 g/mol
Change in condition	oo gintoi
Evaporation rate	Not determined.
•	
Information with regard to physical haz	ard
classes	Vaid
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
De un e de la colta diferential e	Void
Pyrophoric liquids	
Pyrophoric solids	Void
Pyrophoric solids Self-heating substances and mixtures	Void Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void

GB-EN -

Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

(Contd. of page 6)

#### Trade name: MAR CLEANER JR 100ML\*10 L171

Corrosive to metals
 Desensitised explosives

Void Void

### **SECTION 10: Stability and reactivity**

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

#### 67-63-0 propan-2-ol Oral LD50 5045 mg/kg (rat) 12800 mg/kg (rabbit) Dermal LD50 Inhalative LC50/4 h 30 mg/l (rat) • Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Causes serious eye irritation. • Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Not applicable. Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure May cause drowsiness or dizziness. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: · Acute effects (acute toxicity, irritation and corrosivity) Not applicable. · Sensitisation Not applicable. · Repeated dose toxicity Not applicable. 11.2 Information on other hazards Endocrine disrupting properties None of the ingredients is listed. GB-EN

(Contd. on page 8)

Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

#### Trade name: MAR CLEANER JR 100ML\*10 L171

(Contd. of page 7)

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:
- Packagings that may not be cleansed are to be disposed of in the same manner as the product.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informatio	n
<ul> <li>14.1 UN number or ID number</li> <li>ADR/ADN, IMDG, IATA</li> </ul>	UN1219
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR/ADN</li> <li>· IMDG, IATA</li> </ul>	1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL)
· 14.3 Transport hazard class(es)	
· ADR/ADN	
· Class	3 (F1) Flammable liquids.
	(Contd. on page

Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

## Trade name: MAR CLEANER JR 100ML\*10 L171

	(Contd. of page
· Label	3
IMDG, IATA	
	3 Flammable liquids.
	3
· 14.4 Packing group · ADR/ADN, IMDG, IATA	II
14.5 Environmental hazards:	Ne
Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids.
· EMS Number:	F-E,S-D
Stowage Category	В
<sup>1</sup> 14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
Transport/Additional information:	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR/ADN · Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 50
Transport catogory	ml 2
Transport category Tunnel restriction code	Z D/E
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
-	Maximum net quantity per inner packaging: 30 n
	Maximum net quantity per outer packaging: 50 ml
· Remarks:	Under certain conditions substances in Class
	(flammable liquids) can be classified
	packinggroup III.
	See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2
UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROP) ALCOHOL), 3, II

(Contd. on page 10)

Printing date 12.02.2023

Version number 22 (replaces version 21)

Revision: 12.02.2023

#### Trade name: MAR CLEANER JR 100ML\*10 L171

(Contd. of page 9)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H225 Highly flammable liquid and vapour.

- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- Department issuing SDS: Bison QESH
- · **Contact:** Reach coordinator
- Date of previous version: 19.08.2022
- · Version number of previous version: 21
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\*\* Data compared to the previous version altered.

GB-EN