

eva-last

INSPIRED BY NATURE, DESIGNED FOR LIFE.



Better decking. Better living.



www.eva-last.net.au



Apex PLUS

BETTER PERFORMING, BETTER LOOKING COMPOSITE


Apex PLUS takes the benefits of Apex composite to the next level. It offers the natural look of Apex in cutting-edge composite technology. Its improved foamed-PVC and glass fiber-reinforced core creates a more durable and versatile board with increased span capabilities and greater stability. This eco-friendly and slip resistant composite is low maintenance and faces Mother Nature's toughest conditions with reliable long-term performance and timeless style.

GFR | GLASS FIBER
REINFORCED

PRODUCT COMPOSITION

Apex PLUS

Apex PLUS upgrades your outdoor space with a cutting-edge composition that is equally beautiful and resilient. Its reinforced core gives you greater design freedom by reducing the amount of substructure your project needs and its specialised composition minimises contraction and expansion for a more stable board.



Capping material:

Engineered acrylic polymer

Core material:

Foamed-PVC composite with
glass fiber-reinforcement

GFR | GLASS FIBER
REINFORCED





TAKE HOME THE BENEFITS

Apex PLUS



INCREASED SPAN

Reinforcement improves strength & span capability



MORE STABLE

Less movement from expansion & contraction



NATURAL AESTHETIC

Advanced technology for more natural looking composite



P5

SLIP RESISTANT

Reliable slip resistance properties



LOW-MAINTENANCE

Only basic care required for optimal longevity



PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



DECAY RESISTANT

Resists insects, moisture, & weather



ECO-FRIENDLY

Long-lasting & prevents deforestation

Apex PLUS



REINFORCED, CAPPED PVC COMPOSITE



140 x 24 mm
Grooved both sides



140 x 24 mm
Rectangular profile



SCULPTED GRAIN

GFR / GLASS FIBER
REINFORCED



SCULPTED GRAIN

GFR / GLASS FIBER
REINFORCED

GROOVED BOARD

The Apex PLUS single sided grooved board in foamed-PVC with a glass fiber-reinforced core offers a flawless, fastener-free final look thanks to the grooves along its edges which are designed for streamlined installation using HULK hidden fastener clips.

Dimensions	140 x 24 mm (5,45m lengths)
Weight	2.9 kg/m
Recommended Joist spacing	Up to 450 mm on centres

Grooved board

140 x 24 mm



Fasteners



Compatible with
S-Series clip

SQUARE EDGE BOARD

The Apex PLUS single sided starter board in foamed-PVC with a glass fiber-reinforced core is designed for use as decking and stair edges. Install using HULK hidden fastener clips on grooved edges and HULK colour matching top fixing screws on square edges.

Dimensions	140 x 24 mm (5,45m lengths)
Weight	3.0 kg/m
Recommended Joist spacing	Up to 450 mm on centres

Square edge board

140 x 24 mm



Fasteners



Uses HULK composite
top fixing screws
on non-grooved edges

Please refer to the Apex colours page to see our full colour range.



APEX PLUS DUAL TONE COLOURS


Apex PLUS offers a carefully crafted dual tone colour range which adds an extra layer of colour to each board to embrace the nuances found in timber and enhance the natural look of your project.




SURFACE FINISH




Sculpted Grain Finish



HIMALAYAN CEDAR



BRAZILIAN TEAK



ALASKAN DRIFTWOOD

Apex PLUS is produced with random colour variations within the product to mimic that of natural timber. So in any colour, you will get a variety of lighter and darker tones just as nature intended. This only adds to the aesthetic appeal of your composite decking.

Infinity IS

CUT COST, NOT QUALITY

Infinity IS combines all the benefits of durable Infinity composite with the advantages of I-Series to give you a durable co-extruded composite offering low maintenance, and an advanced resilient polymer cap for protection against scratches, fading, moisture issues, decay, and weather, as well as stain and slip resistance. With Infinity IS specialised streaked colour variation technology you can enjoy the look of timber in an environmentally friendly composite deck. The revolutionary I-beam design creates a cost-effective, lightweight board that uses less material, yet maintains span capabilities, strength, and stiffness for a more efficient installation. This improved environmentally friendly composite is holistically sustainable from its manufacturing to its use of raw material.



PRODUCT COMPOSITION



I-Series offers a cost-effective, lightweight decking option thanks to its revolutionary shape which uses less material but maintains class-leading strength, stiffness, and span capability.



(P) PATENTED TECHNOLOGY

Capping material:
Engineered polymer

Core material:
PE composite



COST-EFFECTIVE
Smart shape saves on transport & installation




LIGHTWEIGHT
I-beam design is lighter by using less material



SPAN
Span capability of heavier boards



INSTALLATION
Easier and more efficient installation





TAKE HOME THE BENEFITS

Infinity



DURABLE

One of the toughest co-extruded composites



PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



LOW-MAINTENANCE

Only basic care required for optimal longevity



DECAY RESISTANT

Resists insects, moisture, & weather



STAIN RESISTANT

Built-in protection against stains



SLIP RESISTANT

Reliable anti-slip protection



NATURAL LOOK

Specialised streaked colour technology



ECO-FRIENDLY

Sustainable manufacturing & use of raw material

LIGHTWEIGHT, CAPPED COMPOSITE DECKING



135 x 25.4 mm
Grooved
both sides



135 x 25.4 mm
Grooved
one side



SCULPTED GRAIN



SCULPTED GRAIN

GROOVED BOARD

The Infinity IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create a neat uninterrupted final look.

Dimensions	135 x 25.4 mm (5,45m lengths)
Weight	2.84 kg/m
Recommended Joist spacing	Up to 450 mm on centres

Grooved board



Fasteners



Compatible with
S-Series clip

STARTER BOARD

The Infinity IS single sided starter deck board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stair edges. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	135 x 25.4 mm (5,45m lengths)
Weight	2.7 kg/m
Recommended Joist spacing	Up to 450 mm on centres

Starter board



Fasteners



Compatible with
S-Series clip



Uses HULK composite
top fixing screws
on non-grooved edges



Scan to view the Infinity Installation Guide

INFINITY FINISH & COLOUR GUIDE

Infinity composite offers incredibly natural-looking colours thanks to its advanced colour technology which gives each board unique colour variation to embody the essence of timber. Enjoy the beauty of wood with the benefits of composite.

SURFACE FINISH



Sculpted Grain Finish



CARIBBEAN CORAL



OASIS PALM




SPANISH SAFFRON

Infinity IS is produced with random colour variations within the product to mimic that of natural timber. So in any colour, you will get a variety of lighter and darker tones just as nature intended. This only adds to the aesthetic appeal of your composite decking.

HULK FASTENERS.

FASTENED, FOR LIFE.



Corrosion
Resistant



Colour Matched
Aesthetic



Neat Surface
Finish



Fast and Easy
Installation



No Pre-drilling
Required

FASTENERS

DESIGNED FOR PROFESSIONALS. PERFECT FOR NOVICES.

Eva-Last has developed a range of fasteners that thoroughly complement our composite products to ensure the stability and longevity of your deck. HULK fasteners are specially designed to securely fasten the deck boards to a substructure, but can also be used in other wood or steel fixing applications. The coating employed for our HULK fasteners ensures the fixing system supports your deck through out its lifespan.

HULK FASTENERS				
Image	Colour	Bits	Material	Units
 <p>HIDDEN CLIP (S9)</p>	Black	N/A	Stainless steel 430	125 & 350 Approx coverage (90 x 23 mm): 30 per m ² (140 x 23 mm): 18 per m ²
 <p>SCREW FOR TIMBER</p>	Black	1HTX (II)	Stainless steel 305	
 <p>SCREW FOR METAL</p>	Black	1HTX (II)	Stainless steel 410	

HULK FASTENERS HIDDEN CLIPS

HULK fasteners were created to ensure Eva-Last decking products would have an equally durable and long lasting fastener solution. Given the 25 to 30-year warranty Eva-Last decking offers, an equally reliable fastener was necessary to create a complete decking package. It had to be able to stand up to the toughest of weather conditions gracefully and sustainably.





LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials



CHOOSE SUSTAINABLE BUILDING MATERIALS



RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically sustainable.

Eva-Last is internationally recognised for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint

Proudly distributed in Australia by



Tel: 03 9392 8400 | salesvic@iti.net.au

ITI Victoria

68-80 Kirkham Rd
West Keysborough, VIC 3173



www.eva-last.net.au

Eva-Last reserves the rights to all brands, products and trademarks within this publication.
Eva-Last ITEM: 0623 V1 VIC DECKING BROCHURE

Disclaimer:

Although we make every effort to ensure the information contained in this brochure is accurate, we are NOT responsible for any errors or misprint that occurs and we are NOT responsible for ANY damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

Disclaimer:

Span data provided herein is indicative based on specific test load conditions (refer to your product Technical Data Sheet). Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.