

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: MAR 07, 2023

SAMPLE: GELATO 41 C ICE CREAM CAKE (OTHER) // CLIENT: TANGLED ROOTS STORE // BATCH: PASS



MATRIX: OTHER
 CATEGORY: OTHER
 SAMPLE ID: 2RL-230306-028
 COLLECTED ON: MAR 06, 2023
 RECEIVED ON: MAR 06, 2023
 SAMPLE SIZE: 16 G
 RECEIVED BY: TIANA BEECHAM

CANNABINOID OVERVIEW

TOTAL THC:	0.00 %
TOTAL CBD:	0.00396 %
TOTAL CANNABINOIDS:	0.00396 %
SUM OF CANNABINOIDS:	0.00451 %

BATCH RESULT: PASS

POTENCY TESTED

M-024: POTENCY BY HPLC // MAR 07, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.00853/0.0239	N/A	CBN		ND	ND	0.00284/0.0239	N/A
CBCA		ND	ND	0.0112/0.0239	N/A	Δ ⁸ -THC		ND	ND	0.0127/0.0239	N/A
CBD	< 1 mg/g	< 1 mg/g	< 1 mg/g	0.00971/0.0239	N/A	Δ ⁹ -THC		ND	ND	0.00804/0.0239	N/A
CBDA	0.00451 %	0.0451 mg/g	0.0451 mg/g	0.00461/0.0239	N/A	THCA		ND	ND	0.0100/0.0239	N/A
CBDV		ND	ND	0.00549/0.0239	N/A	THCV		ND	ND	0.00814/0.0239	N/A
CBDVA		ND	ND	0.00520/0.0239	N/A	THCVA		ND	ND	0.00824/0.0239	N/A
CBG		ND	ND	0.0102/0.0239	N/A	TOTAL THC**		ND	ND		N/A
CBGA		ND	ND	0.00883/0.0239	N/A	TOTAL CBD**		0.00396 %	0.0396 mg/g		N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)
 ** TOTAL CBD = CBD + (CBDA X 0.877)



RESULTS CERTIFIED BY: LAB DIRECTOR
 AARON STANCIK, TWO RIVER LABS, INC
 MAR 07, 2023

Aaron Stanik

ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. MEASUREMENT UNCERTAINTY IS NOT APPLIED TO ANALYTICAL RESULTS OR USED WHEN EVALUATING STATE ACTION LEVELS. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF 2 RIVER LABS





ISO/IEC 17025:2017

ILAC ACCREDITED, PJLA ACCREDITED

M-024: POTENCY BY HPLC

CBDVA, CBDV, CBDA, CBGA, CBG, CBD, THCV, THCVA, CBN, CBNA, DELTA-9-THC, DELTA-8-THC, CBL, CBC, THCA, CBCA, CBLA, TOTAL THC, TOTAL CBD, THC: CBD RATIO



**PJLA
Testing**

Accreditation #105176

** FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.*

