



tisira

LIFE IS FOR **LIVING**

www.tisira.com

BUILT-IN OVENS



TOT644E

60cm Built in Oven

- 4 function electric oven
- 66L Capacity
- Molded side racks
- Knob controls
- Triple glazed door
- 10 AMP plug



TOC648E

60cm Built in Oven

- 8 function electric oven
- 66L Capacity
- Digital timer display
- Triple glazed removable door
- 10 AMP Plug



TOC969E

90cm Built in Oven

- 121L Capacity
- 9 Functions
- Programmable Electronic Timer
- Triple Glazed Door
- Black glass design



TMW228X

Built in Microwave / Grill with Trim Kit

- 28L Electronic Microwave
- 900W Microwave Power Output
- 5 Power Levels
- 1000W Grill Power
- 99 Minute Timer
- 315mm Turntable
- Stainless Steel

FREESTANDING OVENS



TFGC969E

Freestanding Oven

- 9 Function Settings
- 121L Capacity
- Removable Glass Door
- 5 Burner Gas Hob
- Wok burner & Cast Iron Trivets
- Hydrolytic self-cleaing
- Flame failure
- Digital Timer
- Triple glazed glass door

GAS HOBS



TGF63E

60cm 4 Burner Gas Hob


- 4 Burners
- Knob controls
- Stainless steel finish
- Enamelled Trivets
- Integrated Electronic Ignition
- Italian SABAF burners
- Suitable for Natural Gas or ULPG



TGWF63E

60cm 4 Burner Gas Hob

- 4 Burners (incl. Wok)
- Knob controls
- Stainless steel finish
- Cast Iron Trivets
- Automatic ignition system
- SABAF burners
- Suitable for Natural Gas or ULPG



TGWF93E

90cm 5 Burner Gas Hob

- 5 Burners (incl. Wok)
- Knob controls
- Stainless steel finish
- Cast Iron Trivets
- Automatic ignition system
- SABAF burners
- Suitable for Natural Gas or LPG



TGWF30G

30cm 2 Burner Gas Hob

- Cast Iron Trivets
- Wok Burner
- Flame Failure
- Electronic Ignition
- Black Glass Finish



TGWF60G

60cm 4 Burner Gas Hob

- Cast Iron Trivets
- Flame Failure
- Electronic Ignition
- Black Glass Finish
- Wok burner



TGWF90G

90cm 5 Burner Gas Hob

- Cast Iron Trivets
- Flame Failure
- Electronic Ignition
- Black Glass Finish
- Wok burner

CERAMIC HOBS



TCK31

30cm Ceramic Hob

- 2 Cooking Zones
- Knob Control
- Frameless Design



TCT63E

60cm Ceramic Hob

- 4 Cooking Zones
- Touch Control
- Frameless Design



TCT91

90cm Ceramic Hob

- 4 Cooking Zones
- 9 Power Levels
- Touch Control
- Frameless Design



TIT63E

60cm Induction Hob

- 4 Induction Cooking Zones
- Touch Control
- 9 Power Levels
- Frameless Design



TIS90B

90cm Induction Hob

- 4 Induction Cooking Zones
- Flexi Cooking Zone
- Slide Touch Control
- Frameless Design

RANGEHOODS



TCH60X-L

60cm Canopy Hood

- 3 Speed Settings
- 500m³/h Air Flow
- Stainless Steel
- LED lighting



TCH90X-L

90cm Canopy Hood

- 3 Speed Settings
- 500m³/h Air Flow
- Stainless Steel
- LED lighting



TRH9CU-1-L

90cm Canopy Hood

- 3 Speed Settings
- 700m³/h Air Flow
- Stainless Steel and Glass
- LED lighting



TDW9AX

45cm Dishwasher

- Compact 45cm Width
- 9 Place Settings
- 4 Wash programs including:
 - Intensive, Eco, 90 minute, Rapid
- Adjustable basket
- Concealed heating element
- Stainless Steel





TDW12AX


60cm Dishwasher

- 12 Place
- 4 Wash Programs
 - Intensive, Eco, 90 minute & Rapid
- Height adjustable upper basket
- Delay Start
- Stainless Steel Finish
- Water rating - 3 stars
- Energy rating - 4.5 stars


TOT644E & TOC648E



TOC969E




TMW228X




Model Number	TOT644E	TOC648E	TOC969E	TMW228X
Main Oven Type	Electric	Electric	Electric	Electric
Oven Capacity	66L	66L	119L	28L
Temperature Range [°C]	50-250	50-250	50-250	N/A
Functions	4	8	9	5
Light	Yes	Yes	Yes	Yes
Defrost	Yes	Yes	Yes	Yes
Grill - Half	No	No	No	No
Grill - Full	Yes	Yes	Yes	Yes
Fan Forced	Yes	Yes	Yes	No
Bottom Element	No	Yes	Yes	No
Top & Bottom Element	No	No	Yes	No
Fan & Bottom Element	No	Yes	No	No
Fan Assist	No	Yes	Yes	No
Fan Grill - Half	No	No	Yes	No
Fan Grill - Full	Yes	Yes	Yes	No
Temperature Control	Manual Thermostat	Manual Thermostat	Manual Thermostat	N/A
Cleaning	Manual	Manual	Manual	Manual
Door Glass layers	3	3	3	N/A
Type of Regulation	Knob	Knob	Knob	Button
Timer Type	Manual (90min)	Electronic	Electronic	Electronic
Thermostat Indicator	No	Yes	Yes	N/A
Oven on/off Indicator	Yes	No	No	N/A
Type of Main Oven Guides	Removable Chrome Racks	Removable Chrome Racks	Removable Chrome Racks	N/A
Oven Accessories	1 Shelf, 1 Baking Tray & Insert	1 Shelf, 1 Baking Tray & Insert	2 Shelves, 1 Drip Tray + Wire Insert, Pan Handle	Turntable
Over-temp Cut Off	Yes	Yes	Yes	N/A
Supply Voltage	220-240V	220-240V~ 50Hz	220-240V~ 50Hz	230-240V ~50Hz
Absorbed Power (W)	2100W	2400W	2800-3400W	900/1100W
Absorbed Current (A)	10 AMP Plug	10 AMP Plug	15A	15A
Dimensions (mm) (WxHxD)	595 x 595 x 565	595 x 595 x 565	896 x 595 x 610	594 x 388 x 400


TGF63E




TGWF63E




TGWF93E




TGWF30G



TGWF60G




TGWF90G




Model Number	TGF63E	TGWF63E	TGWF93E	TGWF30G	TGWF60G	TGWF90G
Cooking Zones	4	4	5	2	4	5
Front (MJ/h)	N/A	N/A	N/A	6.3	N/A	N/A
Front Left Zone - (MJ/h)	6.40	12.60	12.60	N/A	13.2	3.6
Front Right Zone - (MJ/h)	3.17	4.00	4.00	N/A	3.6	6.3
Middle Zone (MJ/h)	N/A	N/A	7.00	N/A	N/A	13.2
Rear (MJ/h)	N/A	N/A	7.00	13.2	N/A	N/A
Rear Left Zone (MJ/h)	6.40	7.00	N/A	N/A	6.3	6.3
Rear Right Zone (MJ/h)	10.80	12.00	12.00	N/A	6.3	10.8
Total NHGC	26.77	35.60	42.60	19.5	29.4	40.2
Ignition Type	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Hob Flame Failure Device	Yes	Yes	Yes	Yes	Yes	Yes
Location of Controls	Front	Front	Front	Front	Front	Front
Type of Regulation	Knob	Knob	Knob	Knob	Knob	Knob
Hob Colour	Stainless Steel	Stainless Steel	Stainless Steel	Black Glass	Black Glass	Black Glass
Pan Support	2 x Enamel	2 x Cast Iron	3 x Cast Iron	2 x Cast Iron	4 x Cast Iron	5 x Cast Iron
Inclusions	NG Regulator, ULP Conversion Kit	NG Regulator, ULP Conversion Kit	NG Regulator, ULP Conversion Kit	NG Regulator, ULP Conversion Kit	NG Regulator, ULP Conversion Kit	NG Regulator, ULP Conversion Kit
Supply Voltage	220-240V~	220-240V~	220-240V~	220-240V	220-240V	220-240V
Supply Frequency	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Plug Type	Australian - 10A	Australian - 10A	Australian - 10A	Australian - 10A	Australian - 10A	Australian - 10A
Dimensions W x H x D	580 x 100 x 510	580 x 100 x 510	860 x 103.5 x 520	300 X 510 X 100	584 X 510 X 100	874 X 510 X 100


TCK31




TCT63E




TIT63E



TIS90B





TCT91




Model Number	TCK31	TCT63E	TCT91	TIT63E	TIS90B
Hob Style	Frameless	Frameless	Frameless	Frameless	Frameless
Cooking Zones	2	4	4	4	5 (incl Flexi)
Element Type	Ribbon	Ribbon	Ribbon	Induction	Induction
Front Left Zone (W)	1200	1200	1000/1200W	2000W / 2600W	1800/3000W
Front Right Zone (W)	N/A	1800	1200W	1400W / 1800W	1400/2000W
Rear Left Zone (W)	1800	1800	1100/2000W	1400W / 1800W	1800/3000W
Rear Right Zone (W)	N/A	1200	1800W	2000W / 2600W	1500W
FlexiZone	N/A	N/A	N/A	N/A	3000/4000w
Location of controls	Front	Front	Front	Front	Front
Control Colour	N/A	N/A	N/A	N/A	N/A
Control Type	Black Knobs	Touch	Knob	Touch	Slide Touch
Power Levels	9	9	9	9	9
Main On/Off Switch	Yes	Yes			Yes
Hob Material	Vitro Ceramic Glass	Vitro Ceramic Glass	Vitro Ceramic Glass	Vitro Ceramic Glass	Vitro Ceramic Glass
Auto Switch Off (safety)	Yes	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes	Yes
Residual Heat Indicator	Yes	Yes	Yes	Yes	Yes
Supply Voltage	220-240V	220-240V~	220-240V	220-240V	220-240V
Supply Frequency	50/60Hz	50/60Hz	50Hz	50Hz	50/60Hz
Power (W)	3000W	6000W	6500-7800W	6750W	7400W
Dimensions WxHxD	288 x 60 x 520	588 x 62 x 517	900 x 55 x 520	590 x 55 x 520	900 x 60 x 520

TFGC969E




Model Number	TFGC969E
Functions	9
Finish	Stainless Steel
Hob/Oven	Gas/Electric
Timer	Digital
Cast Iron Trivets	Y
Triple Glazed glass door	Y
Flame failure Device	Y
Catalytic liners	Y
Cleaning function	Hydrolytic self-cleaning
Accessories	1 x wire grid, 1 x deep tray
Fan Forced	Y
Connected Load	220-240V / 50-60 Hz / 16 AMP / 3500W - 3580W
Usable Capacity	121L
Dimensions W x H x D	898 x 910 x 628


TCH60X-L



TCH90X-L




TRH9CU-1-L




Model Number	TCH60X-L	TCH90X-L	TRH9CU-1-L
Type	Canopy	Canopy	Canopy
Extraction Rate	500m/3h	500m/3h	700m/3h
Switch Type	Push Button	Push Button	Push Button
No. Speed Settings	3	3	3
Fascia Type	Stainless Steel	Stainless Steel	Stainless Steel
Lighting Type	LED	LED	LED
Light Location	Rear	Rear	Rear
Supply Voltage	220-240V~ / 50Hz	220-240V~ / 50Hz	220-240V~ / 50Hz
Absorbed Current	N/A	N/A	N/A
Location of Controls	Front Middle	Front Middle	Front Middle
Ducting Outlet	150	150	150
Filter Type	Aluminium	Aluminium	Aluminium
Façade Thickness	N/A	N/A	N/A
Dimensions	600W x 500D x 700-1080H	900W x 500D x 700-1080H	900W x 500D x 580-1060H

TDW9AX



TDW12AX



Model Number	TDW9AX	TDW12AX
No. Programs	4	4
No. Place Settings	9	12
Delay Start	Y	Y
Controls	Electronic with buttons	Electronic with buttons
Anti Leak, Anti Flood Device	Y	Y
Concealed Heating Element	Y	Y
Fold Down Prongs	Y—Lower Basket	Y—Lower Basket
Noise Level	55dB	55dB
Removable Top	Y	Y
Energy Star Rating	2	4
Water Star Rating	2	4
Dimensions (W) x (H) x (D)	450 x 850 x 580	598 x 845 x 600

HOME APPLIANCE COLLECTION



LIFE IS FOR **LIVING**

t **tisira**

ARISIT PTY LIMITED (Australia)
40-50 Mark Anthony Drive
Dandenong South VIC 3175
P: 1300 762 219 F: (03) 9768 0838

ARISIT PTY LIMITED (New Zealand)
1A Howe Street Newton, Auckland 1145
PO Box 68-140 Newton, Auckland 1145
P: (09) 306 1020 - Fax: (09) 302 0077

www.tisira.com

**All Tisira appliances carry a
Total Peace of Mind 2 year warranty**