THE OFFICIAL CATALOG OF PROMAXX® TOOL



QUALITY | PRODUCTIVITY | PRECISION



724-941-0941

info@promaxxtool.com

1121 Boyce Rd. Suite 2000 Pittsburgh, PA 15241

TABLE OF CONTENTS

The ProMAXX® Tool Story	1
Experience the ProMAXX® Difference	2
Exhaust Manifold Repair ProKits & More	3
PowerTech Sets & Ignition Coil Hold Down Bolt	5
Power Stroke Combo Kits	6
Ford Turbo, EGR Tube, & Hold Down Bolts	7
PowerPull Fuel Injector & Accessories	8
Tommy Wheel Bearing Puller	9
Tommy Rail & Accessories	10
Hornet Oil Seal Extractor	11
Oil Tube Extractors & Locking Plier Adapters	12
BULLIT Adaptable Guide Plates	13
PowerDrive Drill Bit Tooling Accessory Pack	15
PowerDrive 1/4" Adapter & 1/4" Hex Adapter	16
ProRatchet 1/4" Variable Speed Ratchet	17
PowerDrill Variable Speed Drill	18
Specialty Tooling and Accessories	19
ProDrill Gold & Platinum Drill Bit Tooling	22

THE INDUSTRY LEADER IN EXHAUST MANIFOLD REPAIR

THE PROMAXX® TOOL STORY

ProMAXX® Tool introduced a first-to-market Exhaust Manifold Repair (EMR) Kit with machine shop accuracy for on-the-truck repairs more than 10 years ago. Today, the company still leads the industry with vehicle applications and accessories designed to make the most productive repairs, delivered with the highest precision.



For exhaust manifold repair (EMR), ProMAXX® uses precision threaded bushings while the competitors use inferior and less expensive plates, clamps or slip fit configurations. ProMAXX® Tools are designed to deliver a fast return on investment in just the first or second use. We believe the few extra dollars spent on the highest quality and most accurate repair available greatly outweigh strains on technicians' time and the cost of replacing a cylinder head.

The companies and logos listed are Registered Trademarks. ProMAXX® Tool is not affiliated with any of the companies listed in this booklet.



EXPERIENCE THE PROMAXX® DIFFERENCE

In order to achieve the most accurate results, ProMAXX® EMR tools bolt to the top or bottom of the head, not both. This design provides superior precision and alignment for perfect perpendicularity and spot-on center machining.

"Every tool is designed, developed and tested by me. Not in the lab, but in a real car, in a real shop with the real thing – preparing to fix a real problem."

- Jeff Del Rossa, Founder and President of ProMAXX® Tool

Whether you are working on an extractor or Extractorless™ repair, ProMAXX® will increase your productivity and lower your cost each and every time. Additionally, ProMAXX® EMR tools are the only ones that can be used to fix a previously botched repair with bushings, bits and solid steel inserts.

All our tools are designed to deliver a stronger and better-than-factory repair. Most importantly, everything is made here in the USA, nearly all by ProMAXX®. This is why quality, productivity and precision are built into every tool that we design, engineer and manufacture.

ProMAXX® Tool proudly supports our veterans. We are extending a discount to those who served in recognition of their patriotism and professionalism. Please contact a tool specialist at 724-941-0941 for more details.



Exhaust Manifold Repa



Ford® 3.5L EcoBoost®

PMXEII200PRO

Elizabeth II



Ford® Gas 4.6L, 5.4L, 6.8L PMXR200PRO Rocky



Ford® Gas 4.6L, 5.4L, 6.8L Ford® Diesel 6.0L, 6.4L PMXRII200PRO Rocky II



Ford® Diesel 6.0L, 6.4L PMXL200PRO Leo



Ford® 1.6L EcoBoost

PMXNIC200PRO

Nicole



3.5L Turbo Mount

PMXTBM200PRO

Turbo/Manifold Repair Kit



Ford® 4.0L Explorer

PMXTRN200PRO

Tarin



Ford® 3.0L PMXC200PRO Marcia



Ford® 6.7L Diesel

PMXP200PRO

Payton



Ford® 6.7L Oil Pan Repair PMXOPR300PRO Power Stroke Oil Pan



3.5L Intake ManifoldPMXIMR300PRO
Grace



Ford® 6.2L V8 PMXG300PRO Megan



Ford® 7.3L Int'l/Diesel

PMXQ300PRO

Quido



Ford® Ignition Coil Bolt

PMXIGN300PRO

3.5L Hold Down Bolt



Mack® MP8 Volvo D13
PMXMCK300PRO
Nino HD



ir (EMR) ProKits & More



GM® LS 1999-2013 PMXM200PRO Mikey



GM® LS 1999-2020 PMXMII200PRO Mikey II



GM® LS 2014-2020 PMXH200PRO Michele



Dodge® HEMI 5.7L, 6.1L PMXA200PRO Alan



Dodge® 5.7L, 6.1L, 6.4L PMXAII200PRO Alan II



GM® Gas 8.1L, 8.8L PSI

PMXB200PRO

Butch



GM® 8.0L PSI PMXBD300PRO Butch D



GM® Gas 2.2L, 2.4L PMXD200PRO Dale



Dodge®/Jeep® 3.7L, 4.7L PMXY200PRO Myra



Dodge® HEMI 6.4L PMXCD200PRO Chad



GM® Inline 2.8L, 3.5L, 3.7L, 4.2L PMXI200PRO Mikki



GM® 6.6L Duramax Diesel

PMXT300PRO

Alberto



GM® Duramax Diesel 6.6L PMXSDMX300PRO Rosina DMX



Dodge®/Jeep® 3.8L PMXKDN200PRO Kaiden



Isuzu® Diesel 5.2L PMXZ300PRO Anthony

PowerTech Sets - Save \$300

Each version of the PowerTech Set includes three ProPlates and additional tooling that allow techs to repair broken exhaust manifold bolts on a variety of different engines including Ford, Dodge and GM.







Broken Ignition Coil Hold Down Bolt 3.5L & 5.0L

PMXIGN300PRO | PMXIGN300PROP | PMXIGN300PVW

The Ignition Coil Hold Down Bolt Repair Kit turns a three-hour repair on a Ford EcoBoost® or Coyote® engine into a simple 15-minute-fix. Techs can now make this repair without removing the fuel bridge, wiring and valve cover. Simply drop in the jig, and complete the repair fast... ProMAXX Fast!

- » Digital camera for precision, dead-center drilling
- » Special machine-shop-grade tooling
- » Brings covers back to factory new condition



Go digital! The ProView Kit includes a high-resolution digital camera.



NEW Ford 6.7L Diesel Power Stroke Combo Packages

There's More Power In Spending Less: \$100 - \$250 Less!

Power Stroke packages combine the synergy of the PowerPull 6.7L Fuel injector Puller with other kits that repair common Power Stroke problems. Increase your productivity and save up to \$250!















ProMAXX® Tool designed kits specifically for Ford Power Stroke and Duramax engines. These particular repairs have given technicians trouble for years and there has not been a viable solution until now.

ProSert Stainless Steel

PMXPPS006

(2pk) For EGR Repair - Nino

Standard-duty stainless steel inserts to repair the manifold versus replacing it. These ProSerts are a permanent, non-removable solution.



ProSert Black Oxide

PMXPPS006B

(2pk) For EGR Repair - Nino

Heavy-duty, high-carbon steel inserts coated in black oxide repairs manifold versus replacing it. This makes it stronger than factory new. Removable, secure, and stays in place on insert tool.



ProSert

PMXPPS008 (Through) PMXPPSB008 (Blind)

For Hold Down Bolt Repair - Nico Zinc coated, hardened steel insert. Save the cylinder head and the cost of replacing the head.



APPROVED COMPANY OF THE PROPERTY OF THE PROPER

Turbo Repair Kits - Rosina

Ford: PMXS200PRO | GM: PMXSDMX300PRO
Designed for Ford® Diesel 6.4L Power Stroke Y-Pipe and
the GM Duramax Diesel 6.6L Turbo Pedestal

- » Decreases repair time from 3 hours to 40 minutes
- » Repairs original turbocharger vs. an expensive replacement
- » Reduces unnecessary removal and replacement of the turbocharger from the engine



EGR Tube Mounting Bolt Repair Kit - Nino

PMXN200PRO

- » Repairs 6.7L Ford Power Stroke Diesel EGR bolts
- Turn 8 hours of repair time into 60 minutes
- » Cuts through titanium for easy, on-the-truck repair

DURING







AFTER

Hold-Down Bolt Repair Kit - Nico

- PMXO200PRO
- » Saves more than 25 hours in repair time
- » Eliminates cylinder head removal
- » Immediate ROI















APPROVED





Fuel Injector Puller

Ford® 6.7L Power Stroke™ & GM® 6.6L Duramax® Engines

The PowerPull™ fuel injector removal kit not only removes stubborn and stuck fuel injectors, it does it twice as fast as any other tool. PowerPull™ is the only device that does not waste time bolting to and unbolting from the cylinder head.



PowerPull™ ProKit (Includes Hammer & Lift Kit)

Ford® 6.7L Diesel: PMXPWP100PRO GM® 6.6L Diesel: PMXPWP120PRO

- Quickly remove stuck fuel injectors on Ford 6.7L and GM 6.6L engines
- Two times faster than any other device on the market
- More than 100 PSI pulling force

PowerPull™ Fuel Injector Adapters

- **Engineered from Carbon** Steel and Aluminum
- Precision fit for 100% energy transformation
- Made in USA



PMXPWA110: 3.5L Adapter F-150 (M 5253) And Select Sedans



PMXPWA112: 3.5L Adapter Transit (CM 5211)



PMXPWA120: 6.6L Adapter Duramax




Ford®: PMXPHR100K · GM®: PMXPHR120K



Ford®: PMXPLF100K · GM®: PMXPLF120K

Tommy Wheel Bearing Puller



- Attaches to the wheel hub in MINUTES
- » Pulls bearing straight out in SECONDS (like it was factory installed)
- » Eliminates removing the knuckle
- » Eliminates suspension realignment
- » Immediate return on investment



Meet the toughest tool in your shop

Tommy bolts right on the wheel hub flange and has three unique push rods that triangulate the force to push the bearing straight off.

With Tommy, you will turn hours of work into minutes. Tommy is available for Ford®, Subaru® and as a Ford®/Subaru® combo kit with other automotive models coming soon.

Tommy Ford®: PMXTOM400PRO

Tommy Ford® W/Rail: PMXTOM400PROP

Tommy Subaru®: PMXTOM410PRO

Tommy Subaru® W/Rail: PMXTOM410PROP

Tommy Ford®/Subaru® Combo: PMXTOM450PRO Ford®/Subaru® Combo W/Rail: PMXTOM450PROP



FORD CERTIFIED



SUBARU CERTIFIED







Tommy RAIL

PMXTMR100

ProMAXX® designed TOMMY RAIL to provide technicians with even more pulling power to address the most stubborn wheel bearings.

TOMMY RAIL generates more power through the pushrods to the knuckle, punching the wheel bearing straight off. Made from solid aluminium in the USA.



Scan QR code below to see Tommy in action!





Subaru Extraction Plate

PMXTPF415AC

The Extraction plate is designed for use on the Subaru inner bearing in the event that the axle nut is accidentally removed prior to extraction.



Inner Bearing Hub Extractor Plate Kit



Tommy Wheel Bearing Extreme Pressure Grease

PMXPPG001 | PMXPPG016

Anti-wear, extreme-pressure, lithium complex grease. Essential for the protection and efficient operation of ProMAXX equipment. (loz., l6oz.)

OIL SEAL EXTRACTOR

Only Oil Seal Extractor with an easily replaceable tip!

Hornet 6" Oil Seal Extractor Prokit

PMXPHO106KIT

Pull oil seals, broken dipstick handles and more in seconds. The additional slide hammer also speeds up the extraction process.



Hornet 11" Oil Seal Extractor Prokit

PMXPHO111KIT

The same screw tip extractor, with an 11" slide hammer. Providing longer reach and more slide hammer power.



Hornet Extended Reach Oil Seal Extractor Prokit

PMXPH0118KIT

Comes with both the 6" and 11" slide hammer rods, as well as a coupler, providing almost 2 feet of reach and extraction power.





Oil Seal Extractor removes oil seals, plastic dip sticks, and glow plug seals, along w/ many other uses. Includes a replaceable drywall screw for new tip.










PowerPull Oil Tube Extractors

Quickly and easily remove broken dipstick tubes

Precision-turned, tapered threads that bite into the broken dipstick tube without expanding it. Combined with the 11" mini-slide hammer (PMXPHR111A), you have improved access and maximum pulling power. The ProKit is also available with 6" and 18" reach.)





Oil Tube Extractor Adaptors

Removes broken oil dipsticks



PMXPTE112 《

6.8L engines



For use in Ford® 3.5L engines





For use in Ford® 6.2L engines

PMXPTE118 《



For use in Ford® 6.7L engines

PMXPTE120



For use in GM[®] LS 4.8L, 5.3L, 5.7L, 6.0L & 6.2L engines.

PMXPTE130



Removes broken oil dipsticks. For use in Dodge® 5.7L & 6.1L engines.



Precision engineered to fit ANY linear bolt pattern

BULLIT (10mm x 150)

PMXU300PRO

BULLIT is engineered to be adaptable and adjustable to fit just about any linear bolt pattern. The tool is used for exhaust and intake manifold repairs as well as broken oil pan bolts on diesel trucks, marine, agricultural, construction, and even classic or vintage engines. Bullit comes standard to fit 10mm x 150 with five other adapter kits available.

8mm x 125 | 10mm x 125 | 12mm x 125 | 12mm x 175 | 3/8" Classic | Master




BULLIT Cummins ISX ProKit

PMXUISX310PRO

Broken exhaust manifold, oil pan, intake and other bolts on the Cummins ISX engine block no longer need to be a disaster. The BULLIT ISX version ships ISX specific.

BULLIT ISX Base Kit





Base kit added to any BULLIT Prokit expands the applications for the Cummins ISX engine.

BULLIT works on these engines and more





























Reach



- » An all-in-one adaptable repair tool for exhaust manifolds, intake manifolds, valve covers and even oil pan bolt repair in almost any other application
- » Built to service Caterpillar®, Cummins®, Detroit Diesel®, International®, John Deere®, Kubota®, Volvo®, Ford®, GM®, Dodge® and even vintage engine applications that use 3/8" bolts/studs
- » Bullit ships complete as an Extractorless™ device; machine-shop-grade drill bits, tap and guide bushings eliminating the risk of a broken extractor

ProMAXX® drill bits are different; they are made on a lathe and are not pressed or stamped like other drill bits. They are durable enough to cut through Rockwell Rc55, which is twice the capability of most other bits. ProMAXX® drill bits are engineered for ultimate accuracy. Four precision ground cutting edges, flutes, body and drill diameters are held to a precise tolerance.

Enhancement Kits

With the simple addition of any of the Enhancement Kits, Bullit can adapt to a multitude of vehicle types andthreadpatterns. Virtually unlimited possibilities and applications.



BULLIT Enhancement Kits available in these sizes:

8mm x 125: PMXPEK8-125
10mm x 125: PMXPEK10-125
12mm x 125: PMXPEK12-125
12mm x 175: PMXPEK12-175
3/8" Classic: PMXPEK375-16
Master Kit: PMXPEKMSTR
Cummins ISX: PMXUISX310BSE

POVVER DRIVE

Drill Almost Anywhere

THE NEWEST PROMAXX® INNOVATION

- » The PowerDrive PMXPDT250 turns your 1/4" drive ratchet into a powerful drill and more
- » PMXPDT250A comes with the PMXSSC125-STD threaded bit

Add on the PowerDrive™ Accessory Pack: PMXPDT266ACC





PMXPDT250

Countersink

PMXPSSCCTSK
Allows for the top of the hole to be deburred, leaving fresh threads for the new bolt or screw to be placed into.

Adapter

PMXPSSCADPTR
Allows technicians to use any of the accessory pack bits in a standard 3/8" pistol or right angle drill.

Accessory Pack

PMXPDT266ACC Includes seven bits in multiple sizes, lengths, a countersink and the adapter above.





PMXPDT250A


Small Profiles, Big Results

PowerDrive™ Thread 1/4-Inch Adapter PMXPDT250A



Drill in the tightest spaces. This one-of-a-kind tool accessory attaches to any 1/4" drive and accepts threaded shank machine drill bit tooling. PowerDriveTM (PMXPDT250A) comes with one .125" cobalt precision tooling bit with additional sizes available.

The PowerDrive[™] starter kit (PMXPDT250A) includes the PowerDrive bit holder and one threaded cobalt drill bit (PMXPSSC125-STD).





Converts any type of 1/4" drive ratchet, including electric, air, and hand, into a powerful high-torque hex screwdriver to reach limited access areas, with Straight-Head & Phillips-Head hardened-steel bits. Accepts any 1/4-inch security hex shank specialty bit.

Hex 1/4-inch Adapter Only (PMXPDH250) Hex W/Straight & Phillips Head (PMXPDH250A) Phillips (PMXPDHH2) Straight (PMXPDHS2)







ProRatchet

PMXPPR5260

Features:

- » Versatility of a ratchet and a drill/driver
- » Super fast 600 RPM and 45 FT-LBS of torque
- » Relocated rotational switch
- » Flat sealed-for-life surface head provides power through a geared transmission
- » This flat surface can accept a small pry-bar for hardto-reach and hard-to-drill fasteners

The ProRatchet is engineered to deliver speed and power in a 1/4" drive application, resulting in one of the most powerful air ratchets on the market today.

Adding the PowerDrive (PMXPDT250) or ProChuck (PMXPPC250A) accessory turns this ratchet into the perfect right-angle drill for behind the fire wall and strut tower applications.

Best used where space is limited and unreachable with traditional right-angle drills. Economical and versatile with power to match in an unbeatable combination of a ratchet, driver and drill.

ProRatchet PowerKit (PMXPPR5260PRO) Includes:

ProDial

PMXPPD350 Variable speed control for any air powered tool.



ProRatchet PMXPPR5260

Flex Hose - Flexzilla®

PMXPFX375

Adds unlimited flexibility reducing drill bit breakage and making the job easier and hassle free.







PowerDrill

PMXPPD2800PRO



Tackle difficult drilling angles and reach inaccessible areas while drastically cutting repair times. The PowerDrill is manufactured from solid aluminum bar stock for precise alignment and long tool life. Hardened steel rotor eliminates flex and delivers more power to the head. Drill is vibration free throughout the wide RPM range. It reaches areas inaccessible by other drilling methods.

Features:

- » Variable speed up to 2800 RPM
- » 360 degree rotatable head
- » Three pack threaded drill bits includes PSSC125, 188, and 266
- » Ball bearing construction for long life
- » Available with PowerDrive™ Accessory Pack (below)

Accessory Pack PMXPDT266ACC (See page 15)

PowerDrill Refresh Pack
PMXPS266PCK | PSSC125, 188, 266



PowerDrill Prokit

Speciality Tooling & ProKit Accessories

Thread Repair Kit

PMXTRK008 | PMXTRK010

Includes inserts for most 8mm applications including Ford® Triton™, Dodge® HEMI®, & GM® LS cylinder head mounting bolt. (8mm x 125)



» Restores stripped or damaged EM mounting threads

4-Pack EMR Inserts

PMXPPS345Q | PMXPPS2345Q Black Oxide Threaded Insert 4-Pack for exhaust manifold bolt repair.

Use with ProMAXX Tool Thread Repair Kit PMXTRK008KIT.



Broken Extractor Repair Kits

PMXBEK125KIT | BEK188KIT | BEKMSTR Three Broken Extractor Repair Kit options available. Solid carbide options available.



*Master Kit Shown: PMXBEKMSTR



PowerCut Platinum W/2188 Bushing

200 Series: PMXPWC2188

Platinum Bit 188 Endmill and sacrificial Bushing kit. Flattens broken extractor in

preparation for drilling.



PowerCut Platinum W/3188 Bushing

300 Series: PMXPWC3188

The Platinum Tooling 188 Endmill is excellent at flattening a broken extractor in preparation for drilling.



ProMill

PMXPPM125 | PMXPPM188

Platinum tooling for flattening a broken extractor in preparation for drilling. Use with platinum tooling PLTV125, PLT188, & PLT270.





Extractorless™ Upgrade 266

PMXXTR2266

Turn your 200 series kits into Extractorless™ and make broken extractors history. For Gas Engines.



Crankshaft Repair Kit

PMXCSR012KIT

Harmonic Balancer Crankshaft Repair Kit. Drill then tap bolts that break off inside the crankshaft.



1/4" ProChuck & ProKey

PMXPPC250A

Engineered to reach limited-access areas and increase repair speed. Available in 1/4" drive, 1/16" - 10mm capacity.



Extractorless™ Upgrade 270

PMXXTR2270

Turn your 200 series kits into Extractorless™ and make broken extractors history. For Diesel Engines.




ProTractor

PMXPPT125 | PMXPPT188 1/8" SML, 3/16" MED multi-spline screw extractor with hex turnout nut. Remove broken studs, bolts, socket screws and fittings.



ProPin Assembly

PMXPPP2250A for 200 Series Precision CNC turned out of solid stainless steel. Aligns the tool when only one tapped hole is present.



BULLIT ISX ProDrill Set

PMXUISXSPJC310 ProDrill 4-Pack includes SPJC125, 188, 266 and 345






Double end rescue bit with Reamer. Used for drilling taps or drill bits. (ProDrill 1/8" x 3")



Extractor Master Set

PMXPPTMSTSET

ProTractor 10 screw extractor set with drill bits. (1/8"-11/32")



Adapter 125 & 188

PMXPSSCADP125 | PMXPSSCADP188

Precision collet adapters allows the use of gold ProDrill, machine-shop grade tooling in PowerDrive™ or low-profile Power Drill. Hardened Steel, Black Oxide.



Spark Plug Repair Kit SPR014KIT

Includes ProSert, thread locking fluid, and ProDrill for quick cylinder head repair. (Refill Kit also available separately)



3/8" Drive Tap Socket

PMXPPTSKT

Only one socket needed to drive a multitude of taps from 1/16"-1/2" and their metric equivalents. Hardened Steel, Black Oxide.



Cummins® Downtube

PMXPTE400

Removes broken down tubes in Cummins® diesel engines.



ProView ProBushing & Camera

PMXPPB3255 | PMXCAM150

Flexible digital scope connects wirelessly to any smartphone. See live footage for broken bolt repairs & more.



ProCutter

PMXPPC007A

Remove burrs, clean the stud, and remove corrosion in just five seconds to ease bolt extractions.



ProLube

PMXPPL001 Drilling & Tapping fluid is nonflammable and poses no threat to the environment. (1 oz.)



Bolt Blaster

PMXPBB001

High impact penetrating lubricant loosens stuck fastener in aluminium, cast iron, carbon and stainless steel.



ProCutter W/Thread Adapter

PMXPSSC007A

ProCutter™ Assembly – PowerDrive Version w/Adapter and Cutter Blade fits drive ratchets.





Gold ProDrill Master Set



PMXSSSC29

- » 1/16-1/2 by 64ths
- » Complete 29-piece high-quality tooling set
- Precision ground point, flutes, body clearance, and drill diameter for ultimate performance
- Exceeds aerospace specifications for accuracy and drilling capabilities

Other Tooling Bits

Platinum Tooling

PMXPLTV125 | PMXPLT188 | PMXPLT266 | PMXPLT270 | PMXPLT420

All of the platinum tooling is high-performance A-GR-SiV sub micron grain carbide. The tools are coated for lubricity and fast feed rates, even in hardened steel. Our line of platinum tooling can be used for extremely hard materials including broken extractors and taps. They are micro-point and double fluted. (140 degree point, 30 degree helix/-.0015"+.0000")

PROMAXX TOOL BIT/BUSHING/TAP CONVERSION TABLE

PRODRILL BITS			PROBUSHINGS					
COBALT	PLATINUM	NICO	EMR 200	EMR 300	NINO/NICO	IGN/OPR	BULLIT/BULLIT BLOCK	
SSSC125T	PLTV125	SPJC125	PPB2125	PPB3125	PPB5125	PPB3125	PPB3125	
SSSC188D	PLT188	SPJC188	PPB2188	PPB3188	PPB5188		PPB3188	
SSSC196						PPB3196		
CAM150						PPB3255		
SSSC266	PLT266	SPJC266	PPB2266		PPB5266			
SSSC270	PLT270		PPB2270	PPB3270	PPB5270		PPB3270	
SSSC313				PPB3313				
SSSC340				PPB3340			PPB3340	
SSSC345			PPB2345	PPB3345				
SSSC420	PLT420			PPB3420	PPB5420			
SSSM420					PPB5420			
PROTAP			PROTAP BUSHINGS					
PPT006						PPB3242		
PPT008			PPB2320	PPB3320	PPB5320		PPB3320	
PPT010125				PPB3395			PPB3395	
PPT010150				PPB3395			PPB3395	
PPT012					PPB5485			
PPT012175								
PPT375016				PPB3380			PPB3380	





QUALITY | PRODUCTIVITY | PRECISION







100% FREE, Extraordinary 24/7 Technical Support

- **724-941-0941**
- - info@promaxxtool.com

1121 Boyce Rd. Suite 2000 Pittsburgh, PA 15241