

AUDIO/VIDEO PRODUCTS





## HIGH SPEED HDMI CABLE WITH ETHERNET VER 2.0 - MALE TO MALE



The Pro Series High Speed HDMI Cable with Ethernet - Male to Male Ver 2.0 cables are designed to transmit HDMI digital video and audio signals. The Pro Series cables are engineered with unique TPE (Thermo Plastic Elastomer) low profile connectors and highly flexible ALOGIC exclusive 30 AWG cable & 28 AWG cable (for 10m & 15m) with low bend radius which offer easy to use design which enables use in limited space in equipments racks, AV furniture and wall mount/pole mount displays.

### ORDERING INFORMATION:

Product Code: HDMI-0.5-MM-V4 , HDMI-01-MM-V4  
HDMI-02-MM-V4 , HDMI-03-MM-V4  
HDMI-05-MM-V4, HDMI-1.5-MM-V4  
HDMI-10-MM-V4, HDMI-15-MM-V4  
(XX = Cable Length), \*\* (retail SKU with premium box packaging)

Available Cable Lengths:  
0.5m, 1m, 2m, 3m, 5m, 7.5m, 10m, 15m

### Features

- Connect HDMI Source to a HDMI Display
- Supports Latest HDMI ver 2.0, Backward compatible with older versions.
- Highly flexible 30 AWG & 28 AWG cable (for 10m & 15m) cable made with 99.99% oxygen free copper with low bend radius enables use in limited space in equipments racks, AV furniture and wall mount/pole mount displays
- TPE (Thermo Plastic Elastomer) low profile connectors, which provides a comfortable grip and ease of use in limited spaces.
- Conforms to HDMI Ver 2.0 Specification. Data rates up to 10.2 Gbps. Refresh rates to 120Hz. Colour depth to 48 bits - 16 bits per colour
- HDMI Ethernet Channel can take advantage of IP-enabled devices without a separate Ethernet cable.
- Supports 3D and Ultra HD/4K with resolutions up to 4096 x 2160.
- Supports ARC (Audio Return Channel, which allows a HDMI host to transmit audio data upstream eliminating the need for a separate audio cable
- Warranty: 2 Years Manufacturers Warranty

## DVI-D TO HDMI CABLE MALE TO MALE - PRO SERIES



Pro Series HDMI to DVI cables are designed for high performance transmission of high resolution video signal. The Pro Series cables are engineered with unique TPE (Thermo Plastic Elastomer) low profile connectors and highly flexible ALOGIC exclusive 30AWG cable with low bend radius which offer easy to use design which enables use in limited space in equipments racks, AV furniture and wall mount/pole mount displays.

### ORDERING INFORMATION:

Product Code: HDMI-XX-MM-V4\* | HDMI-0.5-MM-V4,  
HDMI-01-MM-V4, HDMI-1.5-MM-V4, HDMI-02-MM-V4,  
HDMI-03-MM-V4, HDMI-05-MM-V4

Available Cable Lengths: 0.5m, 1m, 1.5m, 2m, 3m, 5m

### Features

- Connect HDMI Source to a DVI Display & vice versa
- Highly flexible 30AWG cable made with 99.99% oxygen free copper with low bend radius enables use in limited space in equipments racks, AV furniture and wall mount/pole mount displays
- TPE (Thermo Plastic Elastomer) low profile connectors, which provides a comfortable grip and ease of use in limited spaces
- Exceeds HDMI Standard Speed Cable Specifications\* Supports single link DVI-D signals up to 1920 x1200 @60Hz and 1080p@60Hz
- Data rates to 4.95 Gbps
- Refresh rates to 60Hz
- Color depth to 24 bits - 8 bits per color
- Warranty: 2 Years Manufacturers Warranty

## HIGH SPEED MINI HDMI TO DVI CABLE MALE TO MALE - PRO SERIES



Pro Series Mini HDMI to DVI cables are designed for high performance transmission of high resolution video signal. The Pro Series cables are engineered with unique TPE (Thermo Plastic Elastomer) low profile connectors and highly flexible ALOGIC exclusive 28AWG cable with low bend radius which offer easy to use design which enables use in limited space in equipments racks, AV furniture and wall mount/pole mount displays.

### ORDERING INFORMATION:

Product Code: HDC-DVI-01-MM

Available Cable Lengths: 1m, 2m, 3m

### Features

- Connect Mini HDMI Source to a DVI Display
- Highly flexible 28AWG cable made with 99.99% oxygen free copper with low bend radius enables use in limited space in equipments racks, AV furniture and wall mount/pole mount displays
- TPE (Thermo Plastic Elastomer) low profile connectors, which provides a comfortable grip and ease of use in limited spaces
- Exceeds HDMI Standard Speed Cable Specifications\* Supports single link DVI-D signals up to 1920 x120 @60Hz and 1080p@60Hz
- Data rates to 4.95 Gbps
- Warranty: 2 Years Manufacturers Warranty

## HDMI CABLE WITH ACTIVE BOOSTER W/ 4K SUPPORT - MALE TO MALE



The HDMI Cable with Active Booster - Male to Male provides an ideal solution to overcome limitations of a normal HDMI cables and transmit HDMI signal over long distances\*. This cable has inbuilt booster chipset to enable transmission of HDMI signal without any loss over long distances. The chipset is built into the connector which makes the cable easy to install in limited space and provides a uniform outer diameter for a cleaner install.\* The cable is uni directional and will only work when the right ends of the cable are connected respectively to source and display. The smaller end connects to the source (Computer, DVD Player etc) and the larger end with the chipset connects to the Display (HD TV, Projector etc).

### ORDERING INFORMATION:

Product Code: HDMI-10-MM, HDMI-15-MM  
HDMI-20-MM, HDMI-25-MM,  
HDMI-30-MM, HDMI-40-MM

Available Cable Lengths: 10m, 15m, 20m, 25m, 30m, 40m

### Features

- Gold-plated connectors.
- Braided shielded for reduced interference.
- Conforms to HDMI Ver 2.0 Specification.
- Supports 4K, 3D and Ultra HD.
- Supports ARC.
- High Speed HDMI with Ethernet.
- Warranty: 2 Years Manufacturers Warranty

### HIGH SPEED MICRO HDMI TO HDMI WITH ETHERNET CABLE VER 2.0 MALE TO MALE - PRO SERIES



Pro Series High Speed Micro HDMI to HDMI with Ethernet Cable - Male to Male Ver 2.0 is used to connect Micro HDMI enabled device like mobile phone, tablet or a digital camera or camcorder to a HD Display or a projector. This quality-made cable can deliver a crisp, clear audio/video signal for less. This HDMI cables has a premium built quality with Gold-plated connectors and is suitable for both home and commercial applications. The fully moulded connector and the PVC jacket provides added flexibility and durability for all types of installation.

#### ORDERING INFORMATION:

Product Code: HDD-MM-XX-V2 Available Cable Lengths: 1m, 2m, 3m

#### Features

- Connect Micro HDMI Source to a HDMI Display
- Premium Quality Cable
- Premium Retail Poly Bag Packaging
- Warranty : 2 Years Manufacturers Warranty

### HIGH SPEED MICRO HDMI TO DVI CABLE MALE TO MALE - PRO SERIES



Pro Series Micro HDMI to DVI cables are designed for high performance transmission of high resolution video signal. The Pro Series cables are engineered with unique TPE (Thermo Plastic Elastomer) low profile connectors and highly flexible ALOGIC exclusive 28AWG cable with low bend radius which offer easy to use design which enables use in limited space in equipments racks, AV furniture and wall mount/pole mount displays.

#### ORDERING INFORMATION:

Product Code: HDD-DVI-01-MM Available Cable Lengths: 1m, 2m, 3m

#### Features

- Connect Micro HDMI Source to a DVI Display
- Highly flexible 28AWG cable made with 99.99% oxygen free copper with low bend radius enables use in limited space in equipments racks, AV furniture and wall mount/pole mount displays
- TPE (Thermo Plastic Elastomer) low profile connectors, which provides a comfortable grip and ease of use in limited spaces
- Exceeds HDMI Standard Speed Cable Specifications\* Supports single link DVI-D signals up to 1920 x1200 @60Hz and 1080p@60Hz
- Data rates to 4.95 Gbps
- Refresh rates to 60Hz
- Color depth to 24 bits - 8 bits per color
- Warranty : 2 Years Manufacturers Warranty

### FLAT HIGH SPEED HDMI WITH ETHERNET CABLE - MALE TO MALE



The FLAT High Speed HDMI with Ethernet Cable - Male to Male cable transmits a crisp, clear audio/video signal to your display. This Flat cable is most suitable for use in limited space where a normal is not suitable. This HDMI cables has a premium built quality with Gold-plated connectors and is suitable for both home and commercial applications. The fully moulded connector and the PVC jacket provides added flexibility and durability for all types of installation.

#### ORDERING INFORMATION:

Product Code: HDMI-01-MM-V4F, HDMI-02-MM-V4F  
HDMI-03-MM-V4F, HDMI-05-MM-V4F,  
HDMI-10-MM-V4F | (XX = Cable Length)

Available Cable Lengths: 1m, 2m, 3m, 5m, 10m

#### Features

- Gold-plated connectors.
- Braided shielded for reduced interference.
- Conforms to HDMI Ver 2.0 Specification.
- Supports 3D and Ultra HD.
- Supports ARC.
- High Speed HDMI with Ethernet.
- Warranty: 2 Years Manufacturers Warranty

### HIGH SPEED MINI HDMI TO HDMI WITH ETHERNET CABLE VER 2.0 MALE TO MALE - PRO SERIES



Pro Series High Speed Mini HDMI to HDMI with Ethernet Cable - Male to Male VER 2.0 is used to connect Mini HDMI enabled device like mobile phone, tablet or a digital camera or camcorder to a HD Display or a projector. This quality-made cable can deliver a crisp, clear audio/video signal for less. This HDMI cables has a premium built quality with Gold-plated connectors and is suitable for both home and commercial applications. The fully moulded connector and the PVC jacket provides added flexibility and durability for all types of installation.

#### ORDERING INFORMATION:

Product Code: HDC-MM-01-V2, HDC-MM-02-V2,  
HDC-MM-03-V2

Available Cable Lengths: 1m, 2m, 3m

#### Features

- Connect HDMI Source to a HDMI Display
- Premium Quality Cable
- Premium Retail Poly Bag Packaging
- Warranty: 2 Years Manufacturers Warranty



## 4K2K HDMI HDBASE T EXTENDER KIT OVER SINGLE CAT5E/CAT6 WITH 3D - UPTO 70 METERS



HD-EX-70-HDBT is a 4K2K HDMI over HDBaseT extender kit (Tx/Rx) for HDMI transmission up to 70 meters (UHD resolution up to 35m) over a single CAT5e/CAT6/CAT6A cable. The kit is HDCP compliant and supports HDMI up to 10.2Gps, including support for 1080p 60, Deep Colour, HD-3D, 4Kx2K video, HD Audio Formats and Audio Return Channel. It only needs power supply at either Transmitter or Receiver end.

It's an advanced and inexpensive all-in-one connectivity solution to minimise-cost with use of only a single CAT cable between Transmitter and Receiver. its perfect for applications like hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking, and point-to-point consumer applications

### ORDERING INFORMATION:

Product Code: HD-EX-70-HDBT

### Features

#### 4K/UHD capability

Supports Ultra High Definition sources and displays. Future proofs AV systems in preparation for technology improvements, 4K/UHD streaming services and playback devices

#### HDCP Compliant

Adheres to latest specification for High-bandwidth Content Protection. Allows protected content stream to pass between devices

#### Only Single Power Supply Required

Only requires single power supply at either transmitter or receiver end. Saves time and integration costs

#### Extended distance HDMI extension

Transmits HDMI signals up to 70m @ 1080P over CAT5e/6/6A or 4K/UHD up to 35m. Uses easy-to-integrate category cable for low-cost, reliable system installation

- Warranty : 2 Years Manufacturers Warranty

## 4K2K HDMI HDBASE T EXTENDER KIT OVER SINGLE CAT5E/CAT6 WITH 3D - UPTO 100 METERS



The Serveredge HD-EXR-100-HDBT is a 4K2K HDMI over HDBaseT extender kit (Tx/Rx) for HDMI transmission up to 100 meters (UHD resolution up to 70m) over a single CAT5e/CAT6/CAT6A cable with Bi-directional IR control capability. The kit is HDCP compliant and supports HDMI up to 10.2Gps, including support for 1080p 60, Deep Colour, HD-3D, 4Kx2K video, HD Audio Formats and Audio Return Channel. It only needs power supply at either Transmitter or Receiver end.

It's an advanced and inexpensive all-in-one connectivity solution to minimise-cost with use of only a single CAT cable between Transmitter and Receiver. its perfect for applications like hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking, and point-to-point consumer applications.

### ORDERING INFORMATION:

Product Code: HD-EX-100-HDBT

### Features

#### 4K/UHD capability

Supports Ultra High Definition sources and displays. Future proofs AV systems in preparation for technology improvements, 4K/UHD streaming services and playback devices

#### HDCP Compliant

Adheres to latest specification for High-bandwidth Content Protection. Allows protected content stream to pass between devices

#### Only Single Power Supply Required

Only requires single power supply at either transmitter or receiver end. Saves time and integration costs

#### Extended distance HDMI extension

Transmits HDMI signals up to 100m @ 1080P over CAT5e/6/6A or 4K/UHD up to 35m. Uses easy-to-integrate category cable for low-cost, reliable system installation

- Warranty : 2 Years Manufacturers Warranty

## CAT5E/6 HDMI HDBASE T RECEIVER UP TO 70M - COMPATIBLE WITH HD2V-X-100-HDBT



This Serveredge 3D HDMI HDBaseT Extender receiver transmits full uncompressed 3D HD video and audio over CAT5e/6/6a cable up to 70 meters. It not only supports resolutions up Full HD 1080p up to 70 meters and UHD 3840 x 2160 up to 35 meters, but supports Deep Color, HD Audio formats and Audio Return channel as well.

Moreover, the Phantom Power function supports single power supply at either one end of two units (Tx & Rx) which can cut down the need of additional power adapter.

The advanced and inexpensive all-in-one connectivity technology by using low-cost and handy CAT5e/6/6a cables, Serveredge 3D HDMI Extender is perfect for situations like hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking, and point-to-point consumer applications.

### ORDERING INFORMATION:

Product Code: HD-EX-70-HDR

### Features

- Send HDMI signal to multimedia display over CAT5e/6 cable
- Transmit full uncompressed HD video and audio over cable
- Low cost standard CAT5e/6 cable
- HDTV, 3D HDTV compatible
- HDCP compliant and Blu-ray ready
- Support Phantom Power-single power supply at either one end of two units (Tx & Rx)
- HDMI up to 10.2Gps, including support for 1080p 60 / 120, Deep Color, HD-3D, 4Kx2K video, HD Audio Formats and Audio Return Channel
- Compatible with most of the popular screen resolution to XGA, SXGA, UXGA, WSXGA... Full HD, WUXGA, UHD system
- Ideal for hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking and point-to-point consumer applications
- Compact size. easy to set up, simple to install
- Warranty : 2 Years Manufacturers Warranty

### CAT5E/6 HDMI HDBASE T RECEIVER UPTO 100M - COMPATIBLE WITH HD2V-EX-100-HDBT



3D HDMI HDBaseT Extender receiver transmits full uncompressed 3D HD video and audio over CAT5e/6/6a cable up to 100 meters. It not only supports resolutions up Full HD 1080p up to 100 meters and UHD 3840 x 2160 up to 50 meters, but supports Deep Color, HD Audio formats and Audio Return channel as well.

Moreover, the Phantom Power function supports single power supply at either one end of two units (Tx & Rx) which can cut down the need of additional power adapter.

The advanced and inexpensive all-in-one connectivity technology by using low-cost and handy CAT5e/6/6a cables, Serveredge 3D HDMI Extender is perfect for situations like hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking, and point-to-point consumer applications.

#### ORDERING INFORMATION:

Product Code: HD-EX-100-HDR

#### Features

- Send HDMI signal to multimedia display over CAT5e/6 cable
- Transmit full uncompressed HD video and audio over cable
- Low cost standard CAT5e/6 cable
- HDTV, 3D HDTV compatible
- HDCP compliant and Blu-ray ready
- Support Phantom Power -- single power supply at either one end of two units (Tx & Rx)
- HDMI up to 10.2Gbps, including support for 1080p 60 / 120, Deep Color, HD-3D, 4Kx2K video, HD Audio Formats and Audio Return Channel
- Compatible with most of the popular screen resolution to XGA, SXGA, UXGA, WSXGA... Full HD, WUXGA, UHD system
- Ideal for hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking and point-to-point consumer applications
- Compact size. easy to set up, simple to install
- Warranty : 2 Years Manufacturers Warranty

### 4K2K HDMI HDBASE T EXTENDER KIT OVER SINGLE CAT5E/CAT6 WITH 3D - UPTO 70 METERS



HD-EX-70-HDBT is a 4K2K HDMI over HDBaseT extender kit (Tx/Rx) for HDMI transmission up to 70 meters (UHD resolution up to 35m) over a single CAT5e/CAT6/CAT6A cable. The kit is HDCP compliant and supports HDMI up to 10.2Gbps, including support for 1080p 60, Deep Colour, HD-3D, 4Kx2K video, HD Audio Formats and Audio Return Channel. It only needs power supply at either Transmitter or Receiver end.

It's an advanced and inexpensive all-in-one connectivity solution to minimise-cost with use of only a single CAT cable between Transmitter and Receiver. its perfect for applications like hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking, and point-to-point consumer applications

#### ORDERING INFORMATION:

Product Code: HD-EXR-70-HDBT

#### Features

##### 4K/UHD capability

Supports Ultra High Definition sources and displays. Future proofs AV systems in preparation for technology improvements, 4K/UHD streaming services and playback devices

##### HDCP Compliant

Adheres to latest specification for High-bandwidth Content Protection. Allows protected content stream to pass between devices

##### Only Single Power Supply Required

Only requires single power supply at either transmitter or receiver end. Saves time and integration costs

##### Extended distance HDMI extension

Transmits HDMI signals up to 100m @ 1080P over CAT5e/6/6A or 4K/UHD up to 35m. Uses easy-to-integrate category cable for low-cost, reliable system installation

- Warranty : 2 Years Manufacturers Warranty

### 4K2K HDMI HDBASE T EXTENDER KIT (TX/RX) WITH BI-DIRECTIONAL IR - 100M



HD-EXR-100-HDBT is a 4K2K HDMI over HDBaseT extender kit (Tx/Rx) for HDMI transmission up to 100 meters (UHD resolution up to 70m) over a single CAT5e/CAT6/CAT6A cable with Bi-directional IR control capability. The kit is HDCP compliant and supports HDMI up to 10.2Gbps, including support for 1080p 60, Deep Colour, HD-3D, 4Kx2K video, HD Audio Formats and Audio Return Channel. It only needs power supply at either Transmitter or Receiver end.

It's an advanced and inexpensive all-in-one connectivity solution to minimise-cost with use of only a single CAT cable between Transmitter and Receiver. its perfect for applications like hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking, and point-to-point consumer applications.

#### ORDERING INFORMATION:

Product Code: HD-EXR-100-HDBT

#### Features

##### 4K/UHD capability

Supports Ultra High Definition sources and displays. Future proofs AV systems in preparation for technology improvements, 4K/UHD streaming services and playback devices

##### HDCP Compliant

Adheres to latest specification for High-bandwidth Content Protection. Allows protected content stream to pass between devices

##### Only Single Power Supply Required

Only requires single power supply at either transmitter or receiver end. Saves time and integration costs

##### Extended distance HDMI extension

Transmits HDMI signals up to 100m @ 1080P over CAT5e/6/6A or 4K/UHD up to 70m. Uses easy-to-integrate category cable for low-cost, reliable system installation

##### Bi-directional IR

Delivers 4K/UHD video, audio and Bi-directional 11R over a single cable. Eliminates multiple cable runs between source and display

- Warranty : 2 Years Manufacturers Warranty



## DISPLAYPORT EXTENDER KIT OVER SINGLE CAT5E/6/6A WITH 3D - UP TO 100 METERS



SEDG-DP100EXT is a DisplayPort over HDBaseT extender kit (Tx/Rx) for DisplayPort signal transmission up to 100 meters (WQXGA (2560 X 1600) resolution up to 70m) over a single CAT5e/ CAT6/CAT6A cable with Bi-directional IR control capability. The kit is HDCP compliant and only needs power supply at either Transmitter or Receiver end. EDID Migration ensures the optimum video performance and supports resolutions up to WQXGA (2560 X 1600) and Full HD 1080p

Its an advanced and inexpensive all-in-one connectivity solution to minimise-cost with use of only a single CAT cable between Transmitter and Receiver. Its perfect for applications like hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking, and point-to-point consumer applications.

### ORDERING INFORMATION:

Product Code: SEDG-DP100EXT

### Features

**WQXGA (2560 X 1600) and Full HD capability**  
Supports WQXGA (2560 X 1600) and Full HD displays. Future proofs AV systems in preparation for technology improvements.

### HDCP Compliant

Adheres to latest specification for High-bandwidth Content Protection. Allows protected content stream to pass between devices

### Only Single Power Supply Required

Only requires single power supply at either transmitter or receiver end. Saves time and integration costs

### Extended distance HDMI extension

Transmits DisplayPort signals up to 100m @ 1080P over CAT5e/6/6A or WQXGA (2560 X 1600) up to 100m. Uses easy-to-integrate category cable for low-cost, reliable system installation

### Bi-directional IR

Delivers WQXGA (2560 X 1600) and Full HD video, audio and Bi-directional IR over a single cable. Eliminates multiple cable runs between source and display

Warranty : 2 Years Manufacturers Warranty

## 4K2K HDMI HDBASE T EXTENDER KIT , 4 X USB OVER SINGLE CAT5E/CAT6 WITH 3D - UP TO 100 METERS



3D HDMI HDBaseT Extender transmits full uncompressed 3D UHD HDMI signal, 4 USB signals and independent audio (analog stereo and Toslink (SPDIF)) over CAT5e/6/6a cable of up to 100 meters. It supports UHD (3840 x 2160) up to 90 meters and Full HD (1920 x 1080) up to 100 meters.

This Serveredge extender is HDCP compliant and requires single Power supply at either transmitter or receiver end.

### ORDERING INFORMATION:

Product Code: SEDG-HDUEX-100HDBT

### Features

- Send HDMI and 4 USB signal to multimedia display up to 100 meter
- Transmit full uncompressed HD video and independent audio (analog stereo and Toslink (S/PDIF)) over CAT5e/6/7 cable
- Bi-directional IR extension
- USB Port is compatible for most of popular USB devices (USB KM, USB printers, USB Scanner, external hard disk drives ....)
- Support resolutions up to 4Kx2K @60 (4:2:0) and HD Audio Formats
- Compatible with most of the popular screen resolution to XGA, SXGA, UXGA, WSXGA... Full HD, WUXGA, UHD system
- Low cost standard CAT5e/6/7 LAN cable
- HDTV, 3D HDTV compatible
- HDCP compliant and Blu-ray ready
- Compact size; easy to set up; simple to install
- Ideal for hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking and point-to-point consumer applications

\* Warranty : 2 Years Manufacturers Warranty



## 4K2K HDMI HDBASE T EXTENDER, 4 X USB, RS232, ETHERNET OVER SINGLE CAT5E/ 6 /6A WITH 4K - UP TO 100 METERS



HDMI HDBaseT Extender over CAT5e/6/6a transmits full uncompressed 3D UHD HDMI signal, 4 USB signals, Serial (RS232), IR, and Ethernet up to 100 meters over a single CAT5e/6/6a cable using HDBaseT technology. Each extender kit consists of a local unit that connects to a HDMI display.

This Serveredge extender is HDCP compliant and requires single Power supply at either transmitter or receiver end.

### ORDERING INFORMATION:

Product Code: SEDG-HDUB9-100HDBT

### Features

- Send HDMI and 4 USB signal to multimedia display over CAT5e/6/7 cable
  - Transmit full uncompressed HD video and audio over cable
  - Low cost standard CAT5e/6/7 LAN cable
  - HDTV, 3D HDTV compatible
  - HDCP compliant and Blu-ray ready
  - Support Phantom Power -- single power supply at either one end of two units (Tx & Rx)
  - Bi-directional IR control
  - USB Port is compatible for most of popular USB devices (USB keyboard, USB mouse, USB memory stick, external hard disk drives ....)
  - Support for 1080p 60, Deep Color, HD-3D, 4Kx2K video, HD Audio Formats and Audio Return Channel
  - Compatible with most of the popular screen resolution to XGA, SXGA, UXGA, WSXGA... Full HD, WUXGA, UHD system
  - 100BaseT Ethernet Pass-Thru; simultaneously distribute HDMI and Ethernet streaming video from source to display
  - Low cost standard CAT5e/6 LAN cable; advanced and inexpensive all-in-one connectivity technology
  - Ideal for hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking and point-to-point consumer applications
- \* Warranty : 2 Years Manufacturers Warranty

## 4K2K HDMI AUDIO/VIDEO HDBASE T EXTENDER OVER CAT5E/6 WITH SERIAL, IR, ETHERNET & 3D-100M



HDMI HDBaseT Extender over CAT5e/6/6a transmits uncompressed digital HDMI signal, Serial (RS232), IR, and Ethernet up to 100 metres over a single CAT5e/6/6A cable using HDBaseT technology. Each video extender consists of a local unit that connects to an HDMI source and a remote unit that connects to an HDMI display.

This Serveredge extender is HDCP compliant and requires single Power supply at either transmitter or receiver end.

### ORDERING INFORMATION:

Product Code: HD232-EX-100-HDBT

### Features

- Remotely locate the keyboard, mouse and monitor up to 100 meters away from a computer
  - Send HDMI signal to multimedia display over CAT5e/6 cable of up to 100 meters
  - Transmit full uncompressed HD video and audio over cable 100BaseT Ethernet Pass-Thru; simultaneously distribute HDMI and Ethernet streaming video from source to display
  - Low cost standard CAT5e/6 LAN cable; advanced and inexpensive all-in-one connectivity technology
  - HDCP compliant and Blu-ray ready
  - Support Deep Color, HD-3D video and HD Audio formats
  - Support resolution up to Full HD 1080p / 4Kx2K (3840 x 2160) Bi-directional LAN & Serial
  - Support Phantom Power -- single power supply at either one end of two units (Tx & Rx)
  - Compact size; easy to set up; simple to install
  - Ideal for hospitality (hotels, conference rooms), digital signage (airports, shopping malls), surveillance cameras, whole-home networking and point-to-point consumer applications
- \* Warranty : 2 Years Manufacturers Warranty



## 4K2K HDMI X 2, VGA X 1 HDBASE T EXTENDER OVER SINGLE CAT5E/CAT6 WITH 4K, GUI, 3D & IR



HD2V-EX-100-HDBT is a Multi Input Switcher Transmitter (Tx) with (2) HDMI, (1) VGA, Audio, IR, Control Inputs with (1) HDBaseT, Local HDMI Output and Audio Out. It features two HDMI inputs and a VGA input with 3.5mm audio connector. The unit combines the benefits of a switcher with built-in auto-switching and the advantages of extended-distance HDBaseT signal transmission over a single cable. The switcher enables automatic display on/off, auto-switching, third-party control, plus other control features.

The optional Graphical User Interface (GUI) function makes control easy and more effective. The well-designed GUI can free users from giving complex commands. It allows you to name and portray your source and display icons for a user-friendly operation.

Multi-functions for EDID setting, like EDID Copy and EDID Pre-setting, ensuring accurate output display. Enable the unit to separately learn Audio and Video EDID for multimedia/ Home theatre system integration it can also read and store the EDID from the connecting display to the video extension.

It supports resolutions up to UHD (3840 x 2160) and Full HD (1920 x 1080) and is compatible with most of the popular screen resolution. This Serveredge HD2V-EX-100-HDBT extender kit is HDCP compliant and only requires single power supply at either transmitter or receiver end. It features compact size for easy set up and install.

### ORDERING INFORMATION:

Product Code: HD2V-EX-100-HDBT

### Features

#### 3x1 HDBaseT™ switcher

Features two HDMI inputs plus a VGA input with 3.5mm audio connector, which allows advanced HDMI display devices to be used with legacy VGA sources

**Transmits HDMI signals up to 100m @ 1080p and 70m @ 4K/UHD using CAT6a/7 cable. Uses easy-to-integrate category cable for low-cost, reliable system installation**

#### Auto-switching

Selects active input when sources are connected or if there is a change in source power status. Eliminates need for complex control system in small AV systems

**Flexible control options for compatibility with 3rd-party control systems. RS-232 controlled from HDBaseT connection reduces integration time and costs. Front panel Input Select button and Remote for easy switching between sources. Input source sequence selectable**

#### Graphical User Interface (GUI)

Allows you to name and portray your source and display icons for a user-friendly operation. Makes control easy and more effective

Warranty : 2 Years Manufacturers Warranty

## 4K2K HDMI X 2, DISPLAYPORT X1, VGA X 1 HDBASE T EXTENDER OVER SINGLE CAT5E/CAT6 WITH 4K, GUI, 3D & IR



HD2DPV-EX-100-HDBT is a Multi Input Switcher Transmitter (Tx) with (2) HDMI, (1) DisplayPort, (1) VGA, Audio, IR, Control Inputs with (1) HDBaseT, Local HDMI Output and Audio Out. It features two HDMI inputs and a VGA input with 3.5mm audio connector. The unit combines the benefits of a switcher with built-in auto-switching and the advantages of extended-distance HDBaseT signal transmission over a single cable. The switcher enables automatic display on/off, auto-switching, third-party control, plus other control features.

The optional Graphical User Interface (GUI) function makes control easy and more effective. The well-designed GUI can free users from giving complex commands. It allows you to name and portray your source and display icons for a user-friendly operation.

Multi-functions for EDID setting, like EDID Copy and EDID Pre-setting, ensuring accurate output display. Enable the unit to separately learn Audio and Video EDID for multimedia/ Home theatre system integration it can also read and store the EDID from the connecting display to the video extension.

It supports resolutions up to UHD (3840 x 2160) and Full HD (1920 x 1080) and is compatible with most of the popular screen resolution. This Serveredge HD2DPV-EX-100-HDBT extender kit is HDCP compliant and only requires single power supply at either transmitter or receiver end. It features compact size for easy set up and install.

### ORDERING INFORMATION:

Product Code: HD2DPV-EX-100-HDBT

### Features

#### 4x1 HDBaseT™ switcher

Features two HDMI inputs, a DisplayPort input plus a VGA input with 3.5mm audio connector, which allows advanced HDMI display devices to be used with legacy VGA sources

**Transmits HDMI signals up to 100m @ 1080p and 70m @ 4K/UHD using CAT6a/7 cable. Uses easy-to-integrate category cable for low-cost, reliable system installation**

#### Auto-switching

Selects active input when sources are connected or if there is a change in source power status. Eliminates need for complex control system in small AV systems

**Flexible control options for compatibility with 3rd-party control systems. RS-232 controlled from HDBaseT connection reduces integration time and costs. Front panel Input Select button and Remote for easy switching between sources. Input source sequence selectable**

#### Graphical User Interface (GUI)

Allows you to name and portray your source and display icons for a user-friendly operation. Makes control easy and more effective

Warranty : 2 Years Manufacturers Warranty





## 4K2K 4-INPUT SWITCHER WITH (1) HDBASE T (3) HDMI INPUTS, (1) HDBASE T (1) HDMI MIRRORRED OUTPUTS, IR, ETHERNET & CONTROL -100M



SW4I-03457-100 is a 4 x 1 switcher with one HDBaseT input, three HDMI inputs, mirrored HDMI and HDBaseT outputs enabled with automatic input selection and automatic display control capability. It transmits AV signals along with Ethernet, power, Bi-Directional IR and control over a single cable to displays up to 100 meters from the switcher. Control options include automatic input selection, front-panel buttons, and compatibility with IR and RS-232.

### ORDERING INFORMATION:

Product Code: SW4I-03457-100

### Features

#### Auto-Switching

Selects active input when sources are connected or if there is a change in source power status. Eliminates need for complex control system in small AV systems.

**Flexible control options for compatibility with 3rd-party control systems. RS-232 controlled from HDBaseT connection reduces integration time and costs. Front panel Input Select button and Remote for easy switching between sources. Input source sequence is also selectable.**

#### 4x1 HDBaseT™ Switcher

Features three HDMI inputs plus a HDBaseT input and one HDMI and one HDBaseT outputs.

#### 4K2K

Support resolutions up to UHD (3840 x 2160), Full HD 1080p, 2048 x 1152, Deep Color and HD Audio formats.

#### Exclusive EDID Functions

Multi-functions for EDID setting, like EDID Copy and EDID Pre-setting, ensuring accurate output display. Can learn Audio and Video EDID separately for multimedia / Home Theater system integration. Read and store the EDID from the connecting display to the video extension

Warranty : 2 Years Manufacturers Warranty

## USB 2.0 4-PORT ETHERNET - 50METERS, 4-PORT USB EXTENDER OVER CAT5E/ CAT6 CABLE



SE50UEX4P is the 4 Port USB 2.0 Extender over Single Cat.5e/6, which allows users to extend 4 USB signal up to 100 meters over a single Cat.5e/6 Ethernet cable. With expandable devices demanded that the SE50UEX4P supports maximum 8 USB devices by connecting with USB Hub, and comply with USB 2.0 or 1.1 devices: keyboard, mouse, flash drive, hard drive...etc.

### ORDERING INFORMATION:

Product Code: SW4I-03457-100

### Features

- Supports USB 2.0 high-speed and USB 1.1 (low-speed, full speed) devices
- Operates with USB 2.0 high-speed host controllers and USB 1.1 classic hosts.
- Plug and play.
- No driver installation required
- Supports all major operating systems including Windows®, Mac OS®, and Linux®
- Single port USB extender. Number of devices can be increased by using standard USB Hub.
- Ideal for I/O devices, printers, scanners, web cams, hard drives, flash drives and mp3 players
- Bus powered local unit at computer. D/C power at remote unit
- Warranty : 2 Years Manufacturers Warranty



## 19" LCD KVM CONSOLE RACK DRAWER - SINGLE PORT KVM USB/PS2/VGA



KVM console integrates a 19" Wide Screen LCD display, slim keyboard and a mouse touchpad to manage single or multiple computers across a network. The KVM uses only 1RU of rack space, delivering a space friendly solution for complete management.

### Space Friendly & Less Clutter

1RU of rack space is all it requires, allowing extra storage area so your cabinet rack will be much more organised. Just slide open the 19" console display when it is required and close after use and slide back into place. The KVM can also be mounted onto your cabinet rack as an option.

### Reduce IT cost & maximise budget

Serveredge LCD KVM console provides all the essential equipment to allow you to manage multiple computer(s) at an affordable cost. There's no need to spend on multiple displays and keyboards as you will only require the one console to manage and control productivity.

### Quick Assembly

The LCD KVM's comes with a user friendly quick installation manual.

#### ORDERING INFORMATION:

Product Code: SED-KLVGA-0119V2

#### Features

- \* Ultra thin keyboard with keypad
- \* Compatible with all 1RU 19" standard cabinets
- \* Secure front panel with lock
- \* Automatic On/Off power
- \* Mouse touchpad with two function button
- \* Compatible with PS/2, USB standard interface
- \* Supports maximum resolution of 1920\*1080
- \* Native resolution of 1366\*768
- \* Supports multiple operating systems WIN95/98/98SE/ME/2000/XP/WIN7/WIN NT/UNIX/LINUX
- \* Compliant with DDC, DDC2, DDC2B standard and VESA standard
- \* Supports VGA, SVGA, XGA video input
- \* Warranty : 2 Years Manufacturers Warranty

## 19" LCD KVM CONSOLE RACK DRAWER - 8 PORT KVM USB/PS2/VGA WITH OPTIONAL IP ACCESS



KVM console integrates a 19" Wide Screen LCD display, slim keyboard and a mouse touchpad to manage single or multiple computers across a network. The KVM uses only 1RU of rack space, delivering a space friendly solution for complete management.

### Space Friendly & Less Clutter

1RU of rack space is all it requires, allowing extra storage area so your cabinet rack will be much more organised. Just slide open the 19" console display when it is required and close after use and slide back into place.

### Reduce IT cost & maximise budget

Serveredge LCD KVM console provides all the essential equipment to allow you to manage multiple computer(s) at an affordable cost. There's no need to spend on multiple displays and keyboards as you will only require the one console to manage and control productivity.

### Quick Assembly

The LCD KVM's comes with a user friendly quick installation manual.

#### ORDERING INFORMATION:

Product Code: SED-KLVGA-0819V2

#### Features

- \* Ultra thin keyboard with keypad
- \* Compatible with all 1RU 19" standard cabinets
- \* User Friendly OSD menu
- \* Secure front panel with lock
- \* Automatic On/Off power
- \* Mouse touchpad with two function button
- \* Compatible with PS/2, USB standard interface
- \* Supports maximum resolution of 1920\*1080
- \* Native resolution of 1366\*768
- \* Supports multiple operating systems WIN95/98/98SE/ME/2000/XP/WIN7/WIN NT/UNIX/LINUX
- \* Compliant with DDC, DDC2, DDC2B standard and VESA standard
- \* Supports VGA, SVGA, XGA video input
- \* Warranty : 2 Years Manufacturers Warranty

## 19" LCD KVM CONSOLE RACK DRAWER - 16 PORT KVM USB/PS2/VGA WITH OPTIONAL IP ACCESS



KVM console integrates a 19" Wide Screen LCD display, slim keyboard and a mouse touchpad to manage single or multiple computers across a network. The KVM uses only 1RU of rack space, delivering a space friendly solution for complete management.

### Space Friendly & Less Clutter

1RU of rack space is all it requires, allowing extra storage area so your cabinet rack will be much more organised. Just slide open the 19" console display when it is required and close after use and slide back into place.

### Reduce IT cost & maximise budget

Serveredge LCD KVM console provides all the essential equipment to allow you to manage multiple computer(s) at an affordable cost. There's no need to spend on multiple displays and keyboards as you will only require the one console to manage and control productivity.

### Quick Assembly

The LCD KVM's comes with a user friendly quick installation manual.

#### ORDERING INFORMATION:

Product Code: SED-KLVGA-1619V2

#### Features

- \* Ultra thin keyboard with keypad
  - \* Compatible with all 1RU 19" standard cabinets
  - \* User Friendly OSD menu
  - \* Secure front panel with lock
  - \* Automatic On/Off power
  - \* Mouse touchpad with two function button
  - \* Compatible with PS/2, USB standard interface
  - \* Supports maximum resolution of 1920\*1080
  - \* Native resolution of 1366\*768
  - \* Supports multiple operating systems WIN95/98/98SE/ME/2000/XP/WIN7/WIN NT/UNIX/LINUX
  - \* Compliant with DDC, DDC2, DDC2B standard and VESA standard
  - \* Supports VGA, SVGA, XGA video input
  - \* Warranty : 2 Years Manufacturers Warranty
- Warranty : 2 Years Manufacturers Warranty



## 8-PORT USB / PS/2 / VGA COMBO KVM SWITCH



KVM Switches offer the most reliable and efficient way of managing multiple computers in server rooms where space is at a premium. On Screen Display (OSD) features computer naming, computer selection, status indication, auto scan and much more. Up to 64 servers can be easily managed by cascading multiple KVM switches to expand capacity. Revolutionized video enhancement technology ensures superb quality at resolutions up to 1920 x 1440. For secured connections and space saving, all Serveredge KVM Switches require just one HDB15 connector for each computer connection.

### ORDERING INFORMATION:

Product Code: KR08VU

### Features

- Cascade configuration expands system capability
- 1U-height form factor saves rack spaces
- Unique cables for secured connection
- Auto-scan function automatically selects computer sequentially
- Supports Microsoft IntelliMouse (Pro)
- Assigns computers with individual names
- Identifies and selects computers by chosen names
- Programmable scan filters unused computers
- Stores system settings and name entries to nonvolatile memory
- Password security locks computer from unauthorized access
- Complete control with easy-to-use OSD interface
- Hotkey functions allow easily computer access
- Keyboard states automatically saved and restored while switching computers
- Operating system independent and transparent to all applications
- Plug-n-play system configuration
- Keyboard and mouse can be hot plugged at any time
- DDC2B compatible
- Supports SUN keyboard emulation
- Manages multiple computers from two locations (Two-Access)
- Warranty : 2 Years Manufacturers Warranty

## 8-PORT USB / PS/2 / VGA COMBO KVM SWITCH KIT - INCLUDES 8 X USB/VGA KVM CABLES



KVM Switches offer the most reliable and efficient way of managing multiple computers in server rooms where space is at a premium. On Screen Display (OSD) features computer naming, computer selection, status indication, auto scan and much more. Up to 64 servers can be easily managed by cascading multiple KVM switches to expand capacity. Revolutionized video enhancement technology ensures superb quality at resolutions up to 1920 x 1440. For secured connections and space saving, all Serveredge KVM Switches require just one HDB15 connector for each computer connection.

### ORDERING INFORMATION:

Product Code: KR08UK

### Features

- Cascade configuration expands system capability
- 1U-height form factor saves rack spaces
- Unique cables for secured connection
- Auto-scan function automatically selects computer sequentially
- Supports Microsoft IntelliMouse (Pro)
- Assigns computers with individual names
- Identifies and selects computers by chosen names
- Programmable scan filters unused computers
- Stores system settings and name entries to nonvolatile memory
- Password security locks computer from unauthorized access
- Complete control with easy-to-use OSD interface
- Hotkey functions allow easily computer access
- Keyboard states automatically saved and restored while switching computers
- Operating system independent and transparent to all applications
- Plug-n-play system configuration
- Keyboard and mouse can be hot plugged at any time
- DDC2B compatible
- Supports SUN keyboard emulation
- Manages multiple computers from two locations (Two-Access)
- Warranty : 2 Years Manufacturers Warranty



## 16-PORT USB / PS/2 / VGA COMBO KVM SWITCH



KVM Switches offer the most reliable and efficient way of managing multiple computers in server rooms where space is at a premium. On Screen Display (OSD) features computer naming, computer selection, status indication, auto scan and much more. Up to 256 servers can be easily managed by cascading multiple KVM switches to expand capacity. Revolutionized video enhancement technology ensures superb quality at resolutions up to 1920 x 1440. For secured connections and space saving, all Serveredge KVM Switches require just one HDB15 connector for each computer connection.

ORDERING INFORMATION:  
Product Code: KR16VU

### Features

- Cascade configuration expands system capability
- 1U-height form factor saves rack spaces
- Unique cables for secured connection
- Auto-scan function automatically selects computer sequentially
- Supports Microsoft IntelliMouse (Pro)
- Assigns computers with individual names
- Identifies and selects computers by chosen names
- Programmable scan filters unused computers
- Stores system settings and name entries to nonvolatile memory
- Password security locks computer from unauthorized access
- Complete control with easy-to-use OSD interface
- Hotkey functions allow easily computer access
- Keyboard states automatically saved and restored while switching computers
- Operating system independent and transparent to all applications
- Plug-n-play system configuration
- Keyboard and mouse can be hot plugged at any time
- DDC2B compatible
- Supports SUN keyboard emulation
- Manages multiple computers from two locations (Two-Access)
- Warranty : 2 Years Manufacturers Warranty

## 16-PORT USB / PS/2 / VGA COMBO KVM SWITCH KIT - INCLUDES 16 X USB/VGA KVM CABLES



KVM Switches offer the most reliable and efficient way of managing multiple computers in server rooms where space is at a premium. On Screen Display (OSD) features computer naming, computer selection, status indication, auto scan and much more. Up to 256 servers can be easily managed by cascading multiple KVM switches to expand capacity. Revolutionized video enhancement technology ensures superb quality at resolutions up to 1920 x 1440. For secured connections and space saving, all Serveredge KVM Switches require just one HDB15 connector for each computer connection.

ORDERING INFORMATION:  
Product Code: KR16UK

### Features

- Cascade configuration expands system capability
- 1U-height form factor saves rack spaces
- Unique cables for secured connection
- Auto-scan function automatically selects computer sequentially
- Supports Microsoft IntelliMouse (Pro)
- Assigns computers with individual names
- Identifies and selects computers by chosen names
- Programmable scan filters unused computers
- Stores system settings and name entries to nonvolatile memory
- Password security locks computer from unauthorized access
- Complete control with easy-to-use OSD interface
- Hotkey functions allow easily computer access
- Keyboard states automatically saved and restored while switching computers
- Operating system independent and transparent to all applications
- Plug-n-play system configuration
- Keyboard and mouse can be hot plugged at any time
- DDC2B compatible
- Supports SUN keyboard emulation
- Manages multiple computers from two locations (Two-Access)
- Warranty : 2 Years Manufacturers Warranty



## 8-PORT HDMI USB KVM COMBO SWITCH WITH AUDIO, MIC & USB HUB 2.0



The KR08HHU is a rack mountable KVM switch with the HDMI video interface designed to control 8 PCs from a single keyboard, mouse and monitor console. It also provides support for multimedia keyboard, audio & mic. The KVM enables computer selection via both front panel push buttons & hotkeys.

\*Cables required to connect the monitor and the computers are sold separately. Suitable Cables: HDMI-02-MM-V4, HDMI-03-MM-V4, USB2-02-AB, USB2-03-AB, MM-AD-02, MM-AD-02

### Features

- One USB console controls up to eight HDMI interface computers and two additional USB 2.0 devices
- Unique HDMI/ Audio/ Mic interface
- Computer selection via front panel pushbuttons & hotkeys
- Includes rackmount kit for easy installation into server rack cabinet
- Active Sync Replication (A.S.R.) for DDC emulation
- Warranty : 2 Years Manufacturers Warranty

### ORDERING INFORMATION:

Product Code: KR08HHU

## 8-PORT DVI USB KVM COMBO SWITCH WITH AUDIO, MIC & USB HUB 2.0



The KR08DHU is a rack mountable KVM switch with the DVI video interface designed to control 8 PCs from a single keyboard, mouse and monitor console. It also provides support for multimedia keyboard, audio & mic. The KVM enables computer selection via both front panel push buttons & hotkeys.

\*Cables required to connect the monitor and the computers are sold separately. Suitable Cables: DVI-DL-02-MM, DVI-DL-03-MM, USB2-02-AB, USB2-03-AB, MM-AD-02, MM-AD-02

### Features

- One USB console controls up to eight DVI interface computers and two additional USB 2.0 devices
- Unique DVI-I/ Audio/ Mic interface
- Computer selection via front panel pushbuttons & hotkeys
- Includes rackmount kit for easy installation into server rack cabinet
- Active Sync Replication (A.S.R.) for DDC emulation
- Warranty : 2 Years Manufacturers Warranty

### ORDERING INFORMATION:

Product Code: KR08DHU

## 16-PORT HDMI USB KVM COMBO SWITCH WITH AUDIO, MIC & USB HUB 2.0



The KR16HHU is a rack mountable KVM switch with the HDMI video interface designed to control 8 PCs from a single keyboard, mouse and monitor console. It also provides support for multimedia keyboard, audio & mic. The KVM enables computer selection via both front panel push buttons & hotkeys.

\*Cables required to connect the monitor and the computers are sold separately. Suitable Cables: HDMI-02-MM-V4, HDMI-03-MM-V4, USB2-02-AB, USB2-03-AB, MM-AD-02, MM-AD-02

### Features

- One USB console controls up to 16 HDMI interface computers and two additional USB 2.0 devices
- Unique HDMI/ Audio/ Mic interface
- Computer selection via front panel pushbuttons & hotkeys
- Includes rackmount kit for easy installation into server rack cabinet
- Active Sync Replication (A.S.R.) for DDC emulation
- Warranty : 2 Years Manufacturers Warranty

### ORDERING INFORMATION:

Product Code: KR16HHU

## 16-PORT DVI USB KVM COMBO SWITCH WITH AUDIO, MIC & USB HUB 2.0



The KR16DHU is a rack mountable KVM switch with the DVI video interface designed to control 16 PCs from a single keyboard, mouse and monitor console. It also provides support for multimedia keyboard, audio & mic. The KVM enables computer selection via both front panel push buttons & hotkeys.

\*Cables required to connect the monitor and the computers are sold separately. Suitable Cables: DVI-DL-02-MM, DVI-DL-03-MM, USB2-02-AB, USB2-03-AB, MM-AD-02, MM-AD-02

### Features

- One USB console controls up to 16 DVI interface computers and two additional USB 2.0 devices
- Unique DVI-I/ Audio/ Mic interface
- Computer selection via front panel pushbuttons & hotkeys
- Includes rackmount kit for easy installation into server rack cabinet
- Active Sync Replication (A.S.R.) for DDC emulation
- Warranty : 2 Years Manufacturers Warranty

### ORDERING INFORMATION:

Product Code: KR16DHU



## 2-PORT USB / VGA CABLE KVM SWITCH WITH AUDIO & REMOTE



KP02UVA is a 2-port USB Cable KVM Switch with 2 x fixed KVM cables and 1 x QuickSwitch button for wired remote control. It also provides Audio and Microphone switching function for uninterrupted multimedia experience. It allows you to access, control, boot and reboot multiple multimedia computers using only one USB keyboard, mouse, monitor and a speaker set and microphone.

### ORDERING INFORMATION:

Product Code: KP02UVA

### Features

- 1 x wired QuickSwitch! Button for instant switching by a flip
- 2 x fixed VGA USB KVM Audio/Mic combo cables
- Windows and Mac switching software support
- USB 2.0 hub ports for keyboard, mouse or other high-speed USB devices
- VGA analog video up to 2048 x 1536
- Independent/simultaneous switching of PC and Audio/Mic channel
- User-definable hotkeys and universal hotkey for computer switching
- Warranty : 2 Years Manufacturers Warranty

## 2-PORT DUAL MONITORS DVI USB KVM SWITCH WITH AUDIO & MIC & USB HUB2.0 - INCLUDES CABLES



The SEDDL702D 2-Port Dual Monitors DVI USB KVM Switch with Audio & Mic is TMDS-compliant and designed specifically for sharing two large-sized DVI monitors/Flat Panel Displays between two multimedia computers with Dual Head display [2 x DVI]. It lets you control two Dual Head PCs using only one keyboard, mouse and Dual DVI monitors/Flat Panel Displays. The Switch supports both digital video (2560 x 1600) and analog video (2048 x 1536).

### ORDERING INFORMATION:

Product Code: SEDDMDL702A

### Features

- 2-port Dual-Link Dual Monitors DVI KVM Switch with Audio & Mic
- Support large-sized Dual DVI Monitor/Flat Panel Display [2 x DVI]
- 2 x USB 2.0 hub ports + 1 x USB device port for advanced wireless/Bluetooth keyboard/mouse set
- User-configurable simultaneous/independent switching of audio / hub / PC ports
- DVI-I Dual Link interface technology supports digital and analog video signal transmission
- TMDS specifications compliant
- True Transparent USB (TTU) Emulation technology with an integrated ASIC
- HDCP specifications compliant
- Resolution support up to 2048 x 1536 (analog) / 2560 x 1600 (digital)
- Full driver support for all types of USB keyboard and mouse
- Channel selection by push buttons and keyboard hotkeys
- Support for DOS, Windows 95/98/SE/ME/2000/XP/Vista, Linux, MacOS, etc.
- Status LED display for easy port status monitoring
- Buzzer sound for port switching confirmation
- Metal enclosure for best shielding and protection
- Warranty : 2 Years Manufacturers Warranty

## 2-PORT USB / DVI CABLE KVM SWITCH WITH AUDIO & REMOTE



KP02UDA is a 2-port USB Cable KVM Switch with 2 x fixed KVM cables and 1 x QuickSwitch button for wired remote control. It also provides Audio and Microphone switching function for uninterrupted multimedia experience. It allows you to access, control, boot and reboot multiple multimedia computers using only one USB keyboard, mouse, monitor and a speaker set and microphone.

### ORDERING INFORMATION:

Product Code: KP02UDA

### Features

- 1 x wired QuickSwitch! Button for instant switching by a flip
- 2 x fixed DVI USB KVM Audio/Mic combo cables
- Windows and Mac switching software support
- USB 2.0 hub ports for keyboard, mouse or other high-speed USB devices
- DVI Single Link digital video up to 1920 x 1200 (UDV-TA2)
- Independent/simultaneous switching of PC and Audio/Mic channel
- User-definable hotkeys and universal hotkey for computer switching
- Warranty : 2 Years Manufacturers Warranty

## 2-PORT USB / HDMI CABLE KVM SWITCH WITH AUDIO & REMOTE



KP02UHA is a 2-port compact HDMI USB \_Cable KVM Switch" with 2 sets of fixed KVM cables and a wired QuickSwitch! button for easy connection to your two computers. It allows you to access, control, boot and reboot two HDMI and USB-enabled multimedia computers with only one USB keyboard, mouse, HDMI-enabled multimedia display and an extra set of speakers. For easy and fast switching between two computers, you can use either keyboard hotkeys, the QuickSwitch! button or the Switching Software Client installed on your PCs!

### ORDERING INFORMATION:

Product Code: KP02UHA

### Features

- 1 x wired QuickSwitch button for instant switching between two computers
- 2 x fixed HDMI USB KVM audio / mic Combo cables
- Windows and Mac switching software support
- USB 2.0 hub ports for keyboard, mouse or other high-speed USB devices
- HDMI digital video up to 1080p / Full HD
- Independent/simultaneous switching of PC and Audio/Mic channel
- User-definable hotkeys and universal hotkey for computer switching
- Active Sync Replication for DDC emulation
- LED indicators for easy status monitoring
- Warranty : 2 Years Manufacturers Warranty



## 4-PORT DUAL MONITORS DVI USB KVM SWITCH WITH AUDIO & MIC - INCLUDES CABLES



4-Port Dual Monitors DVI USB KVM Switch with Audio & Mic is TMDS-compliant and designed specifically for sharing two large-sized DVI monitors/Flat Panel Displays between four multimedia computers with Dual Head display [2 x DVI]. With SEDDMDL704A, you can fully control two Dual Head PCs using only one keyboard, mouse and Dual DVI monitors/Flat Panel Displays.

### ORDERING INFORMATION:

Product Code: SEDDMDL704A

### Features

- 4-Port Dual Monitors DVI USB KVM Switch with Audio & Mic
- Support large-sized Dual DVI Monitor/Flat Panel Display [2 x DVI]
- 2 x USB 2.0 hub ports + 1 x USB device port for advanced wireless/Bluetooth keyboard/mouse set
- User-configurable simultaneous/independent switching of audio / hub / PC ports
- DVI-I Dual Link interface technology supports digital and analog video signal transmission
- TMDS specifications compliant
- True Transparent USB (TTU) Emulation technology with an integrated ASIC
- HDCP specifications compliant
- Resolution support up to 2048 x 1536 (analog) / 2560 x 1600 (digital)
- Full driver support for all types of USB keyboard and mouse
- Channel selection by push buttons and keyboard hotkeys
- Support for DOS, Windows 95/98/SE/ME/2000/XP/Vista, Linux, MacOS, etc.
- Status LED display for easy port status monitoring
- Buzzer sound for port switching confirmation
- Metal enclosure for best shielding and protection
- Warranty : 2 Years Manufacturers Warranty

## 2-PORT USB / DISPLAYPORT CABLE KVM SWITCH WITH AUDIO & REMOTE-4K



KP02UDPA-V2 is a 2-port DisplayPort USB KVM Switch with 2 sets of USB KVM & Audio/Mic combo cables and a wired QuickSwitch button for easy connection to your two computers. It allows you to access, control, boot and reboot two USB-enabled multimedia computers with only one USB keyboard, mouse, display and a speaker set and microphone. For easy and fast switching between two computers, you can use the QuickSwitch button or the Switching Software Client installed on your PCs!

### ORDERING INFORMATION:

Product Code: KPUDPA-V2

### Features

- 1 x wired QuickSwitch! Button for instant switching by a flip
- 2 x fixed DisplayPort USB KVM audio/mic combo cables
- Supports display resolution up to 4K
- Compatible with DisplayPort 1.2
- Windows and Mac switching software support
- USB 2.0 hub ports for keyboard, mouse or other high-speed USB devices
- Independent/simultaneous switching of PC and audio/mic channel
- User-definable hotkeys and universal hotkey for computer switching
- Warranty : 2 Years Manufacturers Warranty

## 2-PORT SLIMLINE USB / VGA DESKTOP KVM SWITCH - INCLUDES CABLES



KD2BKUV is a 2-port Slim USB KVM Switch that features the latest TTU (True Transparent USB) Emulation Technology for advanced types of keyboards and mice, as well as all time DDC emulation for ultimate video compatibility with all graphic display scenarios with the newer types of Operating System such as Windows Vista / Windows 7. The KD2BKUV can help you control, boot and reboot 2 computers using only one set of keyboard, mouse and monitor display. Its slim size offers a form factor that fits snugly into your desktop landscape. The KD2BKUV features integrated HDB15 connectors for computer connections, using special integrated KVM cables, thus relieving more desktop space that are free of cable clutter.

### ORDERING INFORMATION:

Product Code: KD2BKUV

### Features

- Serveredge 2-port Slim USB KVM Switch
- True Transparent USB (TTU) Emulation technology with an integrated ASIC
- Full driver support for all types of USB keyboard and mouse
- All time DDC emulation for video compatibility and stability under intensive switching
- Multi-platform support PCs and Macintosh
- Support all major operating systems such as Windows, Linux, Macintosh, Sun OS, etc.
- User definable hotkeys
- Integrated HDB15 connector for computer connection
- Channel selection by push buttons and keyboard hotkeys
- Low power consumption using ASIC
- LED indicators for easy status monitoring
- Analog video resolution up to 2048 x 1536
- Warranty : 2 Years Manufacturers Warranty



## 2-PORT USB / VGA DESKTOP KVM SWITCH WITH AUDIO & USB HUB2.0 - INCLUDES CABLES



KD02UVH2 is a 2-port USB desktop KVM Switch with Audio and Microphone switching function. It also provides two USB 2.0 hub ports for high-speed USB 2.0 devices sharing. It allows you to control 2 USB-enabled multimedia computers and two USB 2.0 devices using only USB keyboard, mouse, monitor and a set of speakers and microphone. You can select the computers, USB device hub port control and audio/mic channel independently, using either front-panel buttons or keyboard hotkeys. This stylish Compact Desktop KVM Switch family give more than something of an ordinary desktop KVM Switch: It has everything worthy and noble inside their colorful apparels—goodies such as the True Transparent USB (TTU) keyboard/mouse Emulation and All-time DDC video emulation! With both technologies, you can simply sit back and forget about everything nasty about keyboard, mouse and video glitches due to incompatibility.

### ORDERING INFORMATION:

Product Code: KD02UVH2

### Features

- 2 extra USB 2.0 device port for high-speed USB device sharing
- \* True Transparent USB emulation technology for any keyboard and mouse
- \* All-time DDC emulation for ultimate video compatibility
- \* Independent peripheral switching configurable by hotkeys
- \* LED indicators for easy status monitoring
- \* Low power consumption using ASIC
- \* Warranty : 2 Years Manufacturers Warranty

## 2-PORT USB / DVI DESKTOP KVM SWITCH WITH AUDIO & USB HUB2.0 - INCLUDES CABLES



KD02UDH2 is a 2-port Slim Palmtop USB KVM Switch with audio and microphone switching function. It allows you to access, control, boot and reboot 2 DVI-enabled USB multimedia computers. The independent audio/mic switching function allows an uninterrupted audio experience on a same connected computer even when you switch to another computer.

### ORDERING INFORMATION:

Product Code: KD02UDH2

### Features

- 2-port Compact Desktop DVI USB KVM Switch with Audio & Mic and 2 extra USB 2.0 device ports
- \* True Transparent USB (TTU) Emulation technology with an integrated ASIC
- \* Full driver support for all types of USB keyboard and mouse
- \* All time DDC emulation for video compatibility and stability under intensive switching
- \* TMDS and HDCP specifications complaint
- \* Audio and Microphone switching for uninterrupted multimedia experience across multiplatforms.
- \* USB 2.0 specification compliant
- \* Independent/simultaneous switching of both PC and audio/mic channel
- \* Multiplatform support for PCs and Macintosh
- \* User definable hotkeys
- \* Channel selection by push button and keyboard hotkeys
- \* LED indicators for push status monitoring
- \* DVI Digital video resolution 1920 x 1200 / Analog video resolution 2048 x 1536
- \* USB interface power with optional DC 5V2A external power adapter
- \* Low power consumption using ASIC
- \* Warranty : 2 Years Manufacturers Warranty

## KVM CONSOLE TO USB 2.0 PORTABLE LAPTOP CRASH CART ADAPTER



Portable Laptop Crash Cart Adapter turns your Laptop into a portable server crash cart, eliminating the need to lug around a large, heavy and awkward video screen, keyboard, and mouse. The connection is simple Plug & Play. Most conveniently, there are NO drivers to install on the computer / server side. The crash cart supports wireless keyboard and mouse, allowing you to diagnose and fix your servers in a cable-free environment.

### ORDERING INFORMATION:

Product Code: KCC01VU

### Features

- No drivers or software required for Server / PC you are connecting to
- \* Emulated keyboard and mouse allows you to interact with the server as a window on your laptop
- \* Supports USB or PS/2 Server (KVM Switch)
- \* Graphical User Interface (GUI) for easy and friendly operation
- \* Warranty : 2 Years Manufacturers Warranty





## 2-PORT USB / DISPLAYPORT DESKTOP KVM SWITCH WITH AUDIO & USB HUB2.0 - INCLUDES CABLES



2-Port USB / DisplayPort Desktop KVM Switch  
With Audio & USB Hub2.0. Includes Cables.

### ORDERING INFORMATION:

Product Code: KD02UDPH2

### Features

- Support USB console
- 2 computers share 4 different USB peripherals (KB + MS + USB 2.0 Devices)
- Support Audio (Speaker + Mic) function
- Supports hot plug and un-plug detection and link status-failure detection
- Unique Tracking System enable the USB devices to operate independently
- Front panel push buttons for easy computer selection
- Selectable Scan Time interval
- Buzzer sound for computer switching confirmation
- Hotkey functions allow easily computer access
- Supports keyboard and mouse plug-n-play
- Supports existing VESA and Consumer Electronics Association (CEA) standards
- Screw-free design ,streamlined form factor for new all digital desktop monitors
- All digital Direct Drive monitors connected with DisplayPort require no adjustment
- Complete interoperability
- Supports 7.1 Channel High Definition Audio
- No drivers needed; No software required
- Support Windows and Mac host systems
- Warranty : 2 Years Manufacturers Warranty

## 4-PORT DUAL MONITORS DVI USB KVM SWITCH WITH AUDIO & MIC & USB HUB2.0 - INCLUDES CABLES



4-Port Dual Monitors DVI USB KVM Switch with Audio & Mic is TMDS-compliant and designed specifically for sharing two large-sized DVI monitors/Flat Panel Displays between four multimedia computers with Dual Head display [2 x DVI]. With SEDDMDL704A, you can fully control two Dual Head PCs using only one keyboard, mouse and Dual DVI monitors/Flat Panel Displays.

### ORDERING INFORMATION:

Product Code: SEDDMDL704A

### Features

- 4-Port Dual Monitors DVI USB KVM Switch with Audio & Mic
- Support large-sized Dual DVI Monitor/Flat Panel Display [2 x DVI]
- 2 x USB 2.0 hub ports + 1 x USB device port for advanced wireless/Bluetooth keyboard/mouse set
- User-configurable simultaneous/independent switching of audio / hub / PC ports
- DVI-I Dual Link interface technology supports digital and analog video signal transmission
- TMDS specifications compliant
- True Transparent USB (TTU) Emulation technology with an integrated ASIC
- HDCP specifications compliant
- Resolution support up to 2048 x 1536 (analog) / 2560 x 1600 (digital)
- Full driver support for all types of USB keyboard and mouse
- Channel selection by push buttons and keyboard hotkeys
- Support for DOS, Windows 95/98/SE/ME/2000/XP/Vista, Linux, MacOS, etc.
- Status LED display for easy port status monitoring
- Buzzer sound for port switching confirmation
- Metal enclosure for best shielding and protection
- Warranty : 2 Years Manufacturers Warranty

## 4-PORT USB / VGA DESKTOP KVM SWITCH WITH AUDIO & USB HUB2.0 - INCLUDES CABLES



KD04UVH2 is a 4-port USB KVM switch with audio and microphone switching function. It also provides four USB 2.0 hub ports for high-speed USB 2.0 devices sharing. You can select the computers, USB device hub port control and audio/mic channel independently, using either front-panel buttons or keyboard hotkeys. This stylish Compact Desktop KVM Switch family is much more than an ordinary desktop KVM Switch. With Active Sync Replication (A.S.R.), KD04UVH2 can fully support advanced DDC video signaling requirement of the latest operating systems, such as Windows 7 and Mac OS X.

### ORDERING INFORMATION:

Product Code: KD04UVH2

### Features

- 4 extra USB 2.0 device port for high-speed USB device sharing
- True Transparent USB emulation technology for any keyboard and mouse
- Active Sync Replication for DDC emulation
- Independent/simultaneous switching of computer/audio/USB hub ports
- PC selection by push button and keyboard hotkeys
- LED indicators for easy status monitoring
- Low power consumption using ASIC
- VGA video resolution support up to 2048 x 1536
- IR remote switching control
- Warranty : 2 Years Manufacturers Warranty



## 2-PORT DUAL-LINK QUAD MONITORS DVI USB KVM SWITCH WITH AUDIO & MIC



SEDDL0204QD 2-Port Dual-Link Quad Monitors DVI USB KVM Switch with Audio & Mic is TMDS-compliant and designed for sharing up to 4 DVI enabled displays between two computers with one keyboard and one mouse. The KVM supports DVI Dual Link video resolutions of up to (2560 x 1600) and also Analogue VGA resolutions up to (2048 x 1536). The KVM has 2 additional USB 2.0 ports for sharing USB peripherals such as external storage drives, web cams, printers etc.

### ORDERING INFORMATION:

Product Code: SEDDL0204QD

### Features

- 2-Port Dual-Link Quad monitors DVI USB KVM switch with audio, mic & hub
- 2 x USB 2.0 Ports for sharing haring USB peripherals such as external storage drives, web cams, printers etc.
- TMDS / HDCP specifications compliant
- True Transparent USB emulation technology for all types of keyboards and mice
- Active Sync Replication for all time DDC emulation
- Supports DVI Dual Link video resolutions of up to (2560 x 1600) and also Analogue VGA resolutions up to (2048 x 1536)
- Warranty : 2 Years Manufacturers Warranty

## 4-PORT SLIMLINE USB / VGA DESKTOP KVM SWITCH - INCLUDES CABLES



KD4BKUV is a 4-port Slim USB KVM Switch that features the latest TTU (True Transparent USB) Emulation Technology for advanced types of keyboards and mice, as well as all time DDC emulation for ultimate video compatibility with all graphic display scenarios with the newer types of Operating System such as Windows Vista / Windows 7. The KD4BKUV can help you control, boot and reboot 4 computers using only one set of keyboard, mouse and monitor display. Its slim size offers a form factor that fits snugly into your desktop landscape. The KD4BKUV features integrated HDB15 connectors for computer connections, using special integrated KVM cables, thus relieving more desktop space that are free of cable clutters.

### ORDERING INFORMATION:

Product Code: KD4BKUV

### Features

- Serveredge 4-port Slim USB KVM Switch
- True Transparent USB (TTU) Emulation technology with an integrated ASIC
- Full driver support for all types of USB keyboard and mouse
- All time DDC emulation for video compatibility and stability under intensive switching
- Multi-platform support PCs and Macintosh
- Support all major operating systems such as Windows, Linux, Macintosh, Sun OS, etc.
- User definable hotkeys
- Integrated HDB15 connector for computer connection
- Channel selection by push buttons and keyboard hotkeys
- Low power consumption using ASIC
- LED indicators for easy status monitoring
- Analog video resolution up to 2048 x 1536
- Warranty : 2 Years Manufacturers Warranty

## 4-PORT USB / VGA DESKTOP KVM SWITCH WITH AUDIO & USB HUB2.0 - INCLUDES CABLES



2-Port USB / DisplayPort Desktop KVM Switch With Audio & USB Hub2.0. Includes Cables.

### ORDERING INFORMATION:

Product Code: KD04UV

### Features

- Support USB console
- 2 computers share 4 different USB peripherals ( KB + MS + USB 2.0 Devices)
- Support Audio (Speaker + Mic) function
- Supports hot plug and un-plug detection and link status-failure detection
- Unique Tracking System enable the USB devices to operate independently
- Front panel push buttons for easy computer selection
- Selectable Scan Time interval
- Buzzer sound for computer switching confirmation
- Hotkey functions allow easily computer access
- Supports keyboard and mouse plug-n-play
- Supports existing VESA and Consumer Electronics Association (CEA) standards
- Screw-free design ,streamlined form factor for new all digital desktop monitors
- All digital Direct Drive monitors connected with DisplayPort require no adjustment
- Complete interoperability
- Supports 71 Channel High Definition Audio
- No drivers needed; No software required
- Support Windows and Mac host systems
- Warranty : 2 Years Manufacturers Warranty

### 4-PORT DUAL DISPLAY DISPLAYPORT KVM SWITCH WITH AUDIO & HOTKEY CONTROL



4-Port Dual Display DisplayPort KVM Switch with Audio & Hotkey Control.

#### ORDERING INFORMATION:

Product Code: SEDDP04DD

#### Features

- Support Dual display
- Support USB Console
- Support DisplayPort video with the resolution up to 2560 x 1600
- 4 computers share 4 different USB peripherals ( KB + MS + 2 USB Devices)
- Unique Tracking System enable the USB & Audio devices to operate independently
- Front panel push buttons for easy computer selection
- No drivers needed for keyboard and mouse operation
- Support keyboard and mouse plug-n-play
- Buzzer sound for computer switching confirmation
- Activate Auto Scan by front buttons pressing
- Hotkey functions allow easily computer access
- Selectable Scan Time interval
- No software required
- Support Windows and Mac host systems
- Warranty: 2 Years Manufacturers Warranty

### 4-PORT USB / DVI DESKTOP KVM SWITCH WITH AUDIO & USB HUB2.0 - INCLUDES CABLES



KD04UDH2 is a 4-Port DVI USB KVM Switch with audio and microphone switching function. It allows you to access, control, boot and reboot 4 DVI-enabled USB multimedia computers. The independent audio/mic switching function allows an uninterrupted audio experience on a same connected computer even when you switch to another computer.

#### ORDERING INFORMATION:

Product Code: KD04UDH2

#### Features

- 4-port Desktop DVI USB KVM Switch with Audio & Mic and 2 extra USB 2.0 device ports
- True Transparent USB (TTU) Emulation technology with an integrated ASIC
- Full driver support for all types of USB keyboard and mouse
- All time DDC emulation for video compatibility and stability under intensive switching
- TMDS and HDCP specifications complaint
- Audio and Microphone switching for uninterrupted multimedia experience across multiplatforms.
- USB 2.0 specification compliant
- Independent/simultaneous switching of both PC and audio/mic channel
- Multiplatform support for PCs and Macintosh
- User definable hotkeys
- Channel selection by push button and keyboard hotkeys
- LED indicators for easy status monitoring
- DVI Digital video resolution 1920 x 1200 / Analog video resolution 2048 x 1536
- USB interface power with optional DC 5V2A external power adapter
- Low power consumption using ASIC
- Warranty : 2 Years Manufacturers Warranty

### 4-PORT USB / DISPLAYPORT DESKTOP KVM SWITCH WITH AUDIO & USB HUB 2.0 - INCLUDES CABLES



4-Port USB / DisplayPort Desktop KVM Switch With Audio & USB Hub2.0. Includes Cables.

#### ORDERING INFORMATION:


Product Code: KD04UDPH2

#### Features

- Support USB console
- 4 computers share 4 different USB peripherals ( KB + MS + USB 2.0 Devices)
- Support Audio (Speaker + Mic) function
- Supports hot and un-plug detection and link status-failure detection
- Unique Tracking System enable the USB devices to operate independently
- Front panel push buttons for easy computer selection
- Selectable Scan Time interval
- Buzzer sound for computer switching confirmation
- Hotkey functions allow easily computer access
- Supports keyboard and mouse plug-n-play
- Supports existing VESA and Consumer Electronics Association (CEA) standards
- Screw-free design ,streamlined form factor for new all digital desktop monitors
- All digital Direct Drive monitors connected with DisplayPort require no adjustment
- Complete interoperability
- Supports 7.1 Channel High Definition Audio
- No drivers needed; No software required
- Support Windows and Mac host systems
- Warranty : 2 Years Manufacturers Warranty



## 4-PORT USB / DISPLAYPORT DESKTOP KVM SWITCH WITH AUDIO & USB HUB 2.0 - INCLUDES CABLES



### ORDERING INFORMATION:

Product Code: KD04UDPH2V2

4-Port USB / DisplayPort Desktop KVM Switch With Audio & USB Hub 2. (includes cables)

### Product Specification

- Console Port : 1
- Computer Port : 4
- Front Panel Push Button : 5
- Automatic Scan Interval : 3, 8, 15, 30 Seconds
- Cable Length (Max) : 3M (10ft) for USB
- Computer ON-LINE LED : 4
- Computer Selected LED : 4
- Hot Plug-and-Play : Yes
  
- Console Interface :
  - USB Port : 4 (KB+MS+Extra USB 2.0)
  - KB : USB
  - MS : USB
  - Monitor : DisplayPort
  - Audio Jack (Speaker+Mic) : 1 Set
  
- Computer Interface :
  - KB : USB
  - MS : USB
  - Monitor : DisplayPort
  - Audio Jack (Speaker+Mic) : 1 Set
  
- Hotkey : Yes
- OSD : No
- Resolution : 2560 x 1600
- DDC2B : Yes
- H x W x D (mm) : 44 x 220 x 130

### Features

- Support USB console
- 4 computers share 4 different USB peripherals ( KB + MS + USB 2. Devices)
- Support Audio (Speaker + Mic) function
- Supports hot plug and un-plug detection and link status-failure detection
- Unique Tracking System enable the USB devices to operate independently
- Front panel push buttons for easy computer selection
- Selectable Scan Time interval
- Buzzer sound for computer switching confirmation
- Hotkey functions allow easily computer access
- Supports keyboard and mouse plug-n-play
- Supports existing VESA and Consumer Electronics Association (CEA) standards
- Screw-free design ,streamlined form factor for new all digital desktop monitors
- All digital Direct Drive monitors connected with DisplayPort require no adjustment
- Complete interoperability
- Supports 7.1 Channel High Definition Audio
- No drivers needed; No software required
- Support Windows and Mac host systems
- Warranty: 2 Years Manufacturers Warranty



## 2-PORT DUAL-LINK DUAL MONITORS DVI USB KVM SWITCH W/ 7.1 CH. SOUND



2-Port Dual Monitors DVI USB KVM Switch with Audio & Mic is TMDS-compliant and designed specifically for sharing two large-sized DVI monitors/Flat Panel Displays between two multimedia computers with Dual Head display [2 x DVI]. It lets you control two Dual Head PCs using only one keyboard, mouse and Dual DVI monitors/ Flat Panel Displays. The Switch supports both digital video (2560 x 1600) and analog video (2048 x 1536).

### ORDERING INFORMATION:

Product Code: SEDDL702D

### Features

- 2-port Dual-Link Dual Monitors DVI KVM Switch with Audio & Mic
- Support large-sized Dual DVI Monitor/Flat Panel Display [2 x DVI]
- 2 x USB 2.0 hub ports + 1 x USB device port for advanced wireless/Bluetooth keyboard/mouse set
- User-configurable simultaneous/independent switching of audio / hub / PC ports
- DVI-I Dual Link interface technology supports digital and analog video signal transmission
- TMDS specifications compliant
- True Transparent USB (TTU) Emulation technology with an integrated ASIC
- HDCP specifications compliant
- Resolution support up to 2048 x 1536 (analog) / 2560 x 1600 (digital)
- Full driver support for all types of USB keyboard and mouse
- Channel selection by push buttons and keyboard hotkeys
- Support for DOS, Windows 95/98/SE/ME/2000/XP/Vista, Linux, MacOS, etc.
- Status LED display for easy port status monitoring
- Buzzer sound for port switching confirmation
- Metal enclosure for best shielding and protection
- Warranty : 2 Years Manufacturers Warranty

## 4-PORT DUAL MONITORS DVI USB KVM SWITCH W/ 7.1 CH. SOUND



4-Port Dual Monitors DVI USB KVM Switch with 7.1 Ch. Sound is TMDS-compliant and designed specifically for sharing two large-sized DVI monitors/Flat Panel Displays between four multimedia computers with Dual Head display [2 x DVI]. With SEDDL704D, you can fully control two Dual Head PCs using only one keyboard, mouse and Dual DVI monitors/Flat Panel Displays.

### ORDERING INFORMATION:

Product Code: SEDDL704D

### Features

- 4-Port Dual Monitors DVI USB KVM Switch with 7.1 Ch. Sound
- Support large-sized Dual DVI Monitor/Flat Panel Display [2 x DVI]
- 2 x USB 2.0 hub ports + 1 x USB device port for advanced wireless/Bluetooth keyboard/mouse set
- User-configurable simultaneous/independent switching of audio / hub / PC ports
- DVI-I Dual Link interface technology supports digital and analog video signal transmission
- TMDS specifications compliant
- True Transparent USB (TTU) Emulation technology with an integrated ASIC
- Warranty : 2 Years Manufacturers Warranty



## USB VGA KVM CONSOLE EXTENDER - 1280 X 1024 RESOLUTION UPTO 150M DISTANCE



USB KVM Extender consists of a Computer Unit and a Station Unit that enables you to locate a keyboard/monitor/mouse setup up to 150 meters away from a computer or KVM switch using an inexpensive Category 5 UTP (unshielded twisted pair) cable. This provides a convenient way to remotely access a computer located in a secure or not easily accessible environment.

The KVM Extender is designed to enable one computer to be controlled by one or two users. A single console can control two computers locally and remotely. This is the ideal solution for factories, construction sites etc, where computers in protected environments need to be accessed.

With a variety of models to choose from, you can economically increase flexibility and meet your needs for USB-Ready and PS/2 systems. No software or dip switches are required, just plug and play. With one push button, two LED indicators and simple hotkey commands, you can manage this device with ease.

### ORDERING INFORMATION:

Product Code: KE150VULR

### Features

- Supports USB keyboard and USB mouse
- Connects the Computer Unit and Station Unit via Category 5 UTP cable
- Remotely locates the keyboard, mouse and monitor up to 150m from a computer
- Supports USB console
- Supports both PS/2 and USB PC or Server
- Video compensation can be adjusted by hotkey to ensure the optimum signal quality
- Synchronizes the video resolution between the attached computers via hotkeys
- Easy to get and install the standard cable at lower cost
- Simple indication makes operation user-friendly
- Locates the computer away from your desk and work area, saving you valuable space
- Allows two users to share a single computer in both local and remote areas
- Applicable for one console to manage two computers locally and remotely
- Beeps confirmation for key control makes the operation easier and cross-checked
- Supports most of mice such as M/S IntelliMouse (Pro), Explorer, Optical, etc
- Compatible with XGA, VGA, and SVGA system
- Warranty : 2 Years Manufacturers Warranty

## USB DVI KVM CONSOLE EXTENDER WITH AUDIO -1080P UPTO 150M



CAT5 DVI KVM Extender Over LAN w/ Audio & Mic, consists of a Transmitter and Receiver. Extend your computer controls up to 100 meters via a CAT5 cable, including keyboard, monitor, mouse, speaker, microphone, and USB devices.

The KE150DVULR utilizes new IP extender technology that can not only deploy remote console in a more flexible manner, but also display up to 1920 x 1080 @ 60 Hz / Full HD 1080p resolution. It's an ideal solution for exhibition rooms, working floors, security room, locked server room, control center, and various other scenarios. Furthermore, the KE150DVULR support Graphic Mode & Video Mode selection for flexible display requirements. Graphic mode is optimized for still graphic displays; while video mode is best for a dynamically changing video stream.

### ORDERING INFORMATION:

Product Code: KE150DVULR

### Features

- Extends the signal of Keyboard / Video / Mouse by CAT5e/6 cable up to 100 m.
- DVI or VGA Monitor supported (DVI-I) Input
- Dual console operation – Control your system from both of the local and remote consoles of USB Keyboard, Mouse and Monitor
- Supports high resolution up to Full HD 1080p (1920x1080@60Hz) ; DDC, DDC2, DDC2B.
- Audio (MIC and Speaker) enabled
- No software or driver required
- IR remote control supported
- Warranty : 2 Years Manufacturers Warranty

## DUAL DVI KVM EXTENDER, PS/2, USB, WITH AUDIO OVER UTP UP TO 100M



Dual-View KVM Extender consists of a Console Unit and a Computer Unit that is suitable to Remotely locate the keyboard, mouse and monitor up to 100 meters away from a computer via Category5 /5e/ 6 UTP/ STP/ FTP cable with the maximum resolution of 1920 x 1200. Even more, it provides optional functions such as audio.

### ORDERING INFORMATION:

Product Code: EKDD

### Features

- Remotely locate the keyboard, mouse and monitor up to 100 meters away from a computer via Category5 / 5e / 6 UTP/ STP/ FTP cable
- Support the dual-view function which can split your window (browser/ work area...) into two
- IR extension available
- Support surge protection
- Support HID standard keys
- No drivers needed or software required
- Support high resolution of up to 1920 x 1200 (WUXGA), 1920 x 1080 (Full HD)
- Compatible with most of the popular screen resolution to XGA, SXGA, UXGA, WSXGA ...WUXGA system
- Warranty : 2 Years Manufacturers Warranty



## USB HDMI OVER CAT 5E / CAT 6 KVM CONSOLE EXTENDER-1080P UPTO 100M



CAT5 DVI/ HDMI KVM Extender series, consists of a Console Unit and a Computer Unit that is suitable to locate one single set of keyboard, mouse and monitor up to 330 ft (100 meters) away from a computer or KVM switch by using an inexpensive Category 5 / 5e / 6 UTP (unshielded twisted pair) cable with the maximum resolution of 1920 x 1200. Even more, it provides optional functions of audio and serial control. It is a perfect solution for factories or construction areas where you want to secure your computers and valuable data or manage them both in remote and local sites.

### ORDERING INFORMATION:

Product Code: KE100UHD

### Features

- Remotely locate the keyboard, mouse and monitor up to 100 meters away from a computer
- Support high resolution video up to 1920 x 1200 (WUXGA), 1920 x 1080 (Full HD)
- Ability to extend IR control through the CAT5 connection
- Support PS2/USB PC or KVM
- Top panel dual-color LED easy for Power and Link status identification
- Ideal for professional audio/ video applications
- Support the surge protection
- Support the HID standard keys
- No drivers needed or software required
- Compatible with most of the popular screen resolution to XGA, SXGA,UXGA, WSXGA ...WUXGA system
- Single power function supported, only one power adapter is required for entire system
- Warranty : 2 Years Manufacturers Warranty

## DUAL DVI KVM EXTENDER, PS/2, USB, SERIAL, WITH AUDIO OVER UTP UP TO 100M



Dual-View KVM Extender consists of a Console Unit and a Computer Unit that is suitable to Remotely locate the keyboard, mouse and monitor up to 100 meters away from a computer via Category5 /5e/ 6 UTP/ STP/ FTP cable with the maximum resolution of 1920 x 1200. Even more, it provides optional functions of audio and serial control. The exclusive serial features instant data communication or Touch Screen function. It supports H/W and S/W (Xon / Xoff) Handshake (selectable) with the serial speed up to 115.2Kbps/ 921.6Kbps (max.).

### ORDERING INFORMATION:

Product Code: EKDD-S

### Features

- Remotely locate the keyboard, mouse and monitor up to 100 meters away from a computer via Category5 / 5e / 6 UTP/ STP/ FTP cable
- Support the dual-view function which can split your window (browser/ work area...) into two
- IR extension available
- Support surge protection
- Support HID standard keys
- No drivers needed or software required
- Support high resolution of up to 1920 x 1200 (WUXGA), 1920 x 1080 (Full HD)
- Compatible with most of the popular screen resolution to XGA, SXGA, UXGA, WSXGA ...WUXGA system
- Warranty : 2 Years Manufacturers Warranty

## USB CAT5E/CAT6 DONGLE VGA/USB - SUITABLE ONLY WITH SERVEREDGE KVM



Proprietary cables connecting your computers to your KVM LCD Drawer determine the quality of communication between the CPUs and the Drawer. Our custom-made cables are designed to provide the highest signal capacity with the lowest signal loss. This important technology produces the highest quality video output - even after long distance transmission or in the most electronically noisy environments such as server cabinets. Serveredge premium custom-made KVM cables guarantee optimum signal integrity for high-grade server needs. The keyboard and mouse cables are made of double-sealed 22-gauge wire and are neatly wrapped with a heavy-duty video cable for simplified connections.

### ORDERING INFORMATION:

Product Code: SED-USB-C6

### Features

- USB CAT5e/CAT6 Dongle VGA/USB - Suitable only with Serveredge KVM
- Warranty : 2 Years Manufacturers Warranty

## PS2 CAT5E/CAT6 DONGLE FOR LCD KVM RACK DRAWER- VGA/ PS2



Proprietary cables connecting your computers to your KVM LCD Drawer determine the quality of communication between the CPUs and the Drawer. Our custom-made cables are designed to provide the highest signal capacity with the lowest signal loss. This important technology produces the highest quality video output - even after long distance transmission or in the most electronically noisy environments such as server cabinets. Serveredge premium custom-made KVM cables guarantee optimum signal integrity for high-grade server needs. The keyboard and mouse cables are made of double-sealed 22-gauge wire and are neatly wrapped with a heavy-duty video cable for simplified connections.

### ORDERING INFORMATION:

Product Code: SED-PS2-C6

### Features

- USB CAT5e/CAT6 Dongle VGA/PS2 - Suitable only with Serveredge KVM
- Warranty : 2 Years Manufacturers Warranty



## 1.8M 3-IN-1 KVM CABLE - PS2,USB & VGA - SUITABLE FOR SERVEREDGE LCD KVM CONSOLE DRAWERS



Proprietary cables connecting your computers to your KVM LCD Drawer determine the quality of communication between the CPUs and the Drawer. Our custom-made cables are designed to provide the highest signal capacity with the lowest signal loss. This important technology produces the highest quality video output - even after long distance transmission or in the most electronically noisy environments such as server cabinets. Serveredge premium custom-made KVM cables guarantee optimum signal integrity for high-grade server needs. The keyboard and mouse cables are made of double-sealed 22-gauge wire and are neatly wrapped with a heavy-duty video cable for simplified connections.

### ORDERING INFORMATION:

Product Code: SED-LVPU-1.8

### Features

- 1.8m 3-in-1 KVM Cable
- PS2, USB & VGA - Suitable for Serveredge LCD KVM Console Drawers
- \* Warranty : 2 Years Manufacturers Warranty

## 3M 3-IN-1 KVM CABLE - PS2,USB & VGA - SUITABLE FOR SERVEREDGE LCD KVM CONSOLE DRAWERS



Proprietary cables connecting your computers to your KVM LCD Drawer determine the quality of communication between the CPUs and the Drawer. Our custom-made cables are designed to provide the highest signal capacity with the lowest signal loss. This important technology produces the highest quality video output - even after long distance transmission or in the most electronically noisy environments such as server cabinets. Serveredge premium custom-made KVM cables guarantee optimum signal integrity for high-grade server needs. The keyboard and mouse cables are made of double-sealed 22-gauge wire and are neatly wrapped with a heavy-duty video cable for simplified connections.

### ORDERING INFORMATION:

Product Code: SED-LVPU-03

### Features

- 3m 3-in-1 KVM Cable
- PS2, USB & VGA - Suitable for Serveredge LCD KVM Console Drawers
- \* Warranty : 2 Years Manufacturers Warranty

## 1.2M 3-IN-1 KVM PROPRIETARY CABLE-DB37 TO PS2,USB, VGA



Proprietary cables connecting your computers to your KVM LCD Drawer determine the quality of communication between the CPUs and the Drawer. Our custom-made cables are designed to provide the highest signal capacity with the lowest signal loss. This important technology produces the highest quality video output - even after long distance transmission or in the most electronically noisy environments such as server cabinets. Serveredge premium custom-made KVM cables guarantee optimum signal integrity for high-grade server needs. The keyboard and mouse cables are made of double-sealed 22-gauge wire and are neatly wrapped with a heavy-duty video cable for simplified connections.

### ORDERING INFORMATION:

Product Code: SED-ULSV01

### Features

- 1.8m 3-in-1 KVM Cable
- PS2, USB & VGA - Suitable for Serveredge SED-KLVGA-0119V2 LCD KVM Console Drawer
- \* Warranty : 2 Years Manufacturers Warranty

## KVM OVER IP MODULE FOR BIOS LEVEL ACCESS - COMPATIBLE WITH ALL SERVEREDGE LCD KVM



KVM Over IP Module for BIOS Level Access - Compatible with all Serveredge LCD KVM

### ORDERING INFORMATION:

Product Code: SED-LIPV2

### Features

- Our products adopt KVM over IP technology and make full use of existing Ethernet network to replace dependence of special cables and signal systems.
- Based on IP connection eliminates the distance analog KVM system and other restrictions, And therefore achieve flexible centralized management.
- BIOS level connection is no limited by operating system, and applicable to various server, PC system and operating system.
- Support remote key combination to send.
- 10M, 100M, 1000M network transmission.
- Remote resolution can reach to 1920x1080@60HZ. Support screen zoom function with arbitrary proportion.
- Base on WEB UI, convenient for customer to access under different operation system.
- Support remote online update.
- \* Warranty : 2 Years Manufacturers Warranty