



EVOLUTION SERIES

Matching beauty with function and ease,
this economical 1/2 HP Fountain is the perfect solution for small water bodies.

FEATURES & BENEFITS

- Simple Plug & Play Operation
- Low operating costs
- Aerates up to 1/2 acre ponds
- Operates in 20" of water or more
- Available for Floating or Stationary applications
- Patented Design
- Reliable, no maintenance motor
- Ships in one box
- Optional cable lengths & quick disconnects
- 2-year Manufacturer's Warranty



WHAT COMES IN THE BOX?

- 1/2 HP, Single Phase Fountain (floating or stationary)
- 50', 100' or 175' cord, or quick disconnect motor lead
- 100' Mooring Rope & 2 Mooring Stakes
- Controller (60Hz Applications Only)
- Tornado & Torrent Spray Patterns



CONTROLLER INFORMATION

(60Hz Applications Only)

- CSA Listed
- 120V
- NEMA 3R Rainproof Enclosure
- Simple Plug & Play Operation
- Class A Human Rated GFCI
- 24 Hour Timer for motor & lights
- Photo Cell for optional lighting
- A 20 Amp Circuit Breaker is required on the power supply for proper operation & protection

UNIQUE LIGHTING OPTIONS

- 3W or 9W Brilliant LED Lights
- 9W RGB Lighting
- 4 lights per set
- 50', 100' or 175' light cord, or quick disconnect option for custom lengths
- Simple tool free, clip on attachment (floating)
- Available colors: Cool White (standard), Red, Blue, Green, Amber, Warm White





TORNADO

60Hz:
6' HT. x 15' DIA.

50Hz:
1,5m HT. x 3,7m DIA.

ARUM

60Hz:
6' HT. x 21' DIA.

50Hz:
1,4m HT. x 5,2m DIA.



CLUSTER ARCH

60Hz:
6' HT. x 16' DIA.

50Hz:
1,25m HT. x 2,7m DIA.



FLEUR DE LIS

60Hz:
7' HT. x 18' DIA.

50Hz:
1,5m HT. x 3m DIA.



SPIDER & ARCH

60Hz:
5.5' HT. x 18' DIA.

50Hz:
1,2m HT. x 4m DIA.



TIARA

60Hz:
7' HT. x 15' DIA.

50Hz:
1,5m HT. x 3,7m DIA.





Evolution



TORRENT

60Hz:
1' HT. x 3' DIA.

50Hz:
0,3m HT. x 0,7m DIA.

METRO

60Hz:
6' HT. x 8' DIA.

50Hz:
1,3m HT. x 1,8m DIA.

