Safety Data Sheet (SDS) NANOSKIN ADDITIVE Windshield Fluid/Glass Cleaner Additive



1. PRODUCT AND COMPANY IDENTIFICATION

1 1	Due du et identifiere				
1.1	Product identifiers				
	Product name	:	NANOSKIN ADDITIVE		
	Product identifier	:	NA-ADD		
	Product Family	:	AQUEOUS MIXTURE		
1.2	2 Relevant identified uses of the substance or mixture and uses advised against				
	Identified Uses	:	Glass cleaning		
1.3	3 Details of the supplier of the safety data sheet				
	Company	:	NANOSKIN Car Care Products		
			Total Import Solutions, Inc.		
			14700 Radburn Ave.		
			Santa Fe Springs, CA 90670		
	Telephone	:	<u>562-691-6818</u>		
	Fax	:	<u>562-483-8333</u>		
1.4	4 Emergency telephone number				
	Emergency phone #	:	PERS NORTH AMERICA 1-800-633-8253 INTERNATIONAL 1-801-629-0667		

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910(OSHA HCS)

Precautionary Statements Prevention: P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

Response:

P363: Wash contaminated clothing before reuse. Storage: None

2.2 GHS Label elements, including precautionary statements

Pictogram

None

Component	CAS number	Warnings	Concentration
WATER	7732-18-5		70-80%
2-PROPANOL	67-63-0		<1%
Proprietary non harmful			<5%
3-Chloropropyltrimethoxy	2530-87-2		<5%
silane			

4. FIRST AID MEASURES

First aid procedures

After inhalation:

Get victim to fresh air. Give artificial respiration or oxygen if breathing has stopped. Get prompt medical attention. Do not give fluids if victim is unconscious. If victim is consious, rinse mouth with water and contact emergency number listed in section 1.4.

After contact with skin:

Immediately wash skin with soap and water. May cause irritation. Seek medical attention if irritation or allergic reaction occurs.

After contact with eyes:

Immediately flush eyes with running water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek prompt medical attention if redness or irritation occurs. Avoid agitation. Remove contact lenses if able.

After ingestion:

Rinse mouth with water, contact poison control center or emergency number listed in section 1.4. Never give anything by mouth to an unconscious person.

Advice to doctor / Treatment:

None known.

5. FIRE FIGHTING MEASURES

FIRE HAZARDFire hazard : No direct fire hazard.INDIRECT FIRE HAZARDNone knownEXPLOSION HAZARDNone knownREACTIVITYNon knownFIREFIGHTING INSTRUCTIONS

Non-reactive. Not flammable.

PROTECTION DURING FIREFIGHTING

Heat/fire exposure: compressed air/oxygen apparatus.

6. ACCIDENTAL RELEASE MEASURES

amed 1/10/2016					
PROTECTIVE EQUIPME	ENT Gloves. Protective goggles. Protective clothing. Large spills/in enclosed spaces:				
	compressed air apparatus.				
EMERGENCY PROCEDU	MERGENCY PROCEDURES Keep upwind. Mark the danger area. Consider evacuation. Seal off low-lying				
	areas. Close doors and windows of adjacent premises.				
FOR EMERGENCY RESP	PONDERS				
PROTECTIVE EQUIPME	ENT Equip cleanup crew with proper protection.				
EMERGENCY PROCEDU					
	NAL PROTECTIVE EQUIPMENT AND EXPOSURE CONTROLS				
7. HANDLING AND STOR	AGE				
HANDLING	Comply with the legal requirements. Remove contaminated clothing				
	immediately. Clean contaminated clothing. Handle uncleaned empty				
contai	ners as full ones. Thoroughly clean/dry the installation before use. Do				
	the waste into the drain.				
STORAGE	Store with caution. Do not store in temperatures above 80F. Bottle/container				
	may swell and or fumes accumulate. Store in adequate ventilation.				
HYGEINE	Do not eat, drink or smoke when using this product. Wash contaminated				
	clothing before reuse. Wash hands and other exposed areas with mild soap and				
	water before eating, drinking or smoking and when leaving work.				
8. EXPOSURE CONTROLS	/PERSONAL PROTECTION				
Exposure Guideline Comm					
-					
COMPONENT	CAS NUMBER VALUE CONTROL PARAMETERS BASIS				
2-Propanol Values (TLV)	67-63-0 TWA 200.000000 ppm USA. ACGIH Threshold Limit				
COMPONENT 2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective clu	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective clo Hand protection	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective clo Hand protection Eye protection Skin and body protection	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective clo Hand protection Eye protection Skin and body protection Respiratory protection	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective clo Hand protection Eye protection Skin and body protection Respiratory protection	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective clo Hand protection Eye protection Skin and body protection Respiratory protection Other information	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Respiratory protection Other information 9. PHYSICAL AND CHEMIC	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Respiratory protection Other information 9. PHYSICAL AND CHEMIC Physical State	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate clothing. Do not eat, drink or smoke during use.				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cla Hand protection Eye protection Skin and body protection Respiratory protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROPERTIES liquid transparent				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROPERTIES liquid transparent Not applicable				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROPERTIES Ilquid transparent Not applicable Mild				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold Molecular Formula	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROPERTIES Iliquid transparent Not applicable Mild No Available Data				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold Molecular Formula Molecular Weight	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROPERTIES Ilquid transparent Not applicable Mild No Available Data Mixture				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cla Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold Molecular Formula Molecular Weight Boiling Point	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROPERTIES CAL PROPERTIES Ilquid transparent Not applicable Mild No Available Data Mixture Mixture 100 °C				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold Molecular Formula Molecular Weight Boiling Point Decomposition Temperatu	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROPERTIES Iiquid transparent Not applicable Mild No Available Data Mixture Mixture 100 °C				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Respiratory protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold Molecular Formula Molecular Weight Boiling Point Decomposition Temperatu Melting point	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROVERTIES Iliquid transparent Not applicable Mild No Available Data Mixture Mixture 100 °C ure No Available Data No Available Data No Available Data No Available Data				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold Molecular Formula Molecular Weight Boiling Point Decomposition Temperatu Melting point Freezing Point	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROVERTIES Iliquid transparent Not applicable Mild No Available Data Mixture 100 °C ure No Available Data				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold Molecular Formula Molecular Formula Molecular Weight Boiling Point Decomposition Temperatu Melting point Freezing Point Relative Density	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROFERTIES Iiquid transparent Not applicable Mild No Available Data Mixture 100 °C ure No Available Data No Available Data				
2-Propanol Values (TLV) ENGINEERING CONTROLS Materials for protective cle Hand protection Eye protection Skin and body protection Other information 9. PHYSICAL AND CHEMIC Physical State Appearance Particle Size Odor Odor Threshold Molecular Formula Molecular Weight Boiling Point Decomposition Temperatu Melting point Freezing Point	67-63-0 TWA 200.00000 ppm USA. ACGIH Threshold Limit Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. othing : Gloves advised. Please use gloves resistant to silicones. Please use gloves with the above materials recommendation. Protective goggles. Adequate clothing. Adequate ventilation. Do not eat, drink or smoke during use. CAL PROVERTIES Iliquid transparent Not applicable Mild No Available Data Mixture 100 °C ure No Available Data				

Modified 1/10/2016

dified 1/10/2016	
Flash point	No available Data
10. STABILITY AND REACTIVITY	
Chemical Stability	Stable under normal conditions.
Conditions to Avoid Hazardous Decomposition	Avoid extreme temperatures.
Products Possibility of Hazardous	Carbon Oxides, silicon oxides
Reactions	Do not bring into contact with oxidizers.
11. TOXICOLOGICAL INFORMATIC	DN
ACUTE TOXICITY	
2-PROPANOL (inclu depressed act	LD50 Oral - Rat - 5,045 mg/kg Remarks: Behavioral:Altered sleep time ding change in righting reflex). Behavioral:Somnolence (general ivity)
3-Chloropropyltrimethoxysil	•••
12. ECOLOGICAL TOXICITY	
ΤΟΧΙCITY	
3-Chloropropyltrimethoxysilan	e Toxicity to fish semi-static test LC50 - Brachydanio rerio (zebrafish) - > 100 mg
	96 h (Directive 67/548/EEC, Annex V, C.1.) Toxicity to daphnia and other aquat invertebrates static test EC50 - Daphnia magna (Water flea) - 869 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 833 mg/l - 72 h (Directive 67/548/EEC, Annex V, C.3.)
13. DISPOSAL CONSIDERATIONS	invertebrates static test EC50 - Daphnia magna (Water flea) - 869 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 833 mg/l - 72 h (Directive 67/548/EEC, Annex V, C.3.)
13. DISPOSAL CONSIDERATIONS PRODUCT drain	 invertebrates static test EC50 - Daphnia magna (Water flea) - 869 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 833 mg/l - 72 h (Directive 67/548/EEC, Annex V, C.3.) Dispose of in accordance to local EPA guidelines. Do not dispose of into
PRODUCT	 invertebrates static test EC50 - Daphnia magna (Water flea) - 869 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 833 mg/l - 72 h (Directive 67/548/EEC, Annex V, C.3.) Dispose of in accordance to local EPA guidelines. Do not dispose of into
PRODUCT drain	 invertebrates static test EC50 - Daphnia magna (Water flea) - 869 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 833 mg/l - 72 h (Directive 67/548/EEC, Annex V, C.3.) Dispose of in accordance to local EPA guidelines. Do not dispose of into s.

Shipping InformationNOT UN RATEDSpecial Shipping InformationNot applicable.HMISHEALTH1FLAMMABILITY0REACTIVITY0

15. REGULATORY INFORMATION

United States

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. Modified 1/10/2016 SARA 311/312 Hazards Chronic Health Hazard Massachusetts Right To Know Components 3-Chloropropyltrimethoxysilane CAS-No. 2530-87-2 Revision Date 2-Propanol CAS-No. 67-63-0 Revision Date 1987-01-01 Pennsylvania Right To Know Components 3-Chloropropyltrimethoxysilane CAS-No. 2530-87-2 Revision Date 2-Propanol CAS-No. 67-63-0 Revision Date 1987-01-01 New Jersey Right To Know Components 3-Chloropropyltrimethoxysilane CAS-No. 2530-87-2 Revision Date 2-Propanol CAS-No. 67-63-0 Revision Date 1987-01-01

California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

knowledge and ty for any loss, e, so far as is nation to be tomers whom wn that it is the revision is passed d only as e. It is not a hemicals should nvironment. trough the sales
tentwrei i ehn