



LED BATHROOM MIRROR


INSTALLATION INSTRUCTIONS

SKU# LCNM002

IMPORTANT SAFETY INSTRUCTIONS

When using an electrical furnishing, basic precautions should always be followed, Requires two(2) person in installation.


TOOLS REQUIRED FOR ASSEMBLY




Electrical Drill



Drill Bit




Pencil



Philips
Screwdriver




Tape Measure




Level

PARTS INCLUDED



Mirror



Specifications

Finish (Color): Silver
Product Type: LED Mirror
Dimmable: Yes
LED Type: 12V LED 2835 Strip
Wire Included: Yes
Color Temperature: 6000K
CRI: 80+
Lumens: 672Lm
Watt: 42.56W
Watts: 7.68W+34.88W
Fixture Material: Aluminum
Product Shape: Rectangle
Assembly Required: No
Mirror Frame Shape: Rectangle
Mirror Hanging Orientation: Horizontal or Vertical
Mirror Mounting: 4 precut holes
5 precut holes
Defogger: Yes
Average Life (Hours): 20000+
Frameless: Yes


HARDWARE INCLUDED (not shown actual size)



PART (0F) SCREW



PART (02) WALL PLUG



PART (0H) HANGING BAR

NOTE: Determine overall mirror dimensions before proceeding to installation.

*All dimensions & specifications are approximate and subject to change without notice.

*Accessories and parts may vary from the picture above. Depends on the product model and size.

LED BATHROOM MIRROR

INSTALLATION INSTRUCTIONS

ELECTRIC CONNECTIONS

ALL WIRING SHOULD BE DONE BY A QUALIFIED LICENCED ELECTRICIAN



WARNING: Shut off power before wiring the mirror




WARNING: An Electrical option mirror must be wired to a 20 Amp GFI (Ground Fault Interrupter) protected circuit when used in bathrooms and all other locations required by the National Electric Code.



WARNING: This mirror must be connected to a grounded, metal permanent wiring system or an equipment-grounding conductor must be run with the circuit conductors and connected to the equipment grounding terminal or lead on the mirror.




CAUTION: Requires 120 VAC 20 Amp GFI protected circuit.



Electric wiring: Be sure to provide enough wire to make the proper and safe connection to the Field/Power.

Make connections

Neutral to white
Live to black



*Wire terminal plate is not included.

*Strip wires to a suitable length size.


*DO NOT connect to a plug & socket outlet.

INSTALLATION INSTRUCTIONS

1

PLACEMENT

Select the desired position of the mirror.
Level and mark the location.




2

SUPPORT LOCATION

Measure the hanging bar holes and mark the drilling locations ensure marking are leveled.

A



B




3


INSTALL SCREWS

Using a drill, make holes on solid wall, and fill with supplied plugs and screws into hanging bar holes tightly.

A



B




4

POWER OFF

Please turn off all the power before the mirror wires connection.

Power off




INSTALLATION INSTRUCTIONS

5

CONNECTION


Connect the mirror wire to main power supply .



6

Turn on the power


Hang up the mirror stable then turn on the power.



WARNINGS

● USE


1



1. To avoid damage, do NOT knock the mirror with any hard objects;

● CLEANING


2



2. Do NOT clean the mirror with caustic cleaner. Do NOT wipe the mirror with Bristle brush;

● MAINTENANCE

3



3. For daily maintenance, please use soft cloth and mild cleaner to clean the mirror.



We certify that our products will meet your needs with their style, but also with their manufacturing quality. To make sure that they are reliable and safe, each product was carefully inspected, tested and approved during the quality control process that is in place.

To whom does this warranty apply?

A **1-year limited warranty** from the date of purchase, exclusive to the first buyer as long as he/she resides in the same property. The warranty is intended for residential and/or domestic use.

Care instructions

Clean the product with water and a mild detergent. Abrasive or corrosive cleaners, steel wool, acetone, dry cleaning products or ammonia compounds must never be used to clean the product. If a shower mat is used, it must be removed right after each use.

Should there be any manufacturing defects that are not covered by the warranty, the product will need to be inspected prior to following through with the claim. Without that verification, the brand will assume no charge and/or responsibility.

What are the exclusions?

The warranty doesn't apply if the product is damaged as a result of misuse, overuse or non-residential use, neglect, lack of maintenance, or the use of corrosive or abrasive products, regardless of the person who did those damages. The warranty does not cover shipping and labor costs. The warranty does not apply to the normal tear and wear of the goods.

The warranty doesn't cover the damages caused by the acts of God or breakage resulting from a shock or mishandling, regardless of the part played by the buyer or the installer. It also excludes the damages caused by an improper installation.

Dreamwerks doesn't cover damages caused by a water leak, even if they result directly or indirectly from a product defect, except where the applicable legislation does not allow any exclusion or limitation following indirect or consequential damages.

It is fair to say that if the product has a manufacturing defect, it will show as soon as it is installed or shortly after. Therefore, it is strongly advised to have it done by a professional.

All warranty claims must include the invoice copy.

Should a part or product component be defective or the finish damaged following a normal domestic and residential use, Dreamwerks commits to replacing the defective part(s) to the first buyer only. Dreamwerks could also, in its sole discretion, commit to offer a full replacement. No indemnity shall be claimed for loss of enjoyment of life, loss of income or losses caused by water.

