



On-Point Volleyball Setter Target

Terms:

- X3 3.5" bolt
- X2 3.2" bolt
- X5 Nuts
- X16 Velcro
- x1 20" hoop
- X1 30" hoop
- X1 Tempo Target Head
- X3 Latch Pins
- X2 Net
- X1 Base
- X1 Vertical (Silver Inner Pole & Yellow Outer Pole)
- X1 Angle Wheel

Manual & Assembly Instructions:

Tools needed: Adjustable wrench

1. Insert silver inner pre-drilled pole into yellow outer pole
2. Vertically place assembled pole on the base
3. Line up outermost pre-drilled hole of the base with outermost pre-drilled hole of the yellow pole
4. Secure position by screwing (3) 3.5" bolts and (3) nuts through the base and poles.
5. Attach angle wheel by lining up silver inner pole with outermost head of the angle wheel.
6. Fasten with (2) 3.2" bolts and (2) nuts.
7. Insert the neck of the angle wheel into the target head of your choice and line up the pre-drilled holes with a latch pin
8. Set desired angle with a latch pin
9. Attach the net to the rim of the hoop by using 8 Velcro straps
10. Correct positioning for the metal reinforcement plate on 20" and 30" targets should *always* be face down on the rim.
11. Fold excess net slack of the 20" hoop using Velcro

Need Caution Clause: Do not use this apparatus besides its intended purpose.

Please use in controlled environment

Do not exceed 25lbs and hoop reinforcement plate

Read terms before using