# The Finest Professional Car Care Products Made

# **Blue Ice Concentrate**



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Identification

Product form : Mixture

Product name : Blue Ice Concentrate

Product code : GT67402,08

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Deodorizing and Air Freshening

1.3. Details of the supplier of the safety data sheet

Gliptone Manufacturing Inc. 1740 Julia Goldbach Avenue

Ronkonkoma, NY 11779 - United States of America

T 1-631-285-7250 - F 1-631-589-5487

www.gliptone.com

1.4. Emergency telephone number

Emergency number : 1-800-424-9300 International: 1-703-527-3887

#### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **Classification (GHS-US)**

Skin Irrit. 2 H315 - Causes skin irritation

Skin Sens. 1 H317 - May cause an allergic skin reaction

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

Precautionary statements (GHS-US) : P261 - Avoid breathing dust/vapors

P264 - Wash hands, forearms and face thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - If on skin: Wash with plenty of water/soap

P321 - Specific treatment (see ... on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/container to an authorized waste collection point

#### 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

06/01/2020 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
2-methyl-2,4-pentanediol	(CAS No) 107-41-5	10 - 20	Flam. Liq. 4, H227 Skin Irrit. 2, H315
benzyl benzoate	(CAS No) 120-51-4	0.25 - 14	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	(CAS No) 4719-04-4	1.2 - 1.9	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317

Full text of H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

: Obtain medical attention. First-aid measures general

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial

respiration. Obtain medical attention.

First-aid measures after skin contact Remove/Take off immediately all contaminated clothing. Wash skin thoroughly with mild soap

and water. Call a physician immediately. Wash clothing before re-using

: Rinse thoroughly with plenty of water for at least 20 minutes and take medical advice. First-aid measures after eye contact First-aid measures after ingestion

: Do NOT induce vomiting. Obtain medical attention. Never give anything by mouth to an

unconscious person.

#### Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.

#### Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable. Explosion hazard : Product is not explosive.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### Advice for firefighters

Firefighting instructions : Move containers away from the fire area if this can be done without risk. Cool down the

containers/equipment exposed to heat with a water spray. Ensure that there is no direct contact

between the water and the product.

Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

Other information Combustion produces irritating gases. Carbon oxides (CO, CO2).

#### **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

General measures : Keep public away.

#### For non-emergency personnel 6.1.1.

Protective equipment : Use chemically protective clothing.

: Ventilate spillage area. NO open flames, NO sparks, and NO smoking. **Emergency procedures** 

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8 Exposure controls/personal protection" ".

#### **Environmental precautions**

Avoid release to the environment. Do not allow to enter drains or water courses.

#### Methods and material for containment and cleaning up 6.3

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

06/01/2020 EN (English US) 2/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.4. Reference to other sections

For further information refer to section 8: Exposure-controls/personal protection"".

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid inhalation of vapors. Avoid contact with skin,

eyes and clothing. Keep container closed when not in use. Keep away from ignition sources.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Wash clothing before re-using.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep away from heat and direct sunlight.

Incompatible products : oxidant materials.

Storage area : Store away from heat. Store in dry, well-ventilated area.

Special rules on packaging : Always keep in containers made of the same material as the supply container.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

2-methyl-2,4-pentanediol (107-41-5)		
ACGIH	ACGIH Ceiling (ppm)	25 ppm (Hexylene glycol; USA; Momentary value; TLV
		- Adopted Value)

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Impermeable protective gloves. Wear long sleeves. Use protective clothing.

Eye protection : Chemical goggles or safety glasses.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

Other information : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Dark Blue
Odor : Cologne

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available : No data available

Flash point : 98 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available

Relative density : 1.03

Relative vapor density at 20 °C : No data available

Solubility : In water, material is partially soluble.

Log Pow : No data available
Auto-ignition temperature : No data available

06/01/2020 EN (English US) 3/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

9.2. Other information

VOC content : 0 %

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions. Peroxides may be formed on prolonged contact with air.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Keep away from: strong acids, strong bases and oxidation agents.

#### 10.6. Hazardous decomposition products

Aldehydes. Peroxides may be formed on prolonged contact with air.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Likely routes of exposure : Skin contact.; Eyes contact.; Inhalation; Ingestion.

Acute toxicity : Not classified

2-methyl-2,4-pentanediol (107-41-5)		
LD50 oral rat	3700 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Experimental value; > 2000 mg/kg bodyweight; Rat)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LD50 dermal rabbit	> 8000 mg/kg (Rabbit)	
ATE US (oral)	3700.000 mg/kg body weight	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-	triyl)triethanol (4719-04-4)	
LD50 oral rat	763 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LC50 inhalation rat (mg/l)	0.371 mg/l/4h (Rat; Experimental value)	
ATE US (oral)	763.000 mg/kg body weight	
ATE US (vapors)	0.371 mg/l/4h	
ATE US (dust, mist)	0.371 mg/l/4h	
benzyl benzoate (120-51-4)		
LD50 oral rat	1870 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; >2000 mg/kg	

benzyi benzoate (120-51-4)	
LD50 oral rat	1870 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; >2000 mg/kg bodyweight; Rat)
LD50 dermal rat	4400 mg/kg (Rat)
LD50 dermal rabbit	4000 mg/kg (Rabbit; Experimental value; Modification of Draize 1959 method; >2; Rabbit)
ATE US (oral)	1870.000 mg/kg body weight
ATE US (dermal)	4000.000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

06/01/2020 EN (English US) 4/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Do not discharge into drains or the environment. Do not discharge into surface water.

2-methyl-2,4-pentanediol (107-41-5)		
EC50 Daphnia 1	5410 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
LC50 fish 2	9450 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Flowthrough system; Fresh water; Experimental value)	
Threshold limit algae 1	> 429 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,	5-triyl)triethanol (4719-04-4)	
LC50 fish 1	16.07 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio; Static system; Fresh water; Experimental value)	
EC50 Daphnia 1	11.9 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
EC50 Daphnia 2	8.75 mg/l (EC0; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna;	

EC50 Daphnia 1	11.9 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
EC50 Daphnia 2	8.75 mg/l (EC0; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	6.66 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)
Throobald limit algon 0	1.56 mg// (NOTC) OFCD 201. Also Crouth Inhibition Tests 72 h. Desmadesmus submissions

Threshold limit algae 2

1.56 mg/l (NOEC; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)

## 12.2. Persistence and degradability

2-methyl-2,4-pentanediol (107-41-5)		
Persistence and degradability	Readily biodegradable in water. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.02 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.20 g O <sub>2</sub> /g substance	
ThOD	2.3 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.01	
2.21.211_(hevahydro_1.3.5_triazino_1.3.5_triyl)triethanol (4710_04_4)		

#### 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)

Persistence and degradability Readily biodegradable in water.

benzyl benzoate (120-51-4)

Persistence and degradability

Readily biodegradable in water. Low potential for mobility in soil.

## 12.3. Bioaccumulative potential

2-methyl-2,4-pentanediol (107-41-5)		
Log Pow	0.58 (QSAR)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)		
Log Pow	-4.67 (Calculated)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
benzyl benzoate (120-51-4)		
BCF fish 1	2286 (BCF; BCFBAF v3.00; Pisces)	
Log Pow	3.88 - 4	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

#### 12.4. Mobility in soil

06/01/2020 EN (English US) 5/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-methyl-2,4-pentanediol (107-41-5)			
Surface tension	0.033 N/m		
Log Koc	Koc,Other; 1; Calculated value		
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)			
Log Koc	log Koc,PCKOCWIN v1.66; 1; Calculated value; Koc; PCKOCWIN v1.66; 10; Calculated value		
benzyl benzoate (120-51-4)			
Surface tension	0.027 N/m (210 °C)		
Log Koc	log Koc,OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC); 3,8; Experimental value		

#### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

#### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Not regulated as dangerous goods or hazardous material.

#### TDG

Not regulated as dangerous goods or hazardous material.

#### Transport by sea

Not regulated as dangerous goods or hazardous material.

#### Air transport

Not regulated as dangerous goods or hazardous material.

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

benzyl benzoate	CAS No 120-51-4	0.25 - 14%
-----------------	-----------------	------------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

# 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4) EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

#### 15.2. International regulations

#### CANADA

Benzyl benzoate (120-51-4)	
Listed on the Canadian DSL (Domestic Substances L	.ist)
WHMIS Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

## Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched(127087-87-0)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

Dannel hannante (400 E4 4)

Benzyi benzoale (120-31-4)		
06/01/2020	EN (English US)	6/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched(127087-87-0)

Listed on the EU NLP (No Longer Polymers) inventory

#### **National regulations**

#### Benzyl benzoate (120-51-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

#### Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched(127087-87-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List) Listed

on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on CICR (Turkish Inventory and Control of Chemicals)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### 2-methyl-2,4-pentanediol (107-41-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### **SECTION 16: Other information**

#### Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



06/01/2020 EN (English US) 7/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : B

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

06/01/2020 EN (English US) 8/8