

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identification

Product form : Mixture

Product name : DESOLVE LAUNDRY DETERGENT

Product code : GT42601,05,55

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Liquid Laundry Detergent

Details of the supplier of the safety data sheet

Gliptone Manufacturing Inc. 1740 Julia Goldbach Avenue

Ronkonkoma, NY 11779 - United States of America

T 1-631-285-7250 - F 1-631-589-5487

www.gliptone.com

Emergency telephone number

Emergency number : 1-800-424-9300 International: 1-703-527-3887

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Classification (GHS-US)

H315 - Causes skin irritation Skin Irrit. 2

H317 - May cause an allergic skin reaction Skin Sens. 1

Full text of H-phrases: see section 16

2.2. **Label elements**

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

Precautionary statements (GHS-US) P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash ... thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - If on skin: Wash with plenty of water/...

P321 - Specific treatment (see ... on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse P501 - Dispose of contents/container to ...

Other hazards

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

3.2. **Mixture**

06/01/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
(+)-limonene	(CAS No) 5989-27-5	5 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Non-Ionic Surfactant Mixture*	(CAS No) Trade Secret	5 - 20	Acute Tox. 4 (Oral), H302
butyl glycolether	(CAS No) 111-76-2	0.5 - 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if

irritation persists.

First-aid measures after skin contact : Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated

clothes. Obtain medical attention if irritation persists. Wash clothing before re-using.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eyes

thoroughly with water for at least 15 minutes. Obtain medical attention.

First-aid measures after ingestion : Do NOT induce vomiting. Drink two glasses of water. Obtain medical attention. Never give

anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Can occur: skin irritation. Symptoms/injuries after eye contact : May cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

Explosion hazard : Under fire conditions closed containers may rupture or explode.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing. Move containers away from the fire area if this can be

done without risk. Apply water spray or fog to cool nearby equipment.

Other information : Hazardous combustion products. On combustion, forms: carbon oxides (CO and CO2).

Hydrogen sulfide. nitrogen oxides (NOx) and sulphur oxides. Combustion produces irritating

gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep public away.

6.1.1. For non-emergency personnel

Protective equipment : Use chemically protective clothing.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8 Exposure controls/personal protection" ".

06/01/2020 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental precautions

Avoid release to the environment. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods and material for containment and cleaning up

For containment : Eliminate ignition sources. Ventilate well. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into inert absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 8: Exposure-controls/personal protection"".

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed : Harmful liquid.

Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe Precautions for safe handling

dust/fume/gas/mist/vapors/spray. Wear personal protective equipment. Keep away from heat.

Keep away from oxidizing agents. Keep container closed when not in use.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product,

Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities

: Store locked up. Store in a well-ventilated place. Keep cool. No smoking. Storage conditions Special rules on packaging Always keep in containers made of the same material as the supply container.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

butyl glycolether (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm (2-Butoxyethanol (EGBE); USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)

Exposure controls

: Ensure good ventilation of the work station. Appropriate engineering controls

Hand protection Protective gloves.

Eye protection Safety glasses. Contact lenses should not be worn.

Wear suitable protective clothing. Wear long sleeves. Impermeable protective gloves. Skin and body protection

Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls Avoid release to the environment.

Do not breathe vapors. In case of contact with eyes or skin, rinse immediately with plenty of Consumer exposure controls

water. Do not eat, drink, or smoke during work. Always wash hands after handling the product.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Color : Blue

Odor : Mild Lemon odor : No data available Odor threshold

pН : 10.5

Melting point Not applicable

Freezing point : 98 : > 100 °C Boiling point : 98 °C Flash point

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** No data available

06/01/2020 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive properties : No data available
Oxidizing properties : No data available
Vapor pressure : No data available

Relative density : 1.02

No data available Relative vapor density at 20 °C Solubility : completely soluble. Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity Viscosity, kinematic : No data available Viscosity, dynamic : No data available

9.2. Other information

VOC content : < 5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Keep away from: strong acids, strong bases and oxidation agents.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Skin and eyes contact.; Inhalation; Ingestion.

Acute toxicity : Not classified

(+)-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
ATE US (oral)	4400.000 mg/kg body weight	
butyl glycolether (111-76-2)		
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)	
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence	
ATE US (oral)	500.000 mg/kg body weight	
ATE US (dermal)	435.000 mg/kg body weight	
ATE US (gases)	4500.000 ppmV/4h	
ATE US (vapors)	2.170 mg/l/4h	
ATE US (dust, mist)	2.170 mg/l/4h	
Non-lonic Surfactant Mixture		
LD50 oral rat	1378 mg/kg (Rat)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)	

06/01/2020 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Non-Ionic Surfactant Mixture	
ATE US (oral)	1378.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
	pH: 10.5
Serious eye damage/irritation	: Not classified
	pH: 10.5
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
(+)-limonene (5989-27-5)	
IARC group	3 - Not Classifiable
butyl glycolether (111-76-2)	
IARC group	3 - Not Classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after skin contact	: Can occur: skin irritation.

SECTION 12: Ecological information

Symptoms/injuries after eye contact

12 1	Tovi	city

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse Ecology - general effects in the environment. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Do not discharge into drains or the environment. Do

: May cause eye irritation.

not discharge into surface water.

(+)-limonene (5989-27-5)	
LC50 fish 1	720 µg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Read-across)

Persistence and degradability

(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.
ThOD	3.29 g O ₂ /g substance
butyl glycolether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O ₂ /g substance
Chemical oxygen demand (COD)	2.20 g O ₂ /g substance
ThOD	2.305 g O ₂ /g substance
BOD (% of ThOD)	0.31
Non-Ionic Surfactant Mixture	
Persistence and degradability	Readily biodegradable in water.

12.3. **Bioaccumulative potential**

(+)-limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (BCF; Pisces)
Log Pow 4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C)	

06/01/2020 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

(+)-limonene (5989-27-5)		
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).	
butyl glycolether (111-76-2)		
Log Pow	0.81 (Experimental value; BASF test; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Non-Ionic Surfactant Mixture		
Bioaccumulative potential	No bioaccumulation data available.	

12.4. Mobility in soil

(+)-limonene (5989-27-5)		
Log Koc Koc,SRC PCKOCWIN v2.0; 1120 - 6324; QSAR		
butyl glycolether (111-76-2)		
Surface tension	0.027 N/m (25 °C)	

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated as dangerous goods or hazardous material.

TDG

Not regulated as dangerous goods or hazardous material.

Transport by sea

Not regulated as dangerous goods or hazardous material.

Air transport

Not regulated as dangerous goods or hazardous material.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Non-Ionic Surfactant Mixture	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).

15.2. International regulations

CANADA

During the transition period (June 2015-June 2017), Canadian regulation requires that the supplier must provide a document that conforms to either *Controlled Products Regulations* (WHMIS 1988) or HPR (WHMIS 2015), and not a combination of both. This document conforms to the post June 2017 HPR (WHMIS 2015) for a specific controlled or hazardous product. The classification, label and (material) SDS fully complies with the specific regulation chosen by the supplier.

EU-Regulations

No additional information available

National regulations

No additional information available

06/01/2020 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

butyl glycolether (111-76-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

At 6111 prinaded.	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA health hazard : 2 - Intense or continued exposure could cause temporary

incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with

some release of energy, but not violently.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high

temperatures and pressures. Materials may react non-violently with water or undergo

hazardous polymerization in the absence of inhibitors.

Personal Protection : E

B - Safety glasses, Gloves

Legend: ACGIH: American Conference of Governmental Industrial Hygienists

NIOSH: National Institute of Occupational Safety and Health

CAS: Chemical Abstract Services CFR: Code of Federal Regulations
DOT: Department of Transportation EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System
IARC: International Agency for Research on Cancer
N/Av: not available

N/Ap: not applicable
NFPA: National Fire Protection Association
PEL: Permissible Exposure Limit

OSHA: Occupational Safety and Health Administration
SARA: Superfund Amendments & Reauthorization Act
STEL: Short Term Exposure Limit
TSCA: Toxic Substance Control Act

TLV: Threshold Limit Values

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

06/01/2020 EN (English US) 7/7