

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.1. Identification	e substance/mixture and of the company/undertaking
Product form	: Mixture
Product name	: EXPRESS POLISH
Product code	: GT26922
	ne substance or mixture and uses advised against
Use of the substance/mixture	: Automoblie Wax
1.3. Details of the supplier of the	safety data sheet
Gliptone Manufacturing Inc. 1740 Julia Goldbach Avenue Ronkonkoma, NY 11779 - United States T 1-631-285-7250 - F 1-631-589-5487 www.gliptone.com	of America
1.4. Emergency telephone number	er en
Emergency number	: 1-800-424-9300 International: 1-703-527-3887
SECTION 2: Hazard(s) identific	ation
2.1. Classification of the substand	ce or mixture
Classification (GHS-US)	
Flam. Liq. 3 H226 - Flammable liquid a Muta. 1B H340 - May cause genetic	c defects
Carc. 1B H350 - May cause cancel	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS02 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H226 - Flammable liquid and vapor H340 - May cause genetic defects H350 - May cause cancer
Precautionary statements (GHS-US)	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P233 - Keep container tightly closed P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P280 - Wear protective gloves/protective clothing/eye protection/face protection P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P308+P313 - If exposed or concerned: Get medical advice/attention P370+P378 - In case of fire: Use to extinguish
	P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to
2.3. Other hazards	P405 - Store locked up
2.3. Other hazards No additional information available	P405 - Store locked up

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
solvent naphtha (petroleum), light aromatic	(CAS No) 64742-95-6	5 - 10	Flam. Liq. 2, H225 Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304
naphtha (petroleum), hydrotreated heavy	(CAS No) 64742-48-9	1 - 5	Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Obtain medical attention.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Wash skin thoroughly with mild soap and water. Call a physician immediately. Wash clothing before re-using.
First-aid measures after eye contact	: Rinse thoroughly with plenty of water for at least 20 minutes and take medical advice.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain medical attention. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide. Water fog.
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard	: Flammable liquids.
Explosion hazard	: Take precautionary measures against static discharge during blending and transfer operations.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Advice for firefighters	
Firefighting instructions	: Move containers away from the fire area if this can be done without risk. Cool down the containers/equipment exposed to heat with a water spray. Ensure that there is no direct contact between the water and the product.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Combustion produces irritating gases. Carbon oxides (CO, CO2). Silicon oxides. Formaldehyde. Nitrogen oxides.

SECH	SECTION 0. ACCIVENTAL TELEASE MEASURES		
6.1.	Personal precautions, protective equipment and emergency procedures		
General	measures	: Keep public away.	
6.1.1.	For non-emergency personnel		
Protectiv	e equipment	: Use chemically protective clothing.	
Emerger	ncy procedures	: NO open flames, NO sparks, and NO smoking. Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.	
6.1.2.	For emergency responders		
Protectiv	e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8 Exposure controls/personal protection" ".	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2.	Environmental precautions		
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3.	5.3. Methods and material for containment and cleaning up		
Methods	s for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other in	formation	: Dispose of materials or solid residues at an authorized site.	
6.4.	Reference to other sections		
For further information refer to section 8 : Exposure-controls/personal protection"".			
SECT	SECTION 7: Handling and storage		

SECTION 7. Handling and Storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: This product is hazardous.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash clothing before re-using.
7.2. Conditions for safe storage, includin	g any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up. Keep away from heat and direct sunlight. Inspect frequently to identify any sing of warping or leak of the containers. No smoking.
Special rules on packaging	: Always keep in containers made of the same material as the supply container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

: Ensure good ventilation of the work station.
: Impermeable protective gloves. Wear long sleeves. Use protective clothing.
: Safety glasses. Contact lenses should not be worn.
: Wear suitable protective clothing.
: Wear respiratory protection.
: Avoid release to the environment.
: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Color	: Clear amber to Orange to opaque Light Orange when shaken
Odor	: Mild Alcohol and petroleum odour
Odor threshold	: No data available
DH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈ 29 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
00/48/2020	EN (English UC) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	/ Monday, March 26, 2012 / Rules and Regulations
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
VOC content	: <15 %
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
The product is non-reactive under norma	al conditions of use, storage and transport.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under no	ormal conditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. N	o flames, No sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Keep away from: strong acids, strong bases and oxidation agents.

10.6. Hazardous decomposition products

irritating gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure	: Skin contact.; Eyes contact.; Inhalation; Ingestion.
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.
Depreductive toxicity	. Not close fied
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
exposure)	
Aspiration hazard	: Not classified
Other information	: CNS depression.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Do not discharge into drains or the environment. Do not discharge into surface water.
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
solvent naphtha (petroleum), light aromatic	
Log Pow	2.1 - 6
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III
UN-No.(DOT)	: NA1993
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
Hazard Classes (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Other information	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea			
UN-No. (IMDG)	: 1993		
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.		
Class (IMDG)	: 3 - Flammable liquids		
Packing group (IMDG)	: III - substances presenting low danger		
Air transport			
UN-No.(IATA)	: 1993		
Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, N.O.S.		
Class (IATA)	: 3 - Flammable Liquids		
Packing group (IATA)	: III - Minor Danger		

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-propanol	CAS No 67-63-0	1 - 5%

15.2. International regulations

CANADA

During the transition period (June 2015-June 2017), Canadian regulation requires that the supplier must provide a document that conforms to either *Controlled Products Regulations* (WHMIS 1988) or HPR (WHMIS 2015), and not a combination of both. This document conforms to the post June 2017 HPR (WHMIS 2015) for a specific controlled or hazardous product. The classification, label and (material) SDS fully complies with the specific regulation chosen by the supplier.

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

I UII LEAL UI	ri pinases.			
As	ър. Тох. 1		Aspiration hazard Category 1	
Ca	Carc. 1B		Carcinogenicity Category 1B	
Fla	Flam. Liq. 2 Flam. Liq. 3		Flammable liquids Category 2 Flammable liquids Category 3	
Fla				
Мι	Muta. 1B		Germ cell mutagenicity Category 1B	
H2	H225		Highly flammable liquid and vapor	
H2	H226		Flammable liquid and vapor	
H3	H304		May be fatal if swallowed and enters airways	
H3	340		May cause genetic defects	
H3	350		May cause cancer	
NFPA heal		injury even if no treatment		
NFPA fire h			- Liquids and solids that can be ignited under almost all nbient conditions.	
NFPA reac	tivity	: 0 - Normally stable, even u and are not reactive with w	Inder fire exposure conditions,	
HMIS III Ra	ating			
Health	ealth : 1 Slight Hazard - Irritation or minor reversible injury possible		or minor reversible injury possible	
		: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)		
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.		
Legend:	ACGIH: American Conference of Go NIOSH: National Institute of Occupa CAS: Chemical Abstract Services DOT: Department of Transportation HMIS: Hazardous Materials Identific IARC: International Agency for Rese N/Av: not available OSHA: Occupational Safety and He SARA: Superfund Amendments & R TLV: Threshold Limit Values	tional Safety and Health ation System parch on Cancer ealth Administration	CFR: Code of Federal Regulations EPA: Environmental Protection Agency N/Ap: not applicable NFPA: National Fire Protection Association PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit TSCA: Toxic Substance Control Act	

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product