

1047

MAJESTIC

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.1. Identification	
Product form	: Mixture
Product name	: MAJESTIC
Product code	: GT33301,05,55
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Use of the substance/mixture	: Rubber Treatment/Gloss Enhancer
1.3. Details of the supplier of th	e safety data sheet
Gliptone Manufacturing Inc. 1740 Julia Goldbach Avenue Ronkonkoma, NY 11779 - United State T 1-631-285-7250 - F 1-631-589-5487 www.gliptone.com	s of America
1.4. Emergency telephone num	ber
Emergency number	: 1-800-424-9300 International: 1-703-527-3887
SECTION 2: Hazard(s) identifi	cation
2.1. Classification of the substa	
Classification (GHS-US)	
Flam. Liq. 3H226 -Flammable liquiMuta. 1BH340 -May cause geneCarc. 1BH350 -May cause cancFull text of H-phrases: see section 16	tic defects
2.2. Label elements GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS02 GHS08
Signal word (GHS-US)	GHS02 GHS08 : Danger
Signal word (GHS-US) Hazard statements (GHS-US)	
Hazard statements (GHS-US)	 Danger H226 - Flammable liquid and vapor H340 - May cause genetic defects
Hazard statements (GHS-US) Precautionary statements (GHS-US)	 Danger H226 - Flammable liquid and vapor H340 - May cause genetic defects H350 - May cause cancer P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting/ equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P280 - Wear protective gloves/protective clothing/eye protection/face protection P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P308+P313 - If exposed or concerned: Get medical advice/attention P370+P378 - In case of fire: Use to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up
• • • •	 Danger H226 - Flammable liquid and vapor H340 - May cause genetic defects H350 - May cause cancer P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting/ equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P280 - Wear protective gloves/protective clothing/eye protection/face protection P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P308+P313 - If exposed or concerned: Get medical advice/attention P370+P378 - In case of fire: Use to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up

Safety Data Sheet

SECTION 3: Composition/information	on on ingredients		
8.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
Medium Aliphatic Naphtha	(CAS No) 64742-88-7	50 - 100	Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304
Full text of H-phrases: see section 16			
SECTION 4: First aid measures			
I.1. Description of first aid measures			
First-aid measures general	: IF exposed or concerned: Get medica	al advice/attention.	
irst-aid measures after inhalation	: Remove person to fresh air and keep respiration. Obtain medical attention.	comfortable for breath	ning. If not breathing, give artificial
First-aid measures after skin contact	and water. Wash clothing before re-us	: Remove/Take off immediately all contaminated clothing. Wash skin thoroughly with mild soap and water. Wash clothing before re-using. If irritation persists, consult a doctor.	
First-aid measures after eye contact	: Rinse thoroughly with plenty of water		
irst-aid measures after ingestion	: Do NOT induce vomiting. Obtain med unconscious person.	lical attention. Never g	ive anything by mouth to an
4.2. Most important symptoms and effe	ects, both acute and delayed		
No additional information available			
Indication of any immediate medic	al attention and special treatment neede	d	
reat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide. V	Vater fog.	
Insuitable extinguishing media	: Do not use water jet.		
5.2. Special hazards arising from the se	ubstance or mixture		
Explosion hazard	: Keep away from ignition sources (incl	uding static discharge	s).
.3. Advice for firefighters			
Firefighting instructions	: Move containers away from the fire an containers/equipment exposed to hea between the water and the product. W than air, vapors may travel long distant	it with a water spray. E Vill float and can be rein nces along ground, igr	Ensure that there is no direct contac ignited on water surface. Heavier hite and flash back to source.
Protection during firefighting	: Do not attempt to take action without apparatus. Complete protective clothi		uipment. Self-contained breathing
Other information	: Combustion produces irritating gases Formaldehyde.	. Carbon oxides (CO,	CO2). Silicon oxides.
SECTION 6: Accidental release mea	asures		
Demonstrations and a diverse	quipment and emergency procedures		
5.1. Personal precautions, protective e	: Keep public away.		
General measures			
General measures	: Use chemically protective clothing.		
General measures 6.1.1. For non-emergency personnel Protective equipment	 : Use chemically protective clothing. : NO open flames, NO sparks, and NO protective equipment may intervene. 		
General measures	: NO open flames, NO sparks, and NO		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for	Methods and material for containment and cleaning up		
For containment	: Eliminate ignition sources.		
Methods for cleaning up	: Notify authorities if product enters sewers or public waters. Stop leak without risks if possible. Collect the residue by means of a non-combustible absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		

6.4. **Reference to other sections**

For further information refer to section 8 : Exposure-controls/personal protection"".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Harmful liquid. Combustible.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Special rules on packaging	: Always keep in containers made of the same material as the supply container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters					
MATERIAL	CAS#	EINECS#	TWA (OSHA)	TLV (ACGIH)	
Medium Aliphatic Naphtha	64742-88-7	-	500 ppm	100 ppm	
This product contains no EPA Hazardous Air Pollutants (HAP) in amounts > 0.1%.					

EPA Hazardous Air Pollutants may be present in trace amounts (less than 0.1%): Polycyclic Aromatics

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Impermeable protective gloves. Wear long sleeves. Use protective clothing.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Environmental exposure controls	: Avoid release to the environment.
Other information	 Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: Clear Blue		
Odor	: Sweet fruity		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: Not applicable		
Freezing point	: No data available		
Boiling point	: 115.6 °C		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: 45 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: 0.795
Relative vapor density at 20 °C	: 4.9
Solubility	: insoluble in water.
Log Pow	: No data available
Auto-ignition temperature	: 276 C / 530 F
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
VOC content	: < 50 %
SECTION 10: Stability and reactivit	iy
10.1. Reactivity	
No additional information available	

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Keep away from: strong acids, strong bases and oxidation agents.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure Acute toxicity	: Skin contact.; Eyes contact.; Inhalation; Ingestion.: Not classified
Skin corrosion/irritation	: Not classified
	: Not classified
Serious eye damage/irritation	. Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ON 12: Ecological information		
12.1.	Toxicity		
Ecology	- general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Do not discharge into drains or the environment. Do not discharge into surface water.	
12.2.	Persistence and degradability		
No addi	ional information available		
12.3.	Bioaccumulative potential		
No addi	ional information available		
12.4.	Mobility in soil		
No addi	ional information available		
12.5.	Other adverse effects		
Effect or	n the global warming	: No known ecological damage caused by this product.	
SECT	ON 13: Disposal consideration	IS	
13.1.	Waste treatment methods		

: Flammable vapors may accumulate in the container.

: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

Waste disposal recommendations

Additional information

DOT/TDG SHIP NAME:	Bulk: UN1268, Petroleum Distillates, n.o.s., Combustible liquid, PG-III	
Combustible Liquid.	Not DOT regulated on trucks in containers of < 119 gallons.	
DRUM LABEL:	None (Combustible Liquid)	
IATA / ICAO	UN1268, Petroleum Distillates, n.o.s., 3, PG-III	
IMO / IMDG:	UN1268, Petroleum Distillates, n.o.s., 3, PG-III	
EMERGENCY RESPONSE GUIDEBOOK NUMBER: 128		

TDG

No additional information available

Transport by sea

Non Marine Pollutant. No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

During the transition period (June 2015-June 2017), Canadian regulation requires that the supplier must provide a document that conforms to either *Controlled Products Regulations* (WHMIS 1988) or HPR (WHMIS 2015), and not a combination of both. This document conforms to the post June 2017 HPR (WHMIS 2015) for a specific controlled or hazardous product. The classification, label and (material) SDS fully complies with the specific regulation chosen by the supplier.

EU-Regulations No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full tex	t of H-phrases:

	•		
A	sp. Tox. 1	Aspiration hazard Category 1	
С	arc. 1B	(Carcinogenicity Category 1B
F	lam. Liq. 3	F	Flammable liquids Category 3
Μ	luta. 1B	(Germ cell mutagenicity Category 1B
Н	226	F	Flammable liquid and vapor
Н	304	Ν	May be fatal if swallowed and enters airways
Н	340	Ν	May cause genetic defects
Н	350	Ν	May cause cancer
NFPA health hazard NFPA fire hazard		 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. 2 - Must be moderately heated or exposed to relatively high 	
NFPA life hazard		temperature before ignition can occur.	
NFPA reactivity		: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III R	ating		
Health		: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability		 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) 	
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
Legend:	d: ACGIH: American Conference of Governmental Industrial Hygienists NIOSH: National Institute of Occupational Safety and Health CAS: Chemical Abstract Services CFR: Code of Federal Regulations DOT: Department of Transportation EPA: Environmental Protection Agency HMIS: Hazardous Materials Identification System N/Ap: not applicable IARC: International Agency for Research on Cancer NFPA: National Fire Protection Association N/Av: not available PEL: Permissible Exposure Limit OSHA: Occupational Safety and Health Administration STEL: Short Term Exposure Limit SARA: Superfund Amendments & Reauthorization Act TSCA: Toxic Substance Control Act TLV: Threshold Limit Values Health		

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product