

# ULTRA CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Identification

Product form : Mixture  
Product name : ULTRA CLEANER  
Product code : ULT01,05,55

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Multi-purpose cleaner

#### 1.3. Details of the supplier of the safety data sheet

Gliptone Manufacturing Inc.  
1740 Julia Goldbach Avenue  
Ronkonkoma, NY 11779 - United States of America  
T 1-631-285-7250 - F 1-631-589-5487  
[www.gliptone.com](http://www.gliptone.com)

#### 1.4. Emergency telephone number

Emergency number : 1-800-424-9300 International: 1-703-527-3887

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Skin Corr. 1A H314 - Causes severe skin burns and eye damage  
Eye Dam. 1 H318 - Causes serious eye damage

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) : Danger  
Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage  
Precautionary statements (GHS-US) : P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P264 - Wash ... thoroughly after handling  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a poison center/doctor/...  
P321 - Specific treatment (see ... on this label)  
P363 - Wash contaminated clothing before reuse  
P405 - Store locked up  
P501 - Dispose of contents/container to ...

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

# ULTRA CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name                                | Product identifier  | %      | Classification (GHS-US)                                    |
|-------------------------------------|---------------------|--------|--|
| 1-butoxy-2-propanol                 | (CAS No) 5131-66-8  | 2 - 20 | Flam. Liq. 4, H227<br>Skin Irrit. 2, H315                  |
| disodium metasilicate               | (CAS No) 6834-92-0  | 2 - 20 | Skin Corr. 1A, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335 |
| alkyldimethylbenzylammoniumchloride | (CAS No) 8001-54-5  | 1 - 10 | Acute Tox. 3 (Oral), H301                                  |
| SURFACTANT GROUP                    | (CAS No) 68439-46-3 | 1 - 10 | Acute Tox. 4 (Oral), H302                                  |

Full text of H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Call a physician immediately.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Obtain medical attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Wash off immediately and plentifully with water for at least 20 minutes. Wash clothing before re-using. Obtain medical attention. Discard contaminated leather articles.
- First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 20 minutes and take medical advice.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. Never give anything by mouth to an unconscious person. Drink two glasses of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : Burns.
- Symptoms/injuries after eye contact : Serious damage to eyes.
- Symptoms/injuries after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Carbon dioxide. Water fog.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not flammable. Under fire conditions closed containers may rupture or explode. The vapor is heavier than air.
- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### 5.3. Advice for firefighters

- Firefighting instructions : Move containers away from the fire area if this can be done without risk. Cool down the containers/equipment exposed to heat with a water spray. Ensure that there is no direct contact between the water and the product.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Keep public away.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Use chemically protective clothing.
- Emergency procedures : Ventilate spillage area. NO open flames, NO sparks, and NO smoking. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8 Exposure controls/personal protection" .

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Eliminate ignition sources. Ensure adequate ventilation. Stop leak without risks if possible.

# ULTRA CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                         |   |
|-------------------------|---|
| Methods for cleaning up | : Take up liquid spill into inert absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information       | : Dispose of materials or solid residues at an authorized site.   |

### 6.4. Reference to other sections

For further information refer to section 8 : Exposure-controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                                   |   |
|-----------------------------------|---|
| Additional hazards when processed | : CORROSIVE LIQUID, N.O.S. Harmful liquid.  |
| Precautions for safe handling     | : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Keep container closed when not in use. Keep away from (strong) acids. |
| Hygiene measures                  | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.  |

### 7.2. Conditions for safe storage, including any incompatibilities

|                            |   |
|----------------------------|---|
| Storage conditions         | : Store in a well-ventilated place. Keep cool. Store locked up. Inspect frequently to identify any sing of warping or leak of the containers. No smoking. |
| Special rules on packaging | : Always keep in containers made of the same material as the supply container.  |

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station.   |
| Hand protection                  | : Impermeable protective gloves. Wear long sleeves. Use protective clothing.   |
| Eye protection                   | : Safety glasses. Contact lenses should not be worn.   |
| Skin and body protection         | : Wear suitable protective clothing.   |
| Respiratory protection           | : In case of insufficient ventilation, wear suitable respiratory equipment.  |
| Environmental exposure controls  | : Avoid release to the environment.  |
| Other information                | : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state                              | : Liquid   |
| Color                                       | : Yellow Liquid  |
| Odor  | : There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure.<br>Mixture contains one or more component(s) which have the following odour(s):<br>Ether-like odour Aromatic odour Irritating/pungent odour Mild odour Characteristic odour<br>Ammonia odour |
| Odor threshold                              | : No data available  |
| pH  | : 11 - 12  |
| Melting point                               | : Not applicable   |
| Freezing point                              | : No data available  |
| Boiling point                               | : No data available  |
| Flash point                                 | : 98 °C  |
| Relative evaporation rate (butyl acetate=1) | : No data available  |
| Flammability (solid, gas)                   | : No data available  |
| Explosion limits                            | : No data available  |
| Explosive properties                        | : No data available  |
| Oxidizing properties                        | : No data available  |
| Vapor pressure                              | : No data available  |

# ULTRA CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                 |  |
|---------------------------------|--|
| Relative density                | : 1.05   |
| Relative vapor density at 20 °C | : No data available  |
| Solubility                      | : soluble in water.<br>Water: Solubility in water of component(s) of the mixture :<br>• 1-butoxy-2-propanol: 5.2 g/100ml (20 °C) • alkylidimethylbenzylammoniumchloride: > 1 g/100ml • disodium metasilicate: > 18 g/100ml • triethanolamine: Complete |
| Log Pow                         | : No data available  |
| Auto-ignition temperature       | : No data available  |
| Decomposition temperature       | : No data available  |
| Viscosity                       | : No data available  |
| Viscosity, kinematic            | : No data available  |
| Viscosity, dynamic              | : No data available  |

### 9.2. Other information

|             |       |
|-------------|-------|
| VOC content | : 0 % |
|-------------|-------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Keep away from: strong oxidants. acids.

### 10.6. Hazardous decomposition products

Sodium ions and Silicic acid.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Likely routes of exposure : Skin contact.; Eyes contact.; Inhalation; Ingestion.

Acute toxicity : Not classified

| <b>1-butoxy-2-propanol (5131-66-8)</b>                  |   |
|---|---|
| LD50 dermal rat   | > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) |
| LC50 inhalation rat (ppm)                               | > 651 ppm/4h (Rat; Experimental value)  |
| <b>alkylidimethylbenzylammoniumchloride (8001-54-5)</b> |   |
| LD50 oral rat   | 240 mg/kg (Rat)   |
| ATE US (oral)   | 240.000 mg/kg body weight   |
| <b>disodium metasilicate (6834-92-0)</b>                |   |
| LD50 dermal rat   | > 5000 mg/kg body weight (Rat; Read-across; OECD 402: Acute Dermal Toxicity)        |
| <b>SURFACTANT GROUP (68439-46-3)</b>                    |   |
| LD50 oral rat   | 1378 mg/kg (Rat)  |
| LD50 dermal rabbit                                      | > 2000 mg/kg (Rabbit)   |
| ATE US (oral)   | 1378.000 mg/kg body weight  |

Skin corrosion/irritation : Causes severe skin burns and eye damage.  
pH: 11 - 12

Serious eye damage/irritation : Causes serious eye damage.  
pH: 11 - 12

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

# ULTRA CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |                           |
|--|---------------------------|
| Carcinogenicity                                    | : Not classified          |
| Reproductive toxicity                              | : Not classified          |
| Specific target organ toxicity (single exposure)   | : Not classified          |
| Specific target organ toxicity (repeated exposure) | : Not classified          |
| Aspiration hazard                                  | : Not classified          |
| Symptoms/injuries after skin contact               | : Burns.                  |
| Symptoms/injuries after eye contact                | : Serious damage to eyes. |
| Symptoms/injuries after ingestion                  | : Burns.                  |
| Other information                                  | : CNS depression.         |

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Do not discharge into drains or the environment. Do not discharge into surface water.

| alkyldimethylbenzylammoniumchloride (8001-54-5) |  |
|---|--|
| LC50 fish 1                                     | 0.62 mg/l (LC50; 96 h)   |
| disodium metasilicate (6834-92-0)               |  |
| LC50 fish 1                                     | 210 mg/l (LC50; Equivalent or similar to OECD 203; 96 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value) |
| Threshold limit algae 1                         | 207 mg/l (EC50; DIN 38412-9; 72 h; Scenedesmus subspicatus; Fresh water)   |

#### 12.2. Persistence and degradability

| 1-butoxy-2-propanol (5131-66-8)                 |   |
|---|---|
| Persistence and degradability                   | Readily biodegradable in water. No (test)data on mobility of the substance available.   |
| alkyldimethylbenzylammoniumchloride (8001-54-5) |   |
| Persistence and degradability                   | Readily biodegradable in water.   |
| disodium metasilicate (6834-92-0)               |   |
| Persistence and degradability                   | Biodegradability: not applicable. No (test)data on mobility of the substance available. |
| Biochemical oxygen demand (BOD)                 | Not applicable  |
| Chemical oxygen demand (COD)                    | Not applicable  |
| ThOD  | Not applicable  |
| SURFACTANT GROUP (68439-46-3)                   |   |
| Persistence and degradability                   | Readily biodegradable in water.   |

#### 12.3. Bioaccumulative potential

| 1-butoxy-2-propanol (5131-66-8)                 |  |
|---|--|
| Log Pow   | 0.98 (QSAR)                                      |
| Bioaccumulative potential                       | Low potential for bioaccumulation (Log Kow < 4). |
| alkyldimethylbenzylammoniumchloride (8001-54-5) |  |
| Bioaccumulative potential                       | Not bioaccumulative.                             |
| disodium metasilicate (6834-92-0)               |  |
| Bioaccumulative potential                       | Bioaccumulation: not applicable.                 |
| SURFACTANT GROUP (68439-46-3)                   |  |
| Bioaccumulative potential                       | No bioaccumulation data available.               |

#### 12.4. Mobility in soil

| 1-butoxy-2-propanol (5131-66-8) |                           |
|---------------------------------|---------------------------|
| Surface tension                 | 0.0276 N/m (20 °C; 100 %) |

# ULTRA CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Not regulated as dangerous goods or hazardous material.

### TDG

Not regulated as dangerous goods or hazardous material.

### Transport by sea

Not regulated as dangerous goods or hazardous material.

### Air transport

Not regulated as dangerous goods or hazardous material.

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

|                                     |                  |         |
|-------------------------------------|------------------|---------|
| alkyldimethylbenzylammoniumchloride | CAS No 8001-54-5 | 1 - 10% |
|-------------------------------------|------------------|---------|

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### SURFACTANT GROUP (68439-46-3)

|                          |  |
|--------------------------|--|
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)). |
|--------------------------|--|

### 15.2. International regulations

#### CANADA

During the transition period (June 2015-June 2017), Canadian regulation requires that the supplier must provide a document that conforms to either *Controlled Products Regulations* (WHMIS 1988) or HPR (WHMIS 2015), and not a combination of both. This document conforms to the post June 2017 HPR (WHMIS 2015) for a specific controlled or hazardous product. The classification, label and (material) SDS fully complies with the specific regulation chosen by the supplier.

#### EU-Regulations

No additional information available

#### National regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## SECTION 16: Other information

# ULTRA CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases:

|                     |   |
|---------------------|---|
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3                            |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4                            |
| Eye Dam. 1          | Serious eye damage/eye irritation Category 1                |
| Flam. Liq. 4        | Flammable liquids Category 4                                |
| Skin Corr. 1A       | Skin corrosion/irritation Category 1A                       |
| Skin Irrit. 2       | Skin corrosion/irritation Category 2                        |
| STOT SE 3           | Specific target organ toxicity (single exposure) Category 3 |
| H227                | Combustible liquid  |
| H301                | Toxic if swallowed  |
| H302                | Harmful if swallowed  |
| H314                | Causes severe skin burns and eye damage                     |
| H315                | Causes skin irritation                                      |
| H318                | Causes serious eye damage                                   |
| H335                | May cause respiratory irritation                            |

### NFPA health hazard


: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

### NFPA fire hazard

: 1 - Must be preheated before ignition can occur.

### NFPA reactivity

: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



### HMIS III Rating

#### Health

: 2 Moderate Hazard - Temporary or minor injury may occur

#### Flammability

: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

#### Physical

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

### Legend:

ACGIH: American Conference of Governmental Industrial Hygienists

NIOSH: National Institute of Occupational Safety and Health

CAS: Chemical Abstract Services

DOT: Department of Transportation

HMIS: Hazardous Materials Identification System

IARC: International Agency for Research on Cancer

N/Av: not available

OSHA: Occupational Safety and Health Administration

SARA: Superfund Amendments & Reauthorization Act

TLV: Threshold Limit Values

CFR: Code of Federal Regulations

EPA: Environmental Protection Agency

N/Av: not applicable

NFPA: National Fire Protection Association

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit

TSCA: Toxic Substance Control Act

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*