

Since 1947

# Very Cherry Concentrate

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CECTION 4. Identification of the out	between the second of the second s
	bstance/mixture and of the company/undertaking
1.1. Identification	
Product form	: Mixture
Product name	: Very Cherry Concentrate
Product code	: GT67802,08
1.2. Relevant identified uses of the sub	bstance or mixture and uses advised against
Use of the substance/mixture	: Deodorizing and Air Freshening
1.3. Details of the supplier of the safety	y data sheet
Gliptone Manufacturing Inc. 1740 Julia Goldbach Avenue Ronkonkoma, NY 11779 - United States of Am T 1-631-285-7250 - F 1-631-589-5487 www.gliptone.com	ierica
1.4. Emergency telephone number	
Emergency number	: 1-800-424-9300 International: 1-703-527-3887
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Flam. Liq. 4H227 - Combustible liquidSkin Irrit. 2H315 - Causes skin irritationSkin Sens. 1H317 - May cause an allergic state	skin reaction
Full text of H-phrases: see section 16	
·	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H227 - Combustible liquid H315 - Causes skin irritation H317 - May cause an allergic skin reaction H302 - Harmful if swallowed H402 - Harmful to aquatic life
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P261 - Avoid breathing dust/vapors</li> <li>P264 - Wash hands, forearms and face thoroughly after handling</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P302+P352 - If on skin: Wash with plenty of water/soap</li> <li>P321 - Specific treatment (see on this label)</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse</li> <li>P363 - Wash contaminated clothing before reuse</li> <li>P370+P378 - In case of fire: Use to extinguish</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool</li> <li>P501 - Dispose of contents/container to an authorized waste collection point</li> </ul>
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

# Not applicable

3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
2-methyl-2,4-pentanediol	(CAS No) 107-41-5	10 - 20	Flam. Liq. 4, H227 Skin Irrit. 2, H315
benzaldehyde	(CAS No) 100-52-7	7.5 - 17.5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	(CAS No) 4719-04-4	1.2 - 1.9	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317

# Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Obtain medical attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Obtain medical attention.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Wash skin thoroughly with mild soap and water. Call a physician immediately. Wash clothing before re-using.
First-aid measures after eye contact	: Rinse thoroughly with plenty of water for at least 20 minutes and take medical advice.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain medical attention. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and effe	cts, both acute and delayed
No additional information available	
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: Combustible.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Advice for firefighters	
Firefighting instructions	: Move containers away from the fire area if this can be done without risk. Cool down the containers/equipment exposed to heat with a water spray. Ensure that there is no direct contact between the water and the product.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Combustion produces irritating gases. Carbon oxides (CO, CO2).
SECTION 6: Accidental release mea	sures
	uipment and emergency procedures
General measures	: Keep public away.
6.1.1. For non-emergency personnel	
Protective equipment	: Use chemically protective clothing.
Emergency procedures	: Ventilate spillage area. NO open flames, NO sparks, and NO smoking.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8 Exposure controls/personal protection" ".

#### 6.2. **Environmental precautions**

Avoid release to the environment. Do not allow to enter drains or water courses.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for c	ontainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	S
For further information refer to section	3 : Exposure-controls/personal protection"".
<b>SECTION 7: Handling and sto</b>	orage
7.1. Precautions for safe handli	ng
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid inhalation of vapors. Avoid contact with skin, eyes and clothing. Keep container closed when not in use. Keep away from ignition sources.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash clothing before re-using.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep away from heat and direct sunlight.
Incompatible products	: oxidant materials.
Storage area	: Store away from heat. Store in dry, well-ventilated area.

#### Special rules on packaging : Always keep in containers made of the same material as the supply container.

# **SECTION 8: Exposure controls/personal protection**

8.1. Control pa	rameters	
2-methyl-2,4-penta	nediol (107-41-5)	
ACGIH	ACGIH Ceiling (ppm)	25 ppm (Hexylene glycol; USA; Momentary value; TLV - Adopted Value)

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Impermeable protective gloves. Wear long sleeves. Use protective clothing.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Environmental exposure controls	: Avoid release to the environment.
Other information	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: Dark Red
Odor	: Cherry
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 65.56 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: 1.03

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Solubility	: In water, material is partially soluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

VOC content

: 0%

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.

# 10.5. Incompatible materials

Keep away from: strong acids, strong bases and oxidation agents.

10.6. Hazardous decomposition products

SECTION 11: Toxicological information

Thermal decomposition generates : Carbon oxides (CO, CO2).

11.1. Information on toxicological effects	
Likely routes of exposure	: Skin contact.; Eyes contact.; Inhalation; Ingestion.
Acute toxicity	: Not classified
2-methyl-2,4-pentanediol (107-41-5)	
LD50 oral rat	3700 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Experimental value; > 2000 mg/kg bodyweight; Rat)
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	> 8000 mg/kg (Rabbit)
ATE US (oral)	3700.000 mg/kg body weight
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)trie	ethanol (4719-04-4)
LD50 oral rat	763 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	0.371 mg/l/4h (Rat; Experimental value)
ATE US (oral)	763.000 mg/kg body weight
ATE US (vapors)	0.371 mg/l/4h
ATE US (dust, mist)	0.371 mg/l/4h
benzaldehyde (100-52-7)	
LD50 oral rat	1300 mg/kg (Rat)
LD50 dermal rat	> 1250 mg/kg (Rat)
LD50 dermal rabbit	5000 mg/kg (Rabbit)
ATE US (oral)	1300.000 mg/kg body weight
ATE US (dermal)	5000.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
2.1. Toxicity	
cology - general	: Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Do not discharge into drains or the environment. Do not discharge into surface water.
2-methyl-2,4-pentanediol (107-41-5)	
EC50 Daphnia 1	5410 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	9450 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Flow- through system; Fresh water; Experimental value)
Threshold limit algae 1	> 429 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)tr	iethanol (4719-04-4)
LC50 fish 1	16.07 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio; Static system; Fresh water; Experimental value)
EC50 Daphnia 1	11.9 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
EC50 Daphnia 2	8.75 mg/l (EC0; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	6.66 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)
Threshold limit algae 2	1.56 mg/l (NOEC; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)
benzaldehyde (100-52-7)	
EC50 Daphnia 1	50 mg/l (EC50; 24 h)
LC50 fish 2	11.2 mg/l (LC50; 96 h; Salmo gairdneri)

# 12.2. Persistence and degradability

2-methyl-2,4-pentanediol (107-41-5)		
Persistence and degradability	Readily biodegradable in water. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.02 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.20 g O <sub>2</sub> /g substance	
ThOD	2.3 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.01	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)		
Persistence and degradability	Readily biodegradable in water.	
benzaldehyde (100-52-7)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.	
Biochemical oxygen demand (BOD)	1.62 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.98 g O <sub>2</sub> /g substance	
ThOD	2.42 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.67	

12.3. **Bioaccumulative potential** 

2-methyl-2,4-pentanediol (107-41-5)	
Log Pow	0.58 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)	
Log Pow	-4.67 (Calculated)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
benzaldehyde (100-52-7)	
BCF other aquatic organisms 1	4.2 - 7.8 (BCF)
Log Pow	1.48 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

#### 12.4. Mobility in soil

2-methyl-2,4-pentanediol (107-41-5)	
Surface tension	0.033 N/m
Log Koc	Koc,Other; 1; Calculated value
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)	
Log Koc	log Koc, PCKOCWIN v1.66; 1; Calculated value; Koc; PCKOCWIN v1.66; 10; Calculated value
benzaldehyde (100-52-7)	
Surface tension	0.040 N/m (20 °C)
	0.040 Will (20 C)
12.5. Other adverse effects	

Effect on the global warming

: No known ecological damage caused by this product.

SECTION 13: Disposal considerations		
13.1.	Waste treatment methods	

# Waste disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

# **SECTION 14: Transport information**

**Department of Transportation (DOT)** 

# In accordance with DOT

Not regulated as dangerous goods or hazardous material.

#### TDG

Not regulated as dangerous goods or hazardous material.

### Transport by sea

Not regulated as dangerous goods or hazardous material.

#### Air transport

Not regulated as dangerous goods or hazardous material.

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

#### 15.2. International regulations

CANADA

Benzaldehyde (100-52-7)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

WHMIS Classification	Class B Division 3 - Combustible Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched(127087-87-0)	
Listed on the Canadian DSL (Domestic Substance	s List)
EU-Regulations	
Benzaldehyde (100-52-7)	
Listed on the EEC inventory EINECS (European In	ventory of Existing Commercial Chemical Substances)
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylpheny	/I)omegahydroxy-, branched(127087-87-0)
Listed on the EU NLP (No Longer Polymers) inven	tory
National regulations	
Benzaldehyde (100-52-7)	
Listed on IECSC (Inventory of Existing Chemical S Listed on the Japanese ENCS (Existing & New Ch Listed on the Korean ECL (Existing Chemicals List Listed on NZIoC (New Zealand Inventory of Chemical Japanese Pollutant Release and Transfer Register Listed on the Canadian IDL (Ingredient Disclosure Listed on INSQ (Mexican national Inventory of Chemical Listed on CICR (Turkish Inventory and Control of C	emical Substances) inventory t) icals) als and Chemical Substances) r Law (PRTR Law) List) emical Substances)
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylpheny Listed on the AICS (Australian Inventory of Chemic Listed on IECSC (Inventory of Existing Chemical S Listed on the Japanese ENCS (Existing & New Ch Listed on the Korean ECL (Existing Chemicals List Listed on NZIOC (New Zealand Inventory of Chemic Listed on PICCS (Philippines Inventory of Chemic Japanese Pollutant Release and Transfer Register Listed on CICR (Turkish Inventory and Control of C	cal Substances) substances Produced or Imported in China) emical Substances) inventory t) icals) als and Chemical Substances) r Law (PRTR Law)

# 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

2-methyl-2,4-pentanediol (107-41-5)	
U.S New Jersey - Right to Know Hazardous Substance List	
benzaldehyde (100-52-7)	
U.S New Jersey - Right to Know Hazardous Substance List	
0.0 New Sersey - Right to Rhow Hazardous Substance List	

# **SECTION 16: Other information**

# Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: B
	B - Safety glasses, Gloves
SDS US (GHS HazCom 2012)	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product