céramiques

Not classified as hazardous according to criteria of Safe Work Australia

Company Details	Céramiques Kew 176 High st, Kew, 3101 Melbourne, Victoria Phone: 0406523332 Email: info@ceramiques.com.au Website: https://www.ceramiques.com.au
	Website: https://www.ceramiques.com.au Date of issue: 9th November 2022

IDENTIFICATION	
Product Name	Hatcher Glaze
Other Names	None
Manufacturers Product Code	CL02
UN Number	None
Dangerous Goods Class & Subsidiary Code	None
Hazchem Code	None
Poisons Schedule Number	None
Use(s)	For decoration of pottery and ceramics

PHYSICAL DESCRIPTION / PROPERTIES

Appearance	Red viscous liquid
Boiling Point / Melting Point	>300°
Vapour Pressure	Not Applicable
Specific Gravity	1.5
Flashpoint	Not applicable
Flammability Limits	Not Applicable
Solubility in Water	Negligible
Other Properties	Glazes are mixtures of Frit powders, clays, and other raw materials

INGREDIENTS			
Chemical Name	CAS Number	Proportion (%)	
Feldspar Potash	68476-25-5	30-60%	
Zirconium Silicate	14940-68-2 14808-60-7	10-<30%	
Silica (Quartz)	14808-60-7	10-<30%	
Limestone	1317-65-3	<10%	
Talc	14807-96-6	<10%	
Tricalcium Phosphate	12167-74-7	<10%	
Red Iron Oxide	1309-39-1	<10%	
Sodium Carboxy Methyl Cellulose	9004-32-4	>60%	

HEALTH HAZARD INFORMATION	
Acute	Exposure to the hazardous ingredients can occur if the dust is inhaled or ingested and the ingredients dissolve out. This process is anticipated to occur very slowly. Dust may cause irritation of the eyes, skin and respiratory tract. Prolonged and/or repeated exposure to the dust may result in fibrotic lung damage (silicosis) in some people. Nuisance particulates can cause unpleasant or uncomfortable deposits in the eyes, ears & nose but do not cause any toxic effect when exposures are kept in reasonable control.
Swallowed	Large doses may cause gastro-intestinal irritation.
Еуе	The dust may cause irritation of the eyes.
Skin	The dust may cause irritation and dryness of the skin.
Inhaled	Breathing the dust may cause respiratory irritation and discomfort
Chronic	No specific information is available.

PRECAUTIONS FOR USE	
Exposure Standards	Feldspar Potash as dust TLV TWA 10 mg/m3 as dust
	Zircon TLV TWA 5 mg/m3 as dust
	Silica as dust TWA TWA TLV 0.01 mg/m3
	Calcite as dust TLV TWA 10 mg/m3 as dust
	Talc containing no asbestos fibre TLV TWA 2.0 mg/m3 as dust
	Tricalcium phosphate as dust TLV TWA 10 mg/m3
	Iron Oxide TLV TWA 6.0 mg/m3
	ACGIH = American Conference of Governmental Industrial Hygienists. TWA = Time Weighted Average NOHSC =National Health & Safety Commission
Engineering Controls	Ensure workplace is well ventilated
Personal Protection	Approved respirator to AS1715 to be worn, gloves, safety glasses and protective overalls. Wash hands and face thoroughly after handling and before work breaks, eating, drinking, smoking and using toilet facilities
Flammability	Not flammable under conditions of use but containers may burn

SAFETY HANDLING AND INFORMATION	
Storage and Handling	Store and transport in accordance with all regulations. Keep tightly closed in a dry, cool and well-ventilated place. Not subject to hazardous substances labelling.
Spills and Disposal	Dispose of in accordance with all local, state and federal regulations by incineration or disposal to landfill.
Fire/Explosion Hazard	Fire-fighters should wear full protective clothing including self-contained breathing apparatus. Use water, foam or dry extinguishing media. Use equipment/media appropriate to surrounding fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with local

CL04

	regulations.
OTHER INFORMATION	Australian Poisons Information Centre 24 Hour Service: 13 11 26

Police / Fire / Ambulance 000

Céramiques Kew
176 High st, Kew, 3101 Melbourne, Victoria
Phone: 0406523332
Email: info@ceramiques.com.au
Website: https://www.ceramiques.com.au
Date of issue: 4th November 2022

This MSDS summarises, at the date of issue, our best knowledge of the health & safety hazard information for this product, and in particular how to safely handle and use this product in the workplace. Since Céramiques cannot anticipate or control the conditions under which this product may be used, each user must (prior to usage), review this MSDS in the context of how the user intends to handle and use this product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact us. Our responsibility for products sold, is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.