

Petrol-driven high performance with minimal effort and maintenance

Powerful and ergonomic, with tough construction for tougher use, the petrol-driven MC PE/DE range is ideal for cold-water cleaning in areas where electrical power is in short supply. Despite its compact size, the machine is capable of impressive high-pressure output, reducing cleaning time and resource requirements.






Self-priming and suction allow water to be drawn from a tank or river, easily reached thanks to rugged, flat-proof wheel design and high mobility across any surface. Reliable engines, provided by Honda or Kohler depending on model, ensure long equipment life and high-impact cleaning. Strong construction and high mobility are only part of what makes the MC PE/DE range unique. It also includes:

- Robust, long-lasting pumps
- Vibration-isolation technology to keep the machine still during use, which reduces wear
- Ergo quick-coupling system for easy hose-attachment/removal
- Performance models ranging from 5-13hp, enabling an exact match with your needs
- Low pressure detergent injector













Picture shown may not represent model quoted

• Standard equipment

| Included accessories | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|-----------|---------------|-------------------|--------------------|---------------------|
| Ergo System Coupling and Adapter | | | | | |
|  ERGO COUPLING KIT | 101119496 | 0 | • | • | • |
| High Pressure Male Coupling | | | | | |
|  GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | • | • | • |
| High Pressure Hose, DN6 | | | | | |
|  10 M WIRE HOSE DN6 | 301002275 | 0 | • | • | |
|  HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | | | • |
| High Pressure Hose, DN8 | | | | | |
|  HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | | | |
| High Pressure Hose, DN10 | | | | | |








Petrol-driven high performance with minimal effort and maintenance





| Included accessories | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|--|-----------|---------------|-------------------|--------------------|---------------------|
|  HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | | | |
|  HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | | | |
|  HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | | | |
| Hose Reel | | | | | |
|  HOSE REEL KIT MC PE EMEA | 107144825 | 0 | | | • |
| Spray Gun | | | | | |
|  ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 0 | • | • | • |
| Tornado Lance | | | | | |
|  TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 0 | | | |
| FlexoPower Lance | | | | | |
|  FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 0 | | | • |
| TurboHammer Lance | | | | | |
|  TURBOHAMMER PLUS 950 STRAIGHT W12 0350 | 106403077 | 0 | | | • |
|  TURBOHAMMER PLUS 1115 STRAIGHT W12 0400 | 106403002 | 0 | | | |
| 4-in-1 Lance | | | | | |
|  4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | • | | |



Petrol-driven high performance with minimal effort and maintenance











| Included accessories | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|--|-----------|---------------|-------------------|--------------------|---------------------|
|  4-IN-1 LANCE INCL 0400 ALUMINUM HEAD | 106408253 | 0 | | • | |
| Tornado Nozzle with Indication Ring | | | | | |
|  NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | | | • |
|  NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 0 | • | | |
|  NOZZLE 0400 INDICATION RING METAL GREY | 101119738 | 0 | | • | |
|  NOZZLE 0450 INDICATION RING LIGHT BLUE | 101119740 | 0 | | | |

• Standard equipment

| Included accessories | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|--|-----------|---------------|------------------|-------------------|----------------------|
| Ergo System Coupling and Adapter | | | | | |
|  ERGO COUPLING KIT | 101119496 | 0 | • | • | • |
| High Pressure Male Coupling | | | | | |
|  GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | • | • | • |
| High Pressure Hose, DN6 | | | | | |
|  10 M WIRE HOSE DN6 | 301002275 | 0 | | | |
|  HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | | | |
| High Pressure Hose, DN8 | | | | | |









Petrol-driven high performance with minimal effort and maintenance




| Included accessories | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|--|-----------|---------------|------------------|-------------------|----------------------|
|  HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | • | • | |
| High Pressure Hose, DN10 | | | | | |
|  HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | | • | |
|  HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | | | |
|  HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | | | • |
| Hose Reel | | | | | |
|  HOSE REEL KIT MC PE EMEA | 107144825 | 0 | | | • |
| Spray Gun | | | | | |
|  ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 0 | • | • | • |
| Tornado Lance | | | | | |
|  TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 0 | | • | • |
| FlexoPower Lance | | | | | |
|  FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 0 | • | | |
| TurboHammer Lance | | | | | |
|  TURBOHAMMER PLUS 950 STRAIGHT W12 0350 | 106403077 | 0 | | | |
|  TURBOHAMMER PLUS 1115 STRAIGHT W12 0400 | 106403002 | 0 | | | • |



Petrol-driven high performance with minimal effort and maintenance










| Included accessories | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|--|--|---------------|------------------|-------------------|----------------------|
| 4-in-1 Lance | | | | | |
|  | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | | |
|  | 4-IN-1 LANCE INCL 0400 ALUMINUM HEAD | 106408253 | 0 | | |
| Tornado Nozzle with Indication Ring | | | | | |
|  | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | | |
|  | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 0 | • | • |
|  | NOZZLE 0400 INDICATION RING METAL GREY | 101119738 | 0 | | |
|  | NOZZLE 0450 INDICATION RING LIGHT BLUE | 101119740 | 0 | | |

• Standard equipment

| Included accessories | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|--|---------------|-------------------|
| Ergo System Coupling and Adapter | | | |
|  | ERGO COUPLING KIT | 101119496 | 0 |
| High Pressure Male Coupling | | | |
|  | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 |
| High Pressure Hose, DN6 | | | |
|  | 10 M WIRE HOSE DN6 | 301002275 | 0 |











Petrol-driven high performance with minimal effort and maintenance

| Included accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|--|-----------|---------------|-------------------------|
|  | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | |
| High Pressure Hose, DN8 | | | | |
|  | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | • |
| High Pressure Hose, DN10 | | | | |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | • |
|  | HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | |
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | |
| Hose Reel | | | | |
|  | HOSE REEL KIT MC PE EMEA | 107144825 | 0 | |
| Spray Gun | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 0 | • |
| Tornado Lance | | | | |
|  | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 0 | • |
| FlexoPower Lance | | | | |
|  | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 0 | |
| TurboHammer Lance | | | | |



Petrol-driven high performance with minimal effort and maintenance

| Included accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|--|---|-----------|---------------|-------------------|
|  | TURBOHAMMER PLUS 950 STRAIGHT W12 0350 | 106403077 | 0 | |
|  | TURBOHAMMER PLUS 1115 STRAIGHT W12 0400 | 106403002 | 0 | |
| 4-in-1 Lance | | | | |
|  | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | |
|  | 4-IN-1 LANCE INCL 0400 ALUMINUM HEAD | 106408253 | 0 | |
| Tornado Nozzle with Indication Ring | | | | |
|  | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | |
|  | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 0 | |
|  | NOZZLE 0400 INDICATION RING METAL GREY | 101119738 | 0 | |
|  | NOZZLE 0450 INDICATION RING LIGHT BLUE | 101119740 | 0 | • |

| Model | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|----------|-------------------|--------------------|---------------------|
| Ref. no. | 106404532 | 106404533 | 106404535 |

PRODUCT FEATURES

| | | | |
|-------------------------|---|---|---|
| Stainless steel pistons | • | | |
| Petrol driven | • | • | • |
| Brass cylinder head | • | • | • |
| Ceramic coated pistons | | • | • |
| Ceramic pistons | | | |
| Fuel tank | • | • | • |



Petrol-driven high performance with minimal effort and maintenance

| Model | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|----------|----------------------|-----------------------|------------------------|
| Ref. no. | 106404532 | 106404533 | 106404535 |

PRODUCT FEATURES

| | | | |
|-------------------------------|---|---|---|
| Low pressure detergent system | • | • | • |
| Water flow regulation | | • | • |
| Thermal dump valve | • | • | • |
| Hose holder | • | • | • |
| Direct drive | • | • | • |
| Reduction Gear | | | |
| Flat Free Wheels | • | • | • |

| Model | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|----------|------------------|-------------------|-------------------------|
| Ref. no. | 106404536 | 106404538 | 106404539 |

PRODUCT FEATURES

| | | | |
|-------------------------------|---|---|---|
| Stainless steel pistons | | | |
| Petrol driven | • | • | • |
| Brass cylinder head | • | • | • |
| Ceramic coated pistons | | | |
| Ceramic pistons | • | • | • |
| Fuel tank | • | • | • |
| Low pressure detergent system | • | • | • |
| Water flow regulation | | • | • |
| Thermal dump valve | • | • | • |
| Hose holder | • | • | • |
| Direct drive | • | • | • |
| Reduction Gear | | | |
| Flat Free Wheels | • | • | • |

| Model | MC 5M-280/1100 PE |
|----------|----------------------|
| Ref. no. | 106404540 |

PRODUCT FEATURES

| | |
|-------------------------|---|
| Stainless steel pistons | |
| Petrol driven | • |
| Brass cylinder head | • |
| Ceramic coated pistons | |
| Ceramic pistons | • |
| Fuel tank | • |



Petrol-driven high performance with minimal effort and maintenance

Model MC 5M-280/1100
PE

Ref. no. 106404540

PRODUCT FEATURES

- Low pressure detergent system •
- Water flow regulation •
- Thermal dump valve •
- Hose holder •
- Direct drive
- Reduction Gear •
- Flat Free Wheels •

| Technical specifications | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---------------------------------------|----------------------|-----------------------|------------------------|
| Pump Pressure (bar/MPa) | 160 | 180 | 210 |
| Cleaning impact (kg/force) | 3.5 | 3.8 | 4.1 |
| Pump (RPM) | 3400 | 3400 | 3400 |
| Motor power hp (kW) | 6.5 (4.7) | 7 (5.2) | 5.5 (4.1) |
| Power source diesel | | | |
| Power source petrol | Kohler SH265 | Kohler CH270 | Honda GX200 |
| Water flow Qmax/Qiec (l/h) | 670/740 | 690/750 | 690/770 |
| Nozzle size | .0370 | .0400 | .0340 |
| Max. inlet temperature (°C) | 60 | 60 | 60 |
| Ceramic pistons | | | |
| Length x width x height (mm) | 533x521x935 | 533x521x935 | 546x615x1021 |
| Weight (kg) | 30.2 | 32.2 | 39.9 |
| Recommended avg. hours of use per day | 2 | 3 | 4 |

| Technical specifications | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|------------------------------|------------------|-------------------|-------------------------|
| Pump Pressure (bar/MPa) | 240 | 280 | 280 |
| Cleaning impact (kg/force) | 5.4 | 6.5 | 6.5 |
| Pump (RPM) | 3400 | 3400 | 3400 |
| Motor power hp (kW) | 9 (6.6) | 13 (9.5) | 13 (9.5) |
| Power source diesel | | | |
| Power source petrol | Honda GX270 | Honda GX390 | Honda GX390 |
| Water flow Qmax/Qiec (l/h) | 850/940 | 950/1000 | 950/1000 |
| Nozzle size | .0370 | .0370 | .0370 |
| Max. inlet temperature (°C) | 60 | 60 | 60 |
| Ceramic pistons | 3 | 3 | 3 |
| Length x width x height (mm) | 546x615x1021 | 668x572x1021 | 546x615x1021 |








Petrol-driven high performance with minimal effort and maintenance

| Technical specifications | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---------------------------------------|------------------|-------------------|----------------------|
| Weight (kg) | 44.8 | 52 | 60 |
| Recommended avg. hours of use per day | 5 | 5 | 5 |






| Technical specifications | MC 5M-280/1100 PE |
|---------------------------------------|-------------------|
| Pump Pressure (bar/MPa) | 280 |
| Cleaning impact (kg/force) | 7.1 |
| Pump (RPM) | 1750 |
| Motor power hp (kW) | 13 (9.5) |
| Power source diesel | |
| Power source petrol | Honda GX390 |
| Water flow Qmax/Qiec (l/h) | 1040/1100 |
| Nozzle size | .0450 |
| Max. inlet temperature (°C) | 60 |
| Ceramic pistons | 3 |
| Length x width x height (mm) | 713x572x1021 |
| Weight (kg) | 61 |
| Recommended avg. hours of use per day | 6 |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|--|--------------------------------|---------------|-------------------|--------------------|---------------------|
| Hose and Connection | | | | | |
|  | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ |
|  | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ |
|  | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ |
|  | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ |
|  | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ |
| Abrasive Blasting | | | | | |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|--|-----------|---------------|-------------------|--------------------|---------------------|
|  | BORONCARBIDE FLAT NOZZLE VSB | 6400379 | 0 | ○ | ○ | ○ |
|  | LANCE SOFTBLASTING W. NOZZLE 05 | 6401233 | 0 | ○ | ○ | ○ |
|  | NOZZLE FOR WSB - FLAT RUBBER 10 PC. | 6402317 | 0 | ○ | ○ | ○ |
|  | SAND PLUGGER AND HOSE VSB | 6400375 | 0 | ○ | ○ | ○ |
|  | SAND SUPER BLAST 25KG | 8379 | 0 | ○ | ○ | ○ |
|  | SIMPLE SAND BLASTING UNIT COMPLETE VSB | 301112493 | 0 | ○ | ○ | ○ |
| Brush Washing | | | | | | |
|  | BRUSH INSERT | 10356 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH L2350 MM | 6400087 | 0 | ○ | ○ | ○ |
| Special Nozzle | | | | | | |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 0 | | | |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|--|-----------|---------------|-------------------|--------------------|---------------------|
|  NOZZLE PROTECTION CAP PA | 18430 | 0 | ○ | ○ | ○ |
| High Pressure Female Coupling | | | | | |
|  ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 0 | ○ | ○ | ○ |
|  ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ | ○ |
|  COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 0 | ○ | ○ | ○ |
|  HOSE NOZZLE 20R3/4 | 61369 | 0 | ○ | ○ | ○ |
|  QUICK COUPLING 3/4 W/GASKET | 1602945 | 0 | ○ | ○ | ○ |
| TurboHammer Nozzle | | | | | |
|  TURBOHAMMER NOZZLE W12 035 | 49283 | 0 | | | ○ |
|  TURBOHAMMER NOZZLE W12 040 | 65437 | 0 | | | |
|  TURBOHAMMER NOZZLEHEAD W12 0370 | 106408221 | 0 | ○ | | |
| High Pressure Male Coupling | | | | | |
|  ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 0 | ○ | ○ | ○ |
|  ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|--|-----------|---------------|-------------------|--------------------|---------------------|
|  | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | • | • | • |
|  | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 0 | ○ | ○ | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 0 | ○ | ○ | ○ |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 0 | ○ | ○ | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 0 | ○ | ○ | ○ |
| Filter Pressure Washer | | | | | | |
|  | CARTRIDGE FILTER REPLACEMENT 50 UM | 1104041 | 0 | ○ | ○ | ○ |
|  | SUCTION FILTER WITH FOOTVALVE | 6400000 | 0 | ○ | ○ | ○ |
|  | WATER FILTER 50UM 3/4INCH PN12 PA | 301000173 | 0 | ○ | ○ | ○ |
| Non Blacking High Pressure Hose, DN10 | | | | | | |
|  | HP HOSE DN10 GREY 10000 AGR-AGR | 6101767 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 15000 AGR-AGR | 1401983 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 20000 AGR-AGR | 1401991 | 0 | ○ | ○ | ○ |



Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|---------------------------------|----------|---------------|-------------------|--------------------|---------------------|
|  | HP HOSE DN10 GREY 25000 AGR-AGR | 1402007 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 30000 AGR-AGR | 1402015 | 0 | ○ | ○ | ○ |
| High Pressure Hose, DN10 | | | | | | |
|  | HP HOSE DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 2052 AGR-AGR | 1402924 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 5000 AGR-AGR | 1402940 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 25000 AGR-AGR | 1402080 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 30000 AGR-AGR | 1402098 | 0 | ○ | ○ | ○ |













Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|--|-----------|---------------|-------------------|--------------------|---------------------|
|  | HP HOSE DN10 50000 AGR-AGR | 1402759 | 0 | ○ | ○ | ○ |
| High Pressure Hose, DN8 | | | | | | |
|  | 10 M 1 WIRE HOSE 5/16 DN8 | 1405569 | 0 | ○ | ○ | ○ |
|  | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | ○ | ○ | ○ |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | ○ | ○ | ○ |
|  | HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL. | 301001101 | 0 | ○ | ○ | ○ |
|  | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | ○ | ○ |
| Ergo System Coupling and Adapter | | | | | | |
|  | COUPLING - FEMALE/Q-COUPPL 3/8 INCH | 106402075 | 0 | ○ | ○ | ○ |
|  | ERGO COUPLING KIT | 101119496 | 0 | ● | ● | ● |
|  | HIGH PRESSURE COUPLINGS KIT | 101119499 | 0 | ○ | ○ | ○ |
|  | NIPPEL F. Q-COUPPL. 3/8 INCH | 1600493 | 0 | ○ | ○ | ○ |
|  | NIPPLE F/QUICK COUPLING 3/8 SS | 1603101 | 0 | ○ | ○ | ○ |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|--|-----------|---------------|-------------------|--------------------|---------------------|
|  | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ | ○ |
| | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| High Pressure Hose, DN12 | | | | | | |
|  | HP HOSE DN12 10000 AGR-AGR | 4810219 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN12 15000 AGR-AGR | 4810213 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN12 20000 AGR-AGR | 4810214 | 0 | ○ | ○ | ○ |
| Special Lance | | | | | | |
|  | CURVED LANCE L1090 MM | 6402016 | 0 | ○ | ○ | ○ |
|  | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 0 | ○ | ○ | ○ |
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 0 | ○ | ○ | ○ |
| Hose Reel | | | | | | |
|  | HOSE REEL KIT MC PE EMEA | 107144825 | 0 | ○ | ○ | ● |
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 0 | ○ | ○ | ○ |
| Injector and Foam Sprayer | | | | | | |
|  | 02 INJECTOR COMPLETE | 6401246 | 0 | ○ | ○ | ○ |














Petrol-driven high performance with minimal effort and maintenance

| | Accessories | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|--|--|-----------|---------------|-------------------|--------------------|---------------------|
|  | 03 INJECTOR COMPLETE | 6401247 | 0 | ○ | ○ | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ | ○ |
|  | FOAM INJECTOR AGRESSIVE LQDS | 6401245 | 0 | | | ○ |
|  | FOAM INJECTOR W BYPASS | 6401242 | 0 | | | ○ |
|  | FOAM INJECTOR W BYPASS S. S | 6401243 | 0 | | | ○ |
|  | FOAM INJECTOR STANDARD | 6401244 | 0 | | | ○ |
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 0 | ○ | ○ | ○ |
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 0 | ○ | ○ | ○ |
| Brush Rotary | | | | | | |
|  | BRISTLE. LONG | 6401431 | 0 | ○ | ○ | ○ |
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 0 | | | |
|  | ROTARY BRUSH 055 1700MM | 6400019 | 0 | | | |










Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|--|-----------|---------------|-------------------|--------------------|---------------------|
|  | ROTARY BRUSH 055 L800 MM | 6400018 | 0 | | | |
| High Pressure Hose, DN6 | | | | | | |
|  | 10 M WIRE HOSE DN6 | 301002275 | 0 | • | • | ○ |
|  | HOSE DN6 10M 1W FOR P-2 | 126528620 | 0 | ○ | ○ | ○ |
|  | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | ○ | ○ | • |
| Spray Gun | | | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 0 | • | • | • |
|  | REP. KIT SWIVEL JOINT | 101119484 | 0 | ○ | ○ | ○ |
| Tornado Nozzle with Indication Ring | | | | | | |
|  | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | | | • |
|  | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 0 | • | | |
|  | NOZZLE 0400 INDICATION RING METAL GREY | 101119738 | 0 | | • | |
|  | NOZZLE 0450 INDICATION RING LIGHT BLUE | 101119740 | 0 | | | |
|  | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ | ○ |





Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|--------------------------------------|-----------|---------------|-------------------|--------------------|---------------------|
| Other | | | | | | |
|  | SIDE BAR COMPL. | 106402110 | 0 | ○ | ○ | ○ |
| Short Lance | | | | | | |
|  | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 0 | ○ | ○ | ○ |
|  | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 0 | ○ | ○ | ○ |
| FlexoPower Lance | | | | | | |
|  | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 0 | ○ | ○ | ● |
|  | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ | ○ |
| Tornado Lance | | | | | | |
|  | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 0 | ○ | ○ | ○ |
|  | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 0 | ○ | ○ | ○ |













Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|--|-----------|---------------|-------------------|--------------------|---------------------|
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 0 | ○ | ○ | ○ |
|  | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 0 | ○ | ○ | ○ |
| Universal Lance | | | | | | |
|  | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 0 | ○ | ○ | ○ |
| PowerSpeed Vario Lance | | | | | | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0370 | 106403091 | 0 | ○ | | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0450 | 106403092 | 0 | | | |
| Surface Cleaning Rotary | | | | | | |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | Ref. no. | Min. required | MC 2C-160/740 PET | MC 3C-180/750 PE T | MC 4C-210/770 PE XT |
|---|-----------|---------------|-------------------|--------------------|---------------------|
|  HYDROSCRUB P300 P+H | 106403187 | 0 | ○ | | |
|  HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | | ○ | ○ |
|  HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | | ○ | ○ |
| 4-in-1 Nozzle | | | | | |
|  NOZZLE 4-IN-1 ALU + INDICATION RING 0370 | 101118130 | 0 | ○ | | |
|  NOZZLE 4-IN-1 ALU + INDICATION RING 0400 | 101118131 | 0 | | ○ | |
| 4-in-1 Lance | | | | | |
|  4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | ● | | |
|  4-IN-1 LANCE INCL 0400 ALUMINUM HEAD | 106408253 | 0 | | ● | |
| TurboHammer Lance | | | | | |
|  TURBOHAMMER PLUS 950 STRAIGHT W12 0350 | 106403077 | 0 | | | ● |
|  TURBOHAMMER PLUS 1115 STRAIGHT W12 0400 | 106403002 | 0 | | | |
|  TURBOHAMMER PLUS 1130 STRAIGHT W12 0350 | 106403001 | 0 | | | ○ |














Petrol-driven high performance with minimal effort and maintenance

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|-----------|---------------|------------------|-------------------|----------------------|
| Hose and Connection | | | | | |
|  NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ | ○ |
|  NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ | ○ |
|  NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ | ○ |
|  NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ | ○ |
|  WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ | ○ |
| Abrasive Blasting | | | | | |
|  BORONCARBIDE FLAT NOZZLE VSB | 6400379 | 0 | ○ | ○ | ○ |
|  LANCE SOFTBLASTING W. NOZZLE 05 | 6401233 | 0 | ○ | ○ | ○ |
|  NOZZLE FOR WSB - FLAT RUBBER 10 PC. | 6402317 | 0 | ○ | ○ | ○ |
|  SAND PLUGGER AND HOSE VSB | 6400375 | 0 | ○ | ○ | ○ |
|  SAND SUPER BLAST 25KG | 8379 | 0 | ○ | ○ | ○ |
|  SIMPLE SAND BLASTING UNIT COMPLETE VSB | 301112493 | 0 | ○ | ○ | ○ |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|--|----------|---------------|------------------|-------------------|----------------------|
| Brush Washing | | | | | | |
|  | BRUSH INSERT | 10356 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH L2350 MM | 6400087 | 0 | ○ | ○ | ○ |
| Special Nozzle | | | | | | |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 0 | | | ○ |
|  | NOZZLE PROTECTION CAP PA | 18430 | 0 | ○ | ○ | ○ |
| High Pressure Female Coupling | | | | | | |
|  | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 0 | ○ | ○ | ○ |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ | ○ |
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 0 | ○ | ○ | ○ |
|  | HOSE NOZZLE 20R3/4 | 61369 | 0 | ○ | ○ | ○ |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 0 | ○ | ○ | ○ |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|--|---------------|------------------|-------------------|----------------------|
| TurboHammer Nozzle | | | | | |
|  | TURBOHAMMER NOZZLE W12 035 | 49283 | 0 | | |
|  | TURBOHAMMER NOZZLE W12 040 | 65437 | 0 | | ○ |
|  | TURBOHAMMER NOZZLEHEAD W12 0370 | 106408221 | 0 | ○ | ○ |
| High Pressure Male Coupling | | | | | |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 0 | ○ | ○ |
|  | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ |
|  | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● |
|  | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 0 | ○ | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 0 | ○ | ○ |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 0 | ○ | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 0 | ○ | ○ |
| Filter Pressure Washer | | | | | |
|  | CARTRIDGE FILTER REPLACEM. 50 UM | 1104041 | 0 | ○ | ○ |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|-----------------------------------|-----------|---------------|------------------|-------------------|----------------------|
|  | SUCTION FILTER WITH FOOTVALVE | 6400000 | 0 | ○ | ○ | ○ |
|  | WATER FILTER 50UM 3/4INCH PN12 PA | 301000173 | 0 | ○ | ○ | ○ |
| Non Blacking High Pressure Hose, DN10 | | | | | | |
|  | HP HOSE DN10 GREY 10000 AGR-AGR | 6101767 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 15000 AGR-AGR | 1401983 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 20000 AGR-AGR | 1401991 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 25000 AGR-AGR | 1402007 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 30000 AGR-AGR | 1402015 | 0 | ○ | ○ | ○ |
| High Pressure Hose, DN10 | | | | | | |
|  | HP HOSE DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 2052 AGR-AGR | 1402924 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 5000 AGR-AGR | 1402940 | 0 | ○ | ○ | ○ |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|--|-----------|---------------|------------------|-------------------|----------------------|
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | ○ | ● | ○ |
|  | HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | ○ | ○ | ● |
|  | HP HOSE DN10 25000 AGR-AGR | 1402080 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 30000 AGR-AGR | 1402098 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 50000 AGR-AGR | 1402759 | 0 | ○ | ○ | ○ |
| High Pressure Hose, DN8 | | | | | | |
|  | 10 M 1 WIRE HOSE 5/16 DN8 | 1405569 | 0 | ○ | | |
|  | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | ● | ● | ○ |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | ○ | | |
|  | HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL. | 301001101 | 0 | ○ | | |
|  | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | | |
| Ergo System Coupling and Adapter | | | | | | |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|-----------|---------------|------------------|-------------------|----------------------|
|  COUPLING - FEMALE/Q-COUPPL 3/8 INCH | 106402075 | 0 | ○ | ○ | ○ |
|  ERGO COUPLING KIT | 101119496 | 0 | ● | ● | ● |
|  HIGH PRESSURE COUPLINGS KIT | 101119499 | 0 | ○ | ○ | ○ |
|  NIPPEL F. Q-COUPPL. 3/8 INCH | 1600493 | 0 | ○ | ○ | ○ |
|  NIPPLE F/QUICK COUPLING 3/8 SS | 1603101 | 0 | ○ | ○ | ○ |
|  NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ | ○ |
| PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| High Pressure Hose, DN12 | | | | | |
|  HP HOSE DN12 10000 AGR-AGR | 4810219 | 0 | ○ | ○ | ○ |
|  HP HOSE DN12 15000 AGR-AGR | 4810213 | 0 | ○ | ○ | ○ |
|  HP HOSE DN12 20000 AGR-AGR | 4810214 | 0 | ○ | ○ | ○ |
| Special Lance | | | | | |
|  CURVED LANCE L1090 MM | 6402016 | 0 | ○ | ○ | ○ |
|  LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 0 | ○ | ○ | ○ |













Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|--|-----------|---------------|------------------|-------------------|----------------------|
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 0 | ○ | ○ | ○ |
| Hose Reel | | | | | | |
|  | HOSE REEL KIT MC PE EMEA | 107144825 | 0 | ○ | ○ | ● |
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 0 | ○ | ○ | ○ |
| Injector and Foam Sprayer | | | | | | |
|  | 02 INJECTOR COMPLETE | 6401246 | 0 | ○ | ○ | ○ |
|  | 03 INJECTOR COMPLETE | 6401247 | 0 | ○ | ○ | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ | ○ |
|  | FOAM INJECTOR AGRESSIVE LQDS | 6401245 | 0 | ○ | ○ | ○ |
|  | FOAM INJECTOR W BYPASS | 6401242 | 0 | ○ | ○ | ○ |
|  | FOAM INJECTOR W BYPASS S. S | 6401243 | 0 | ○ | ○ | ○ |
|  | FOAM INJECTOR STANDARD | 6401244 | 0 | ○ | ○ | ○ |
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 0 | ○ | ○ | ○ |












Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|--|-----------------------------------|-----------|---------------|------------------|-------------------|----------------------|
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 0 | ○ | ○ | ○ |
| Brush Rotary | | | | | | |
|  | BRISTLE. LONG | 6401431 | 0 | ○ | ○ | ○ |
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 0 | ○ | ○ | ○ |
|  | ROTARY BRUSH 055 1700MM | 6400019 | 0 | ○ | ○ | ○ |
|  | ROTARY BRUSH 055 L800 MM | 6400018 | 0 | ○ | ○ | ○ |
| High Pressure Hose, DN6 | | | | | | |
|  | 10 M WIRE HOSE DN6 | 301002275 | 0 | | | |
|  | HOSE DN6 10M 1W FOR P-2 | 126528620 | 0 | | | |
|  | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | | | |
| Spray Gun | | | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 0 | ● | ● | ● |
|  | REP. KIT SWIVEL JOINT | 101119484 | 0 | ○ | ○ | ○ |
| Tornado Nozzle with Indication Ring | | | | | | |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|-----------|---------------|------------------|-------------------|----------------------|
|  NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | | | |
|  NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 0 | • | • | • |
|  NOZZLE 0400 INDICATION RING METAL GREY | 101119738 | 0 | | | |
|  NOZZLE 0450 INDICATION RING LIGHT BLUE | 101119740 | 0 | | | |
|  NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ | ○ |
| Other | | | | | |
|  SIDE BAR COMPL. | 106402110 | 0 | ○ | ○ | ○ |
| Short Lance | | | | | |
|  DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 0 | ○ | ○ | ○ |
|  SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 0 | ○ | ○ | ○ |
| FlexoPower Lance | | | | | |
|  FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 0 | • | ○ | ○ |
|  FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ | ○ |
|  FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 0 | ○ | ○ | ○ |













Petrol-driven high performance with minimal effort and maintenance





| Accessories | | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|---|-----------|---------------|------------------|-------------------|----------------------|
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ | ○ |
| Tornado Lance | | | | | | |
|  | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 0 | ○ | ○ | ○ |
|  | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 0 | ○ | ● | ● |
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 0 | ○ | ○ | ○ |
|  | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 0 | ○ | ○ | ○ |
| Universal Lance | | | | | | |
|  | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 0 | ○ | ○ | ○ |








Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|---|--|-----------|---------------|------------------|-------------------|----------------------|
|  | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 0 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 0 | ○ | ○ | ○ |
| PowerSpeed Vario Lance | | | | | | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0370 | 106403091 | 0 | ○ | ○ | ○ |
|  | POWERSPEED VARIO PLUS 1090 BEND 0450 | 106403092 | 0 | | | |
| Surface Cleaning Rotary | | | | | | |
|  | HYDROSCRUB P300 P+H | 106403187 | 0 | | | |
|  | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | ○ | ○ | ○ |
|  | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | ○ | ○ | ○ |
| 4-in-1 Nozzle | | | | | | |
|  | NOZZLE 4-IN-1 ALU + INDICATION RING 0370 | 101118130 | 0 | | | |
|  | NOZZLE 4-IN-1 ALU + INDICATION RING 0400 | 101118131 | 0 | | | |
| 4-in-1 Lance | | | | | | |
|  | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | | | |

Petrol-driven high performance with minimal effort and maintenance












| Accessories | Ref. no. | Min. required | MC 5C-240/940 PE | MC 5C-280/1000 PE | MC 5C-280/1000 PE XT |
|--|-----------|---------------|------------------|-------------------|----------------------|
|  4-IN-1 LANCE INCL 0400 ALUMINUM HEAD | 106408253 | 0 | | | |
| TurboHammer Lance | | | | | |
|  TURBOHAMMER PLUS 950 STRAIGHT W12 0350 | 106403077 | 0 | | | |
|  TURBOHAMMER PLUS 1115 STRAIGHT W12 0400 | 106403002 | 0 | | | ● |
|  TURBOHAMMER PLUS 1130 STRAIGHT W12 0350 | 106403001 | 0 | | | |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|-----------|---------------|-------------------|
| Hose and Connection | | | |
|  NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ |
|  NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ |
|  NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ |
|  NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ |
|  WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ |
| Abrasive Blasting | | | |
|  BORONCARBIDE FLAT NOZZLE VSB | 6400379 | 0 | ○ |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|--|-----------|---------------|-------------------|
|  | LANCE SOFTBLASTING W. NOZZLE 05 | 6401233 | 0 | ○ |
|  | NOZZLE FOR WSB - FLAT RUBBER 10 PC. | 6402317 | 0 | ○ |
|  | SAND PLUGGER AND HOSE VSB | 6400375 | 0 | ○ |
|  | SAND SUPER BLAST 25KG | 8379 | 0 | ○ |
|  | SIMPLE SAND BLASTING UNIT COMPLETE VSB | 301112493 | 0 | ○ |
| Brush Washing | | | | |
|  | BRUSH INSERT | 10356 | 0 | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 0 | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 0 | ○ |
|  | WASH BRUSH L2350 MM | 6400087 | 0 | ○ |
| Special Nozzle | | | | |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 0 | ○ |
|  | NOZZLE PROTECTION CAP PA | 18430 | 0 | ○ |
| High Pressure Female Coupling | | | | |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|--|-----------|---------------|-------------------|
|  | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 0 | ○ |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ |
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 0 | ○ |
|  | HOSE NOZZLE 20R3/4 | 61369 | 0 | ○ |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 0 | ○ |
| TurboHammer Nozzle | | | | |
|  | TURBOHAMMER NOZZLE W12 035 | 49283 | 0 | |
|  | TURBOHAMMER NOZZLE W12 040 | 65437 | 0 | |
|  | TURBOHAMMER NOZZLEHEAD W12 0370 | 106408221 | 0 | |
| High Pressure Male Coupling | | | | |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 0 | ○ |
|  | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ |
|  | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|------------------------------------|-----------|---------------|-------------------------|
|  | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 0 | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 0 | ○ |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 0 | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 0 | ○ |
| Filter Pressure Washer | | | | |
|  | CARTRIDGE FILTER REPLACEM. 50 UM | 1104041 | 0 | ○ |
|  | SUCTION FILTER WITH FOOTVALVE | 6400000 | 0 | ○ |
|  | WATER FILTER 50UM 3/4INCH PN12 PA | 301000173 | 0 | ○ |
| Non Blacking High Pressure Hose, DN10 | | | | |
|  | HP HOSE DN10 GREY 10000 AGR-AGR | 6101767 | 0 | ○ |
|  | HP HOSE DN10 GREY 15000 AGR-AGR | 1401983 | 0 | ○ |
|  | HP HOSE DN10 GREY 20000 AGR-AGR | 1401991 | 0 | ○ |
|  | HP HOSE DN10 GREY 25000 AGR-AGR | 1402007 | 0 | ○ |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|---------------------------------|----------|---------------|-------------------------|
|  | HP HOSE DN10 GREY 30000 AGR-AGR | 1402015 | 0 | ○ |
| High Pressure Hose, DN10 | | | | |
|  | HP HOSE DN10 1000 AGR-AGR | 1402916 | 0 | ○ |
|  | HP HOSE DN10 2052 AGR-AGR | 1402924 | 0 | ○ |
|  | HP HOSE DN10 3000 AGR-AGR | 1402932 | 0 | ○ |
|  | HP HOSE DN10 5000 AGR-AGR | 1402940 | 0 | ○ |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | ● |
|  | HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | ○ |
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | ○ |
|  | HP HOSE DN10 25000 AGR-AGR | 1402080 | 0 | ○ |
|  | HP HOSE DN10 30000 AGR-AGR | 1402098 | 0 | ○ |
|  | HP HOSE DN10 50000 AGR-AGR | 1402759 | 0 | ○ |
| High Pressure Hose, DN8 | | | | |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|--|-----------|---------------|-------------------------|
|  | 10 M 1 WIRE HOSE 5/16 DN8 | 1405569 | 0 | |
|  | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | • |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | |
|  | HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL. | 301001101 | 0 | |
|  | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | |
| Ergo System Coupling and Adapter | | | | |
|  | COUPLING - FEMALE/Q-COUPPL 3/8 INCH | 106402075 | 0 | ○ |
|  | ERGO COUPLING KIT | 101119496 | 0 | • |
|  | HIGH PRESSURE COUPLINGS KIT | 101119499 | 0 | ○ |
|  | NIPPEL F. Q-COUPPL. 3/8 INCH | 1600493 | 0 | ○ |
|  | NIPPLE F/QUICK COUPLING 3/8 SS | 1603101 | 0 | ○ |
|  | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ |
| | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ |
| High Pressure Hose, DN12 | | | | |














Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|--|-----------|---------------|-------------------|
|  | HP HOSE DN12 10000 AGR-AGR | 4810219 | 0 | ○ |
|  | HP HOSE DN12 15000 AGR-AGR | 4810213 | 0 | ○ |
|  | HP HOSE DN12 20000 AGR-AGR | 4810214 | 0 | ○ |
| Special Lance | | | | |
|  | CURVED LANCE L1090 MM | 6402016 | 0 | ○ |
|  | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 0 | ○ |
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 0 | ○ |
| Hose Reel | | | | |
|  | HOSE REEL KIT MC PE EMEA | 107144825 | 0 | ○ |
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 0 | ○ |
| Injector and Foam Sprayer | | | | |
|  | 02 INJECTOR COMPLETE | 6401246 | 0 | ○ |
|  | 03 INJECTOR COMPLETE | 6401247 | 0 | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ |













Petrol-driven high performance with minimal effort and maintenance












| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|--|------------------------------|-----------|---------------|-------------------|
|  | FOAM INJECTOR AGRESSIVE LQDS | 6401245 | 0 | ○ |
|  | FOAM INJECTOR W BYPASS | 6401242 | 0 | ○ |
|  | FOAM INJECTOR W BYPASS S. S | 6401243 | 0 | ○ |
|  | FOAM INJECTOR STANDARD | 6401244 | 0 | ○ |
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 0 | ○ |
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 0 | ○ |
| Brush Rotary | | | | |
|  | BRISTLE. LONG | 6401431 | 0 | ○ |
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 0 | ○ |
|  | ROTARY BRUSH 055 1700MM | 6400019 | 0 | ○ |
|  | ROTARY BRUSH 055 L800 MM | 6400018 | 0 | ○ |
| High Pressure Hose, DN6 | | | | |
|  | 10 M WIRE HOSE DN6 | 301002275 | 0 | |



Petrol-driven high performance with minimal effort and maintenance












| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|--|--|-----------|---------------|-------------------------|
|  | HOSE DN6 10M 1W FOR P-2 | 126528620 | 0 | |
|  | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | |
| Spray Gun | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 0 | • |
|  | REP. KIT SWIVEL JOINT | 101119484 | 0 | ○ |
| Tornado Nozzle with Indication Ring | | | | |
|  | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | |
|  | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 0 | |
|  | NOZZLE 0400 INDICATION RING METAL GREY | 101119738 | 0 | |
|  | NOZZLE 0450 INDICATION RING LIGHT BLUE | 101119740 | 0 | • |
|  | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ |
| Other | | | | |
|  | SIDE BAR COMPL. | 106402110 | 0 | ○ |
| Short Lance | | | | |

Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|--------------------------------------|-----------|---------------|-------------------|
|  | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 0 | ○ |
|  | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 0 | ○ |
| FlexoPower Lance | | | | |
|  | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 0 | ○ |
|  | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ |
|  | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 0 | ○ |
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ |
|  | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ |
| Tornado Lance | | | | |
|  | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 0 | ○ |
|  | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 0 | ● |
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 0 | ○ |
|  | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 0 | ○ |
| Universal Lance | | | | |











Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|---|--|-----------|---------------|-------------------|
|  | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 0 | ○ |
|  | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 0 | ○ |
|  | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 0 | ○ |
|  | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 0 | ○ |
|  | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 0 | ○ |
|  | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 0 | ○ |
|  | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 0 | ○ |
| PowerSpeed Vario Lance | | | | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0370 | 106403091 | 0 | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0450 | 106403092 | 0 | ○ |
| Surface Cleaning Rotary | | | | |
|  | HYDROSCRUB P300 P+H | 106403187 | 0 | |
|  | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | ○ |



Petrol-driven high performance with minimal effort and maintenance

| Accessories | | Ref. no. | Min. required | MC 5M-280/1100 PE |
|--|--|-----------|---------------|-------------------------|
|  | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | ○ |
| 4-in-1 Nozzle | | | | |
|  | NOZZLE 4-IN-1 ALU + INDICATION RING 0370 | 101118130 | 0 | |
|  | NOZZLE 4-IN-1 ALU + INDICATION RING 0400 | 101118131 | 0 | |
| 4-in-1 Lance | | | | |
|  | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | |
|  | 4-IN-1 LANCE INCL 0400 ALUMINUM HEAD | 106408253 | 0 | |
| TurboHammer Lance | | | | |
|  | TURBOHAMMER PLUS 950 STRAIGHT W12 0350 | 106403077 | 0 | |
|  | TURBOHAMMER PLUS 1115 STRAIGHT W12 0400 | 106403002 | 0 | |
|  | TURBOHAMMER PLUS 1130 STRAIGHT W12 0350 | 106403001 | 0 | |

