

Certificate of Analysis

January 16, 2024

OWNLY ORGANIC 1708 Augusta Street, Suite C #345 Greenville, SC 29605

Order No. 551766 Sample No. 1188569

SAMPLE INFORMATION

Ownly Cola
Non-Inhalable Edible (Beverage)
January 16, 2024

ANALYTICAL RESULTS

Analysis	Cannabinoid Pro file 📀 Pass
Instrument	Liquid Chromatography Diode Array Detector (LC-DAD)
Method	MF-CHEM-15
Analysis Date	January 16, 2024

Cannabinoid	mg/g	Labeled mg/ serving	%	mg/ml	mg/serving	% Diff erence (mg/ serving)	mg/package	Status
∆8-THC	0.0299	10	0.00299	0.0290	10.02	0.01	10.02	-
∆9-THC	<loq< td=""><td>-</td><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td><td><loq< td=""><td>Pass</td></loq<></td></loq<></td></loq<></td></loq<></td></loq<>	-	<loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td><td><loq< td=""><td>Pass</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>-</td><td><loq< td=""><td>Pass</td></loq<></td></loq<></td></loq<>	<loq< td=""><td>-</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	-	<loq< td=""><td>Pass</td></loq<>	Pass
∆9-THCA	ND	-	ND	ND	ND	-	ND	-
THCV	ND	-	ND	ND	ND	-	ND	-
THCVA	ND	-	ND	ND	ND	-	ND	-
CBD	ND	-	ND	ND	ND	-	ND	-
CBDA	ND	-	ND	ND	ND	-	ND	-
СВС	ND	-	ND	ND	ND	-	ND	-
CBCA	ND	-	ND	ND	ND	-	ND	-
CBDV	ND	-	ND	ND	ND	-	ND	-
CBG	ND	-	ND	ND	ND	-	ND	-
CBGA	ND	-	ND	ND	ND	-	ND	-
CBN	ND	-	ND	ND	ND	-	ND	-
Total THC	<loq< td=""><td>-</td><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<></td></loq<></td></loq<>	-	<loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>-</td><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<>	<loq< td=""><td>-</td><td><loq< td=""><td>-</td></loq<></td></loq<>	-	<loq< td=""><td>-</td></loq<>	-
Total CBD	ND	-	ND	ND	ND	-	ND	-
Total Cannabinoids	0.0299	-	0.00299	0.0290	10.02	-	10.02	-
Sum of Cannabinoids	0.0299	-	0.00299	0.0290	10.02	-	10.02	-
Serving Weight (g)	356.14665							
Package Weight (g)	356.1467							
g/ml Conversion Factor	1.00323							

Comments

This result of this sample is confirmed with a retest.

Reported by Anresco, Inc.



January 16, 2024

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave., San Francisco, CA 94124 Sample #: 1188569

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, con under applicable law. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certi ficate Number AT-1551.