

4XEM 35W 3FT 2-in-1 USB-C with Lightning Adapter Charging Kit

4XEM Part- 4X35W2N1KIT3



Introducing the 4XEM 35W 3FT 2-in-1 USB-C with Lightning Adapter Charging Kit, your perfect solution for versatile charging needs. This sleek and efficient charging kit features a powerful 35W USB-C charger and a 3-foot USB-C to USB-C/Lightning cable, making it ideal for powering up your devices quickly and conveniently. With a unidirectional design, the kit seamlessly charges USB-C and Lightning devices with a robust power delivery capability of up to 35W, ensuring fast and reliable performance.

Crafted for everyday use, this charging kit meets industry standards including USB-PD 3.0 and is FCC certified, providing peace of mind with a one-year warranty. The charger's compact size and lightweight design make it portable enough to carry in your bag or pocket. The durable TPE jacket on the cable and gold-plated connectors ensure longevity and optimal performance, while the cable's data transfer rate of 480 Mbps allows for quick file sharing when needed.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- 1x 35W USB-C Adapter
- 1x 3FT USB-C to USB-C Cable with MFi-certified Lightning connector for Apple devices
- Charger supports Power Delivery (PD)
- Compact design with retractable prongs
- Supports 480 Mbps data transfer
- Durable TPE cable with gold and nickel-plated connectors
- FCC certified for safety and reliability
- Wide input voltage range (100-240V) for global use
- 1-year warranty

Application

- **All-in-One Convenience:** This 2-in-1 bundle includes both a powerful 35W USB-C charger and a versatile USB-C to USB-C/Lightning cable, offering everything you need in one package. Ideal for users looking to save time and money, it provides seamless charging for a wide range of devices without the need to purchase separate components.
- **Travel-Ready Convenience:** With its compact size and retractable prongs, this charging kit is perfect for frequent travelers. The universal 100-240VAC input ensures it works with outlets worldwide, making it an essential companion for international trips.
- **Multi-Device Compatibility:** The included 2-in-1 USB-C to USB-C/Lightning cable means you can charge both Apple devices (like iPhones and iPads) as well as USB-C compatible gadgets, reducing the need to carry multiple chargers and cables.
- **Safe Charging:** With industry certifications, including FCC and MFi for Apple Lightning products, users can trust in safe and stable charging, whether at home, in the office, or on the go.

Made for
iPhone | iPad | iPod

Switch to Connect



4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information	Warranty	1 year
Connector(s)	Charging Port Power Source Charging Cable Connector A Charging Cable Connector B Operating Mode Direction	1x USB Type-C Female Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Non-Retractable Prongs USB Type-C Male USB Type-C - Male with Lightning Male attachment Passive Unidirectional - USB-C to USB-C/Lightning
Performance	Industry Standards (Cable) Industry Standards (Charger) Cable Data Transfer Rate E-Marker	USB 2.0 FCC certified USB-PD 3.0 ETL certification 480 Mbps No
Physical Characteristics	Charger Color Display LED Indicator(s) Charger Height Charger Width Charger Length Charger Weight Charging Cable Color Connector Plating Connector Style Cable Jacket Type Wire Gauge Charging Cable Length Charging Cable OD Charging Cable Weight	White No None 1.30 in [32.9 mm] 1.34 in [34.0 mm] 1.46 in [37.2 mm] 2.11 in [53.5 mm] (with power prongs) 1.48 oz [42 g] White Gold plated pin, nickel plated iron case Straight TPE (Thermoplastic Elastomer) 11/0.08TC*3C+46/0.08TC*2C 3 ft [0.94 m] 0.15 in [3.8 mm] 0.84 oz [24 g]
Power	Total Power Budget Power Delivery Input Voltage Output Voltage	35W 35W Max 100-240VAC, 50Hz-60Hz @ 1.0A 35W: 5/9V 3A, 12V 2.5A, 15V 2A, 20V 1.75A
Environmental	Operating Temperature Storage Temperature Humidity	32°F to 104°F [0°C to 40°C] -4°F to 176°F [-20°C to 80°C] 5% to 90% (non-condensing)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 7.09 in [180 mm] 4.72 in [120 mm] 0.54 in [13.7 mm] 2.32 oz [66 g]
What's in the Box	Included in Package	1x 35W USB-C Charger 1x 3ft USB-C to USB-C/Lightning Cable
Notes	Notes	MFi Certified Lightning connector

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

