

4XEM 65W 6FT USB-C to USB-C Laptop GaN Charging Kit – White

4XEM Part- 4X65WCHRGKIT6W



Introducing the 4XEM 65W 6FT USB-C to USB-C Laptop GaN Charging Kit – White, a cutting-edge charging solution designed to meet the demands of the public sector, including education, businesses, and government. With a 1-year warranty, this kit is not only reliable but also versatile, ensuring your devices are powered efficiently.

The package includes the 65W USB-C GaN Charger and a 6ft USB-C/USB-C Cable, ensuring you have all you need in one convenient package. Note that for A/V transmission, both the video source equipment and the display must support DisplayPort Alt-Mode.

In the public sector, whether you're an educational institution, a government agency, or a business, the 4XEM 65W 6FT USB-C to USB-C Laptop GaN Charging Kit offers a reliable and efficient solution to power your devices while meeting the highest safety and performance standards.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com**



Features

- 65W USB-C GaN Charging Kit
- Ideal for public sector: Education, businesses, and government
- 1-year warranty for peace of mind
- USB-PD 3.0 and USB 3.2 Gen 2 compliant
- 10Gbps data rate, video support offered through cable
- 100W E-Marked cable for safe power delivery
- ETL, CCC, CE, and ROHS certified for reliability
- Compact and portable charger with retractable prongs
- 6ft USB-C/USB-C cable
- Perfect for laptops, tablets, and other USB-C devices in public sector environments.

Device Compatibility

- Dell Models: XPS 13 (7390), XPS 13 (9300), XPS 13 (9310) 2-in-1, XPS 13 (9370), XPS 13 (9380), Dell Chromebook 3100, 3100 2-in-1, 3400, 5190 2-in-1, 5190 Education, Dell Inspiron 13 7390 2-in-1, 15 5582 2-in-1, 15 7590 2-in-1, 5481 2-in-1, 5482 2-in-1, 7306 2-in-1, 7400, 7490, Dell Inspiron Chromebook 7486, Dell Latitude 3300, 3301, 3310, 3310 2-in-1, 3320, 3400, 3410, 3420, 3500, 3510, 3520, 5320 2-in-1, 5420, 7310, 7320 2-in-1, 7320 Detachable, 7410 2-in-1, 7410 2-in-1 Chromebook Enterprise, 7420 2-in-1, 7520, 9420 2-in-1, 9520 2-in-1, Dell Precision 3560, Dell XPS 13 9305
- Samsung Models: Samsung Chromebook 4 XE310XBA, 4+ XE350XBA, Plus XE513C24, Plus XE520QAB, Plus XE521QAB, Plus LTE XE525QBB, Pro XE510C24, Pro XE510C25, Samsung Notebook 7 Spin NP750QUA, Samsung Notebook 7 Spin NP750QUB
- HP Models: HP Chromebook 15a-na0020ca, 15a-na0010ca, 14a-na1010ca, HP Fortis 14 inch G10 Chromebook, Chromebook x360 14a-ca1000ca, x360 14c-cd0020ca, Elite Dragon G3, Elite Dragon G4, Pavilion 14, Spectre x360 13.5
- Lenovo Models: Lenovo Yoga 910 910-13 910-13IKB 910-131KB 720-13 720 720-13IKB C630-13 C630-13Q50 ThinkPad L480 L580 L490 L590 T480 T480s T490 T490s T495sT580 T580s T590, IdeaPad 5 14; 5 Pro 14; ThinkBook 14s Yoga G2 IAP; V14 G3 IAP; V15 G3 IAP; V17 G3 IAP
- Apple Models: iPhone 15/14/13/, 15/14/13 Pro, 15/14/13 Pro Max, 13 Mini, Macbook Air M2 (2023), MacBook Pro 13inch 2020/ 2019/ 2018/ 2017/ 2016, new Mac Book Air 13 inch 2020/ 2019/ 2018, MacBook 12" 2017/ 2016/ 2015, iPad Pro 12.9"/10.5"/9.7", iPad 2020/ 2019/ 2018/ Air 4. This charger block also can charge other devices that type c charging port enable. macbook A1466 charger, macbook air 13 inch charger, macbook pro 13 inch charger

4XEM Products Are Available At Your Favorite Online Retailers





DATA SHEET

Warranty Information	Warranty	1 year
Connector(s)	Charging Port Power	1x USB Type-C Female Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Retractable Prongs
	Charging Cable Connector A Charging Cable Connector B	USB Type-C Male USB Type-C Male
Performance	Industry Standards	USB-PD 3.0 USB 3.2 Gen 2 10Gbps
	Cable Data Rate Video Support E-Marker Certifications	Yes (Cable) 20V, 5A (100W) ETL CCC CE ROHS
Physical Characteristics	Charger Color Display LED Indicator(s) Charger Width Charger Height Charger Length	White No None 1.18 in [30.0 mm] 2.06 in [52.3 mm] 2.23 in [56.6 mm] 2.86 in [72.6 mm] (with power prongs out)
	Charger Weight Charging Cable Colour Charging Cable Length Charging Cable OD Charging Cable Weight	3.74 oz [106 g] White 5.91 ft [1.80 m] 0.18 in [4.50 mm] 2.26 oz [64 g]
Power	Total Power Budget Power Delivery Input Voltage Output Voltage	65W 65W Max 100-240VAC, 50Hz-60Hz @ 1.5A 65W: 5/9/12/15V 3A, 20V 3.25A
Environmental	Operating Temperature Storage Temperature Humidity	32°F to 104°F [0°C to 40°C] -4°F to 176°F [-20°C to 80°C] 5% to 90% (non-condensing)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 6.89 in [175 mm] 4.72 in [120 mm] 0.74 in [18.8 mm] 6 oz [170 g]
What's in the Box	Included in Package	1x 65W USB-C GaN Charger 1x 5.9ft/1.8m USB-C/USB-C Cable
Notes	Notes	Connected video source equipment and display must both support DisplayPort Alt-Mode for functional A/V transmission.

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com**

