



4XEM's 8K 2-port HDMI Switch

4XEM Part- 4X8KW003



4XEM's 8K 2-port HDMI switch offers manually controlled video switching at 8K, 5K or 4K quality resolution. Able to function in two distinct modes, this switch can either connect two devices to a monitor or one device to two monitors (simultaneous video output is not supported). Regardless of function the video quality will remain at the desired high-quality resolution. Set-up is very intuitive plug and play designed for quick video access, coupled with its portable design this switch can be used transferred as needed. Boost your HDMI video resolutions easily with 4XEM's 8K HDMI switch.

Problem it solves: Offering 8K, 5K, and 4K video quality and switch between displays or devices, 4XEM's 8K 2-port HDMI Switch is a great addition to any workstation.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com







Features

- Two HDMI ports
- Comes with DC power cable
- Supports 2 device connection to one monitor
- Supports one device two 2 monitors
- Supports 8K@30Hz
- Supports 5K@60
- Supports 4K@120Hz, 60Hz
- LED power indicator
- Compatible with Mac OSX and Windows
- Manually controlled device control

Application

- Home theatre
- Office
- Business Presentations
- · Multi-screen display



4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



DATA SHEET

Warranty Information Warranty 1 Year

Hardware Industry Standards HDMI 2.1
DSC 1.2

Remote No

Connector(s) Video Connector Type HDMI

Video Input/Outputs 3

Other Micro-USB (for power only)

Performance Max Uncompressed Bandwidth 48.0Gbps/42.67Gbps

Maximum Digital Resolutions 7680x4320 (8K), 30Hz, 8bpc

(Uncompressed)

3840x2160 (4K), 120Hz, 8bpc

Power Source (Uncompressed)

Input Voltage

Power Consumption USB Powered (Adaptor not included)

5V DC @ 2A 10W

Black

Aluminum

I/O Selector

2 (Active I/O)

3.05 ft [0.93 m]

1.55 oz [44 g]

Poly-bag

0.53 in [13.4 mm]

2.76 in [70.0 mm] 2.05 in [52.0 mm]

7.76 in [197 mm]

5.83 in [148 mm] 0.87 in [22.0 mm] 2.54 oz [72 g]

Physical Characteristics Colour

Power

What's in the Box

Notes

Shell Material

Buttons/Switches LED Indicators

Power Cable (Micro-USB) Length

Product Height
Product Width
Product Length
Weight of Product

Deales as Torre

Packaging Information Package Type

Package Height

Package Width Package Length

Shipping (Package) Weight

Included in Package 1x HDMI Bidirectional Switch

1x Micro-USB Power Cable

Notes "External Power Supply required; HDMI voltage insufficient

for proper operation.

2 operating modes; single display with selectable video source, and single video source with selectable display. Higher bandwidths (resolution, refresh rate, colour depth) are achievable with DSC (This feature must also be supported by your display and graphics card/video source equipment)."

* Product appearance and specifications are subject to change without notice.

 * Same day shipping is only available for orders shipping within the United States

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

