



4XEM 10in DisplayPort To DVI-I Dual Link M/F Adapter Cable

4XEM Part- 4XDPMDVIFA10



Go from a DisplayPort device to a DVI-I Dual Link monitor or projector with 4XEM's 9-inch DisplayPort Male to DVI-I Female Adapter Cable. Offering video bandwidth of up to 1.65 Gb/s, this high-quality adapter features shielded cable for prevention of signal loss, ensuring optimal video performance. Supports HDTV resolutions up to 1080p as well as PC VGA, SVGA, XGA, SXGA and UXGA display modes.

Easily convert a DisplayPort signal to DVI-I Dual Link and present on the big screen. Plug and play.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Features:

- 10-inch size/length of cable •
- Video bandwidth of 1.65 Gb/s •
- Shielded Cable for protection against wear • and tear
- Supports HD 1080P •
- **Display Port Male connector** •
- **DVI-Dual Link female port**



4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Home

Office Video

Adaptor

Convenience

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

SL (18

Warranty Information	Warranty	2 Years
Hardware	Operating Mode Chip ID Direction Industry Standards	Passive N/A Unidirectional DisplayPort 1.1 DVI-D SL
Connector(s)	Connector A (Source) Connector B (Display)	DisplayPort - Male DVI (24+5 Pin) - Female**
Performance	Max Bandwidth Maximum Digital Resolutions Maximum Analog Resolutions	4.95Gbps 1920 x 1200 @ 60Hz, 8bpc 2650 x 1600 @ 30Hz, 8bpc N/A
Power	Power Source	Bus Powered
Physical Characteristics	Adapter Style Color Cable Jacket Type Cable Length Product Length Weight of Product	Pig-Tail Adapter Black PVC 10 in [254 mm] 3.5 in [88.9 mm] 1.59 oz [45 g]
Packaging Information	Packaging Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 0.5 in [12.7 mm] 9.00 in [228.6 mm] 5.00 in [127 mm] 1.69 oz [48 g]
What's in the Box	Included in Package	1x DisplayPort to DVI adapter
Notes	Notes	"DVI connector can accept any DVI cable but is wired for Digital ONLY, DVI-D SL (18 +1 pin) operation. Requires DP++ port"

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com