



4XEM 15FT High Resolution M/M DVI Cable

4XEM Part- 4XDVISMM15FT



With a high speed digital interface of up to 4.95 Gbits per second, 4XEM's DVI-D Single Link cables provide a highly reliable, purely digital connection between video devices such as DVI monitors, projectors and more. Two nickel plated DVI-D (male, single link) connectors ensure minimal signal loss while high quality materials and construction, including 28 AWG copper conductors, provide a lifetime of dependable performance. Connect with the best

The added length gives you way more flexibility.

4XEM gear is respected industry wide for its high performance, premium quality and durability.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





## **DATA SHEET**

# **Features**

- Lets you enjoy HD quality movies
- Features DVI cable type
- High speed clear connection between your DVI digital devices provided
- Connect either desktop or laptop computer to a DVI-D Single Link display or projector
- Allows DVI display devices hot plugging
- Digital high-speed transmission rates of up to 4.95 Gbits/sec
- Compatible with DVI DDWG Standards
- Replacement 6ft DVI-D Single Link monitor cable
- Compliant with Asus VS248H-P / ViewSonic VX2770SMH-LED / BenQ XL2420Z / HP Pavillion C3Z97AA#ABA
- available for use with all Digital Flat Panels and Liquid Crystal Displays
- Signal attenuation is faster and stronger than a regular monitor cable
- Resolutions up to 1920×1200
- Works with PC and Mac computer systems
- DVI-D Single Link Display Cable allows digital displays only


# **Application**


- Home office
- Small business
- Home Theatre
- Networking
- Desktop

# **DVI (Digital Video Interface)**

DVI-D

- Successor to VGA DB15 connector
- . Can be analog or digital
- Approx 9 different types of DVI connector are NOT ALWAYS INTERCHANGEABLE!





#### DVI-D:

A digital only connection with no analog conversion. This is the best cable when seeking to connect a digital source to a digital display. Does not work with analog displays.

### DVI-I:

Digital cables capable of transmitting either a digital to digital or an analog to analog signal. This cable will work with both digital and analog displays and sources.

Used to carry a DVI signal to an analog display. There is a noticeable loss of quality when converting digital to analog.



4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





## **DATA SHEET**

Warranty I	nformation	n Warranty	ty Lifetime

Active or Passive cable Hardware Passive Chip ID N/A

Direction

Bidirectional

Cable Jacket Type PVC - Polyvinyl Chloride

Cable Shield Type Aluminum-Mylar Foil with Braid

**Connector Plating** Nickel

Fire Rating CMG Rated (General Purpose)

**Number of Conductors** 15

Connector(s) Connector A **DVI Male** 

Connector B **DVI Male** 

**Physical Characteristics** Color Black

> Cable Length 15ft [4.5 m] Cable OD 0.3 in [7.6 mm] Ferrite OD 0.84 in [21.3 mm]

Wire Gauge **28 AWG** 

Connector Style Straight with Locking Screws

Connector Height 0.62 in [15.8 mm] Connector Width 1.5 in [38.1 mm] Connector Length 1.8 in [45.7 mm] Weight of Product 13 oz [368.5 g]

Packaging Information Package Height 8.15 in [207 mm]

6.69 in [170 mm] Package Width Package Length 1.43 in [36.4 mm] Shipping (Package) Weight 13.1 oz [371.3 g]

What's in the Box 1x 15ft DVI Cable - M/M Included in Package

Notes

# 4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



<sup>\*</sup> Product appearance and specifications are subject to change without notice.

<sup>\*</sup> All weights and measurements are approximate

<sup>\*</sup> Same day shipping is only available for orders shipping within the United States.