

DisplayPort Cables



CLICK TO VIEW	4XFIBERDPAOC5M 4XFIBERDPAOC10M 4XFIBERDPAOC15M 4XFIBERDPAOC20M 4XFIBERDPAOC25M	4XFIBERDPAOC30M 4XFIBERDPAOC35M 4XFIBERDPAOC40M 4XFIBERDPAOC50M 4XFIBERDPAOC60M	4XFIBERDPAOC70M 4XFIBERDPAOC80M 4XFIBERDPAOC90M 4XFIBERDPAOC100M	4XUSBCFIBER10M 4XUSBCFIBER15M 4XUSBCFIBER20M 4XUSBCFIBER25M 4XUSBCFIBER30M	4XUSBCFIBER35M 4XUSBCFIBER40M 4XUSBCFIBER45M 4XUSBCFIBER50M
Cable Type	Optical	Optical	Optical	Optical	Optical
Uncompressed Video Bandwidth/Cable Rating	HBR3 (8.10Gbps/Lane) 32.40Gbps	HBR3 (8.10Gbps/Lane) 32.40Gbps	HBR3 (8.10Gbps/Lane) 32.40Gbps	HBR3 (8.10Gbps/Lane) 32.40Gbps	HBR3 (8.10Gbps/Lane) 32.40Gbps
Comparable DisplayPort Specification (Bandwidth Only)	DP 1.3/1.4	DP 1.3/1.4	DP 1.3/1.4	DP 1.3/1.4	DP 1.3/1.4
Cable Style	Standard	Standard	Standard	Standard	Standard
Operation Mode	Active	Active	Active	Active	Active
Cable Jacket	PVC	PVC	PVC	PVC	PVC
Reversible	No	No	No	No	No
Notes	--	--	--	Can only be used for DP Alt-Mode Video	Can only be used for DP Alt-Mode Video
Length (in Feet)					
Available Lengths	16, 32, 49, 65, 82	98, 114, 131, 164, 196	229, 262, 295, 328	32, 49, 65, 82, 98	114, 131, 147, 164

DisplayPort Cables



CLICK TO VIEW	4XDP8K5FT 4XDP8K6FT 4XDP8K7FT	4XDPDPCBL 4XDPDPCBL10 4XDPDPCBL15 4XDPDPCBL20	4XDPDPCBL25 4XDPDPCBL30 4XDPDPCBL35	4XDPEXT3 4XDPEXT6 4XDPEXT10 4XDPEXT15	4XDP02550CM 4XDP025A1M
Cable Type	Copper	Copper	Copper	Copper	Copper
Uncompressed Video Bandwidth/Cable Rating	HBR3 (8.10Gbps/Lane) 32.40Gbps	HBR (2.70Gbps/Lane) 10.80Gbps	HBR (2.70Gbps/Lane) 10.80Gbps	HBR (2.70Gbps/Lane) 10.80Gbps	HBR3 (8.10Gbps/Lane) 32.40Gbps
Comparable DisplayPort Specification (Bandwidth Only)	DP 1.3/1.4	DP 1.0/1.1	DP 1.0/1.1	DP 1.0/1.1	DP 1.3/1.4
Cable Style	Standard	Standard	Standard	Extension	Extension
Operation Mode	Passive	Passive	Passive	Passive	Passive
Cable Jacket	PVC	PVC	PVC	PVC	PVC with Braiding
Reversible	Yes	Yes	Yes	Yes	Yes
Notes	--	--	--	--	--
Length (in Feet)					
Available Lengths	5, 6, 7	6, 10, 15, 20	25, 30, 35	3, 6, 10, 15	1.6, 3.2

DisplayPort Cables




CLICK TO VIEW	4XDPDPFFA	4XMDPMDPBK6	4XMDPMDPWH6
Cable Type	Copper	Copper	Copper
Uncompressed Video Bandwidth/Cable Rating	HBR (2.70Gbps/Lane) 10.80Gbps	HBR (2.70Gbps/Lane) 10.80Gbps	HBR (2.70Gbps/Lane) 10.80Gbps
Comparable DisplayPort Specification (Bandwidth Only)	DP 1.0/1.1	DP 1.0/1.1	DP 1.0/1.1
Cable Style	Coupler/Extension	Standard	Standard
Operation Mode	Passive	Passive	Passive
Cable Jacket	PVC	PVC	PVC
Reversible	Yes	Yes	Yes
Notes	--	Mini DisplayPort	Mini DisplayPort
Length (in Feet)			
Available Lengths	6	6	6

DisplayPort Adapting Cables



CLICK TO VIEW	4XTPC023B1M 4XTPC023B2M	4XTPC026B1M 4XTPC026B2M	4XTPC027B1M 4XTPC028B1M 4XTPC027B2M 4XTPC028B2M	4XUSBCDISPCBL3 4XUSBCDISPCBL6 4XUSBCDISPCBL10	4XUSBCHDMI6B
Video Source Connector (minimum version)	USB-C - M (DP-Alt v1.3-1.4a)	USB-C - M (DP-Alt v1.3-1.4a)	USB-C - M (DP-Alt v1.3-1.4a)	USB-C - M (DP-Alt v1.2-1.2a)	USB-C - M (DP-Alt v1.2-1.2a)
Display Connector	HDMI - M (v2.1 - Limited)	DP - M (v1.3-1.4a) USB-C - F (PD Only)	DisplayPort - M (v1.3-1.4a)	DisplayPort - M (v1.2-1.2a)	HDMI - M (v2.0)
Reversible	No	No	No	No	No
Uncompressed Video Bandwidth/Cable Rating	HBR3 - 32.4 Gbps	HBR3 - 32.4 Gbps	HBR3 - 32.4 Gbps	HBR2 - 21.6 Gbps	TMDS 600MHz 18.0 Gbps
Operation Mode	Active	Active	Active	Active	Active
Available Lengths	3, 6	3, 6	3, 6	3, 6, 10	6

DisplayPort Adapting Cables



CLICK TO VIEW	4XUSBC HDMI6	4XUSBC DVI6 4XUSBC DVI6B	4XUSBC VGA6 4XUSBC VGA6B	4XDP MDPCBL	4XAP050A1M 4XAP050A2M
Video Source Connector (minimum version)	USB-C - M (DP-Alt v1.2-1.2a)	USB-C - M (DP-Alt v1.1)	USB-C - M (DP-Alt Any)	DisplayPort - M (v1.0-1.1a)	DisplayPort - M (v1.3-1.4a)
Display Connector	HDMI - M (v1.2a)	Port: DVI-D DL - M Function: DVI-D SL	VGA - M	Mini DisplayPort - M (v1.0-1.1a)	HDMI - M (v2.1)
Reversible	No	No	No	Yes	No
Uncompressed Video Bandwidth/Cable Rating	TMDS 165MHz 4.95 Gbps	TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz Max	HBR - 10.8 Gbps	HBR3 - 32.4 Gbps
Operation Mode	Active	Active	Active	Passive	Active
Length (in Feet)					
Available Lengths	6	6	6	6	3, 6

DisplayPort Adapting Cables



CLICK TO VIEW	4XDPHDMI3FTA4K 4XDPHDMI6FTA4K 4XDPHDMI10FTA4K 4XDPHDMI15FTA4K	4XDPHDMI3FT4K 4XDPHDMI6FT4K	4XDPMHDMIM3FT 4XDPMHDMIMCBL 4XDPMHDMIM10FT 4XDPMHDMIM15FT	4XDPMDVIM3FT 4XDPMDVIMCBL 4XDPMDVIM10FT 4XDPMDVIM15FT	4XDPVGA1FT 4XDPVGA3FT 4XDPMVGAMCBL 4XDPMVGAM10FT 4XDPMVGAM15FT
Video Source Connector (minimum version)	DisplayPort - M (v1.2-1.4a)	DisplayPort++ - M (v1.3 or higher)	DisplayPort++ - M (v1.2-1.2a)	DisplayPort++ - M (v1.1-1.1a)	DisplayPort - M (v1.0)
Display Connector	HDMI - M (v2.0)	HDMI - M (v2.0-2.0b)	HDMI - M (v1.3-1.4a - Limited)	Port: DVI-D DL - M Function: DVI-D SL	VGA - F
Reversible	No	No	No	No	No
Uncompressed Video Bandwidth/Cable Rating	HBR2/TMDS 600MHz 21.6Gbps/18.0 Gbps	DP++ TMDS 600MHz 18.0 Gbps	DP++ TMDS 300MHz 9.0 Gbps	DP++ TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz Max
Operation Mode	Active	Passive	Passive	Passive	Active
Length (in Feet)					
Available Lengths	3, 6, 10, 15	3, 6	3, 6, 10, 15	3, 6, 10, 15	1, 3, 6, 10, 15

DisplayPort Adapting Cables



CLICK TO VIEW	4XAP049A1M 4XAP049A2M	4XMDPDP6	4XMDPHDMI6 4XMDPHDMI10 4XMDPHDMI15 4XMDPHDMI30	4XMDPDVI6	4XMDPVGA6 4XMDPVGA10
Video Source Connector (minimum version)	Mini DisplayPort - M (v1.3 - 1.4a)	Mini DisplayPort - M (v1.0-1.1a)	Mini DisplayPort++ - M (v1.1-1.1a)	Mini DisplayPort++ - M (v1.1-1.1a)	Mini DisplayPort - M (v1.0-1.1a)
Display Connector	DisplayPort - M (v1.3-1.4a)	DisplayPort - M (v1.0-1.1a)	HDMI - M (v1.0-1.2a)	Port: DVI-I DL - F Function: DVI-D SL	VGA - F
Reversible	Yes	Yes	No	No	No
Uncompressed Video Bandwidth/Cable Rating	HBR3 - 32.4 Gbps	HBR - 10.8 Gbps	DP++ TMDS 165MHz 4.95 Gbps	DP++ TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz Max
Operation Mode	Passive	Passive	Passive	Passive	Active
Length (in Feet)					
Available Lengths	3, 6	6	6, 10, 15, 30	6	6, 10