

Adapters



CLICK TO VIEW	4XTPC029BA	4XUSBCDISPADAPT	4XTPC030BA	4XUSBCHDMIAB 4XUSBCHDMIAB	4XUSBCDVIA 4XUSBCDVIA	4XUSBCVGAA 4XUSBCVGAA
Adapter Type	Port-Saver	Port-Saver	Port-Saver	Port-Saver	Port-Saver	Port-Saver
I/O						
Video Source Connector (minimum version)	USB-C - M (DP-Alt v1.3-1.4a)	USB-C - M (DP-Alt v1.2-1.2a)	USB-C - M (DP-Alt v1.3-1.4a)	USB-C - M (DP-Alt v1.2-1.2a)	USB-C - M (DP-Alt v1.0-1.1a)	USB-C - M (DP-Alt v1.0-1.1a)
Display Connector	DisplayPort - F (v1.3-1.4a)	DisplayPort - F (v1.2-1.2a)	HDMI - F (v2.1)	HDMI - M (v2.0b)	Port: DVI-I DL - M Function: DVI-D SL	VGA - M
Reversible	No	No	No	No	No	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	HBR3 - 32.4 Gbps	HBR2 - 21.6 Gbps	HBR3 - 32.4 Gbps	TMDS 600MHz 18.0 Gbps	TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz
Operation Mode	Passive	Active	Active	Active	Active	Active
Misc.						
Cable Length(s)	6 inches	6 Inches	6 Inches	6 Inches	6 Inches	6 Inches

Adapters




CLICK TO VIEW	4XDPMDDPA	4XAP051A	4XDPHDMI4K	4XDPHDMI4K30HZ	4XDPHDMI 4XDPMHDMIFA10	4XDPDVI 4XDPMDVIFA10
Adapter Type	Port-Saver	Port-Saver	Port-Saver	Port-Saver	Port-Saver	Port-Saver
I/O						
Video Source Connector (minimum version)	DisplayPort - M (v1.2-1.2a)	DisplayPort - M (v1.3-1.4a)	DisplayPort++ - M (v1.3 or higher)	DisplayPort++ - M (v1.2-1.2a)	DisplayPort++ - M (v1.0-1.1a)	DisplayPort++ - M (v1.0-1.1a)
Display Connector	Mini DisplayPort - F (v1.2-1.2a)	HDMI - F (v2.1 - Limited Bandwidth)	HDMI - F (v2.0-2.0b)	HDMI - F (v1.3-1.4a - Limited Bandwidth)	HDMI - F (v1.0-1.1a)	Port: DVI-I DL - F Function: DVI-D SL
Reversible	Yes	No	No	No	No	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	HBR2 - 10.8 Gbps	HBR3 - 32.4 Gbps	DP++ TMDS 600MHz 18.00 Gbps	DP++ TMDS 300MHz 9.00 Gbps	DP++ TMDS 165MHz 4.95 Gbps	DP++ TMDS 165MHz 4.95 Gbps
Operation Mode	Passive	Active	Passive	Passive	Passive	Passive
Misc.						
Cable Length(s)	8 Inches	4.5 Inches	3 Inches	4 Inches	4 Inches/6 Inches	4 Inches/6 Inches

Adapters



CLICK TO VIEW	4XDPDVID	4XDPVGA 4XDPMVGAF10 4XDPVGAS615AA 4XDPVGAW 4XDPMVGAF10W	4XMDPMDPFA	4XMDPMHDMIF	4XMDPMDVIF	4XMDPMVGAF
Adapter Type	Port-Saver	Port-Saver	Port-Saver	Port-Saver	Port-Saver	Port-Saver
I/O						
Video Source Connector (minimum version)	DisplayPort++ - M (v1.0-1.1a)	DisplayPort - M (v1.0-1.1a)	Mini DisplayPort - M (v1.0-1.1a)	Mini DisplayPort++ - M (v1.2-1.2a)	Mini DisplayPort++ - M (v1.1-1.1a)	Mini DisplayPort - M (v1.0-1.1a)
Display Connector	Port: DVI-D DL - F Function: DVI-D SL	VGA - F	DisplayPort - F (v1.0-1.1a)	HDMI - F (v1.3-1.4a - Limited Bandwidth)	Port: DVI-I DL - F Function: DVI-D SL	VGA - F
Reversible	No	No	Yes	No	No	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	DP++ TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz	HBR - 10.8 Gbps	DP++ TMDS 300MHz 9.00 Gbps	DP++ TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz
Operation Mode	Passive	Active	Passive	Passive	Passive	Active
Misc.						
Cable Length(s)	4 Inches	6 Inches	6 Inches	6 Inches	6 Inches	6 Inches

Adapters



CLICK TO VIEW	4XHDMIVGAFA 4XHDMIVGAFAB	4XHDMIVGAA 4XHDMIVGAAB	4XHDMIVGAAP 4XHDMIVGAAPB	4XMHDMIVGAFA	4XMHDMIVGAA	4XMMHDMIVGAFA
Adapter Type	Port-Saver	Port-Saver	Port-Saver	Port-Saver	Port-Saver	Port-Saver
I/O						
Video Source Connector (minimum version)	HDMI - M (v1.0-1.2a)	HDMI - M (v1.0-1.2a)	HDMI - M (v1.0-1.2a)	Mini HDMI - M (v1.0-1.2a)	Mini HDMI - M (v1.0-1.2a)	Micro HDMI - M (v1.0-1.2a)
Display Connector	VGA - F	VGA - F 3.5mm Phono - F (Audio)	VGA - F 3.5mm Phono - F (Audio) Micro-USB - F (Power Only)	VGA - F	VGA - F 3.5mm Phono - M (Audio)	VGA - F
Reversible	No	No	No	No	No	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	200MHz DAC Approx. 1920x1080 @ 60Hz	200MHz DAC Approx. 1920x1080 @ 60Hz	200MHz DAC Approx. 1920x1080 @ 60Hz	200MHz DAC Approx. 1920x1080 @ 60Hz	200MHz DAC Approx. 1920x1080 @ 60Hz	200MHz DAC Approx. 1920x1080 @ 60Hz
Operation Mode	Active	Active	Active	Active	Active	Active
Misc.						
Cable Length(s)	6 Inches	6 Inches	6 Inches	6 Inches	6 Inches	6 Inches

Adapters



CLICK TO VIEW	4XMMHDMIVGAA	4XUSB3HDMI	4XUSB3VGA	4XDPMHDMIFA	4XDPMDVIFA	4XDPMVGAGA
Adapter Type	Port-Saver	Port-Saver	Port-Saver	Adapter	Adapter	Adapter
I/O						
Video Source Connector (minimum version)	Micro HDMI - M (v1.0-1.2a)	USB-A - M USB 3.0	USB-A - M USB 3.0	DisplayPort++ - M (v1.2-1.2a)	DisplayPort++ - M (v1.1-1.1a)	DisplayPort - M (v1.0-1.1a)
Display Connector	VGA - F 3.5mm Phono - M (Audio)	HDMI - F (v1.2a)	VGA - F	HDMI - F (v1.3-1.4a - Limited)	Port: DVI-I DL - F Function: DVI-D SL	VGA - F
Reversible	No	No	No	No	No	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	200MHz DAC Approx. 1920x1080 @ 60Hz	TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz	DP++ TMDS 300MHz 9.0 Gbps	DP++ TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz
Operation Mode	Active	USB	USB	Passive	Passive	Active
Misc.						
Cable Length(s)	6 Inches	6 Inches	6 Inches	--	--	--

Adapters



CLICK TO VIEW	4XHDMIMM	4XHDMIMF	4XHDMIMF90	4XHDMIMFSWIVEL	4XHDMIFF	4XHDMIFF90
Adapter Type	Adapter	Adapter	Adapter	Adapter	Adapter	Adapter
I/O						
Video Source Connector (minimum version)	HDMI - M (v1.3-1.4a)	HDMI - M (v1.3-1.4a)	HDMI - M (v1.3-1.4a)	HDMI - M (v1.3-1.4a)	HDMI - F (v1.3-1.4a)	HDMI - F (v1.3-1.4a)
Display Connector	HDMI - M (v1.3-1.4a)	HDMI - F (v1.3-1.4a)	HDMI - F (v1.3-1.4a)	HDMI - F (v1.3-1.4a)	HDMI - F (v1.3-1.4a)	HDMI - F (v1.3-1.4a)
Reversible	Yes	Yes	Yes	Yes	Yes	Yes
Performance						
Uncompressed Video Bandwidth/Cable Rating	TMDS 340MHz 10.2 Gbps	TMDS 340MHz 10.2 Gbps	TMDS 340MHz 10.2 Gbps	TMDS 340MHz 10.2 Gbps	TMDS 340MHz 10.2 Gbps	TMDS 340MHz 10.2 Gbps
Operation Mode	Passive	Passive	Passive	Passive	Passive	Passive
Misc.						
Cable Length	--	--	--	--	--	--

Adapters



CLICK TO VIEW	4XHDMIFFSWIVEL	4XHDMIDVIMFA	4XHDMIDVIIFMA	4XHDMIDVIFMA	4XHDMIFMMINI	4XHDMIFMMICRO
Adapter Type	Adapter	Adapter	Adapter	Adapter	Adapter	Adapter
I/O						
Video Source Connector (minimum version)	HDMI - F (v1.3-1.4a)	HDMI - M (v1.0-1.2a)	HDMI - F (v1.0-1.2a)	HDMI - F (v1.0-1.2a)	Mini-HDMI - M (v1.3-1.4a)	Micro-HDMI - M (v1.3-1.4a)
Display Connector	HDMI - F (v1.3-1.4a)	Port: DVI-I DL - F Function: DVI-D SL	Port: DVI-I DL - M Function: DVI-D SL	Port: DVI-D DL - M Function: DVI-D SL	HDMI - F (v1.3-1.4a)	HDMI - F (v1.3-1.4a)
Reversible	Yes	Yes	Yes	Yes	Yes	Yes
Performance						
Uncompressed Video Bandwidth/Cable Rating	TMDS 340MHz 10.2 Gbps	TMDS 165MHz 4.95 Gbps	TMDS 165MHz 4.95 Gbps	TMDS 165MHz 4.95 Gbps	TMDS 340MHz 10.2 Gbps	TMDS 340MHz 10.2 Gbps
Operation Mode	Passive	Passive	Passive	Passive	Passive	Passive
Misc.						
Cable Length(s)	--	--	--	--	--	--

Adapters



CLICK TO VIEW	4XDVIIVGAMF	4XVGAMM	4XVGAMF	4XVGAF
Adapter Type	Adapter	Adapter	Adapter	Adapter
I/O				
Video Source Connector (minimum version)	Port: DVI-I DL - M Function: DVI-A	VGA - M	VGA - M	VGA - F
Display Connector	VGA - F	VGA - M	VGA - F	VGA - F
Reversible	Yes	Yes	Yes	Yes
Performance				
Uncompressed Video Bandwidth/Cable Rating	--	--	--	--
Operation Mode	Passive	Passive	Passive	Passive
Misc.				
Cable Length(s)	--	--	--	--