

Video Adapter Cables



CLICK TO VIEW	4XTPC023B1M 4XTPC023B2M	4XTPC026B1M 4XTPC026B2M	4XTPC027B1M 4XTPC028B1M 4XTPC027B2M 4XTPC028B2M	4XUSBCDISPCBL3 4XUSBCDISPCBL6 4XUSBCDISPCBL10	4XUSBCHDMI6B	4XUSBCHDMI6
I/O						
Video Source Connector (minimum version)	USB-C - M (DP-Alt v1.3-1.4a)	USB-C - M (DP-Alt v1.3-1.4a)	USB-C - M (DP-Alt v1.3-1.4a)	USB-C - M (DP-Alt v1.2-1.2a)	USB-C - M (DP-Alt v1.2-1.2a)	USB-C - M (DP-Alt v1.2-1.2a)
Display Connector	HDMI - M (v2.1 - Limited)	DP - M (v1.3-1.4a) USB-C - F (PD Only)	DisplayPort - M (v1.3-1.4a)	DisplayPort - M (v1.2-1.2a)	HDMI - M (v2.0)	HDMI - M (v1.2a)
Reversible	No	No	No	No	No	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	HBR3 - 32.4 Gbps	HBR3 - 32.4 Gbps	HBR3 - 32.4 Gbps	HBR2 - 21.6 Gbps	TMDS 600MHz 18.0 Gbps	TMDS 165MHz 4.95 Gbps
Operation Mode	Active	Active	Active	Active	Active	Active
Misc.						
Cable Length(s)	3ft/6ft	3ft/6ft	3ft/6ft	3ft/6ft/10ft	6ft	6ft

Video Adapter Cables



CLICK TO VIEW	4XUSBCDVI6 4XUSBCDVI6B	4XUSBCVGA6 4XUSBCVGA6B	4XDPMPCBL	4XAP050A1M 4XAP050A2M	4XDPHDMI3FTA4K 4XDPHDMI6FTA4K 4XDPHDMI10FTA4K 4XDPHDMI15FTA4K	4XDPHDMI3FT4K 4XDPHDMI6FT4K
I/O						
Video Source Connector (minimum version)	USB-C - M (DP-Alt v1.1)	USB-C - M (DP-Alt Any)	DisplayPort - M (v1.0-1.1a)	DisplayPort - M (v1.3-1.4a)	DisplayPort - M (v1.2-1.4a)	DisplayPort++ - M (v1.3 or higher)
Display Connector	Port: DVI-D DL - M Function: DVI-D SL	VGA - M	Mini DisplayPort - M (v1.0-1.1a)	HDMI - M (v2.1)	HDMI - M (v2.0)	HDMI - M (v2.0-2.0b)
Reversible	No	No	Yes	No	No	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz Max	HBR - 10.8 Gbps	HBR3 - 32.4 Gbps	HBR2/TMDS 600MHz 21.6Gbps/18.0 Gbps	DP++ TMDS 600MHz 18.0 Gbps
Operation Mode	Active	Active	Passive	Active	Active	Passive
Misc.						
Cable Length(s)	6ft	6ft	6ft	3ft/6ft	3ft/6ft/10ft/15ft	3ft/6ft

Video Adapter Cables



CLICK TO VIEW	4XDPMHDMIM3FT 4XDPMHDMIMCBL 4XDPMHDMIM10FT 4XDPMHDMIM15FT	4XDPMDVIM3FT 4XDPMDVIMCBL 4XDPMDVIM10FT 4XDPMDVIM15FT	4XDPVGA1FT 4XDPVGA3FT 4XDPMVGAMCBL 4XDPMVGAM10FT 4XDPMVGAM15FT	4XAP049A1M 4XAP049A2M	4XMDPDP6	4XMDPHDMI6 4XMDPHDMI10 4XMDPHDMI15 4XMDPHDMI30
I/O						
Video Source Connector (minimum version)	DisplayPort++ - M (v1.2-1.2a)	DisplayPort++ - M (v1.1-1.1a)	DisplayPort - M (v1.0)	Mini DisplayPort - M (v1.3 - 1.4a)	Mini DisplayPort - M (v1.0-1.1a)	Mini DisplayPort++ - M (v1.1-1.1a)
Display Connector	HDMI - M (v1.3-1.4a - Limited)	Port: DVI-D DL - M Function: DVI-D SL	VGA - F	DisplayPort - M (v1.3-1.4a)	DisplayPort - M (v1.0-1.1a)	HDMI - M (v1.0-1.2a)
Reversible	No	No	No	Yes	Yes	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	DP++ TMDS 300MHz 9.0 Gbps	DP++ TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz Max	HBR3 - 32.4 Gbps	HBR - 10.8 Gbps	DP++ TMDS 165MHz 4.95 Gbps
Operation Mode	Passive	Passive	Active	Passive	Passive	Passive
Misc.						
Cable Length(s)	3ft/6ft/10ft/15ft	3ft/6ft/10ft/15ft	1ft/3ft/6ft/10ft/15ft	3ft/6ft	6ft	6ft/10ft/15ft/30ft

Video Adapter Cables



CLICK TO VIEW	4XMDPDVI6	4XMDPVGA6 4XMDPVGA10	4XHDMIDVI6FT 4XHDMIDVI10FT 4XHDMIDVI15FT	4XVGAHDMIUAP3 4XVGAHDMIUAP6 4XVGAHDMIUAP10	4XHDMIVGA3FT 4XHDMIVGA6FT	4XHDMIVGA6FTU 4XHDMIVGA10FTU
I/O						
Video Source Connector (minimum version)	Mini DisplayPort++ - M (v1.1-1.1a)	Mini DisplayPort - M (v1.0-1.1a)	HDMI - M (v1.0-1.2a)	HDMI - M 3.5mm - F (v1.0-1.2a) USB-A - M	HDMI - M (v1.0-1.2a)	HDMI - M (v1.0-1.2a)
Display Connector	Port: DVI-I DL - F Function: DVI-D SL	VGA-F	Port: DVI-D SL - M Function: DVI-D SL	VGA - M	VGA - M (w 3.5mm audio - M)	VGA - M (w USB-A audio - M)
Reversible	No	No	Yes	No	No	No
Performance						
Uncompressed Video Bandwidth/Cable Rating	DP++ TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz Max	TMDS 165MHz 4.95 Gbps	200MHz DAC Approx. 1920x1080 @ 60Hz Max	200MHz DAC Approx. 1920x1080 @ 60Hz Max	200MHz DAC Approx. 1920x1080 @ 60Hz Max
Operation Mode	Passive	Active	Passive	Active	Active	Active
Misc.						
Cable Length(s)	6ft	6ft/10ft	6ft/10ft/15ft	3ft/6ft/10ft	3ft/6ft	6ft/10ft

Video Adapter Cables



CLICK TO VIEW	4XHDMIMINI3FT 4XHDMIMINI6FT 4XHDMIMINI10FT 4XHDMIMINI15FT	4XHDMIMICRO3FT 4XHDMIMICRO6FT 4XHDMIMICRO10FT 4XHDMIMICRO15FT	4XDVIVGA3FT 4XDVIVGA6FT 4XDVIVGA10FT 4XDVIVGA15FT	4XUSBMHDMIMHL
I/O				
Video Source Connector (minimum version)	Mini-HDMI - M (v1.3-1.4a)	Micro-HDMI - M (v1.3-1.4a)	Port: DVI-A - M Function: DVI-A	Micro-USB - M MHL1
Display Connector	HDMI - F (v1.3-1.4a)	HDMI - F (v1.3-1.4a)	VGA - M	HDMI - M MHL1
Reversible	Yes	Yes	Yes	No
Performance				
Uncompressed Video Bandwidth/Cable Rating	TMDS 340MHz 10.2 Gbps	TMDS 340MHz 10.2 Gbps	200MHz Approx. 1920x1080 @ 60Hz	MHL1 - 2.25 Gbps 720p/1080i @ 60Hz
Operation Mode	Passive	Passive	Passive	Passive
Misc.				
Cable Length(s)	3ft/6ft/10ft/15ft	3ft/6ft/10ft/15ft	3ft/6ft/10ft/15ft	3ft