



Wall Adapters



CLICK TO VIEW	4X20WCHARGER 4XIPH12CHARGER	4XAPPLECHARGER 4XUSB1ACHARGERB 4XAPPLCHRG100PK	4XIPADCHARGER 4XIPADCHRG50PK	4XKNDLPWR	4XPOWER10USB
Specifications					
Type	Wall	Wall	Wall	Wall	Wall
Total Ports	1	1	1	1	10
Battery Capacity	N/A	N/A	N/A	N/A	N/A
Max Power Output (Single Port)	25W	5W	12W	10W	12W
Max Power Output (Combined)	25W	5W	12W	10W	50W
Port Types	USB-C	USB-A	USB-A	USB-A	USB-A
Charging Standards	PD 3.0	N/A	N/A	N/A	N/A

Sales Support 1-866-999-4936 ext 113 | www.4XEM.com | sales@4xem.com



Wall Adapters



CLICK TO VIEW	4XPOWER4USB	4XPOWER5USB	4XPOWER5USBTYPEC	4XPOWER6USB	4XPOWER6USBCBL
Specifications					
Type	Wall	Wall	Wall	Wall	Wall
Total Ports	4	5	5	6	6
Battery Capacity	N/A	N/A	N/A	N/A	N/A
Max Power Output (Single Port)	18W/15.5W	12W	18W/18W/12W	12W	5W
Max Power Output (Combined)	18W	40W	60W	50W	30W
Port Types	1x USB-A (QC 3.0) 3x USB-A	5x USB-A	1x USB-C 1x USB-A (QC 3.0) 3x USB-A	USB-A	USB-A
Charging Standards	N/A	QC 3.0	N/A	PD 3.0 QC 3.0	N/A

Sales Support 1-866-999-4936 ext 113 | www.4XEM.com | sales@4xem.com



Wall Adapters



CLICK TO VIEW	4XPOWERAC	4XPOWERACC	4XSAM45WPWRB 4XSAM45WPWRW	4XSAMCHARGER 4XSAMCHARGERBK	4XSMARTPWR8
Specifications					
Type	Wall	Wall	Wall	Wall	Wall
Total Ports	2	3	1	1	8
Battery Capacity	N/A	N/A	N/A	N/A	N/A
Max Power Output (Single Port)	20W/18W	65W/30W	45W	10W	12W
Max Power Output (Combined)	38W	65W	45W	10W	40W
Port Types	1x USB-C 1x USB-A (QC 3.0)	2x USB-C 1x USB-A (QC 3.0)	USB-C	USB-A	USB-A
Charging Standards	PD 3.0 QC 3.0	PD 3.0 QC 3.0	PD 3.0 PPS Samsung Super Fast Charging 2.0	Samsung Adaptive Fast Charge	N/A

Sales Support 1-866-999-4936 ext 113 | www.4XEM.com | sales@4xem.com



Wall Adapters



CLICK TO VIEW	4XSMARTPWR8QC3	4XUSBAAPWR30W	4XUSBCAAPWR75W	4XUSBCAPWR48W	4XUSBCCHARGER
Specifications					
Type	Wall	Wall	Wall	Wall	Wall
Total Ports	8	2	3	2	1
Battery Capacity	N/A	N/A	N/A	N/A	N/A
Max Power Output (Single Port)	12W/18W/12W	18W/12W	45W/18W/12W	30W/18W	18W
Max Power Output (Combined)	40W	30W	75W	48W	18W
Port Types	1x USB-C 1x USB-A QC3.0 6x USB-A	1x USB-A QC3.0 1x USB-A	1x USB-C PD3.0/QC3.0 1x USB-A QC3.0 1x USB-A	1x USB-C PD 1x USB-A QC3.0	USB-C
Charging Standards	QC 3.0	QC 3.0	PD 3.0 QC 3.0	PD 3.0 QC 3.0	PD 3.0 PPS

Sales Support 1-866-999-4936 ext 113 | www.4XEM.com | sales@4xem.com



Wall Adapters



CLICK TO VIEW	4XUSBCHARGER2	4XUSBCHARGER4	4XUSBCHARGER6	4XUSBCPOWER100W	4XUSBCPOWER18W
Specifications					
Type	Wall	Wall	Wall	Wall	Wall
Total Ports	2	4	6	1	1
Battery Capacity	N/A	N/A	N/A	N/A	N/A
Max Power Output (Single Port)	10W/5W	10W	5W	100W	18W
Max Power Output (Combined)	10W	20W	20W	100W	18W
Port Types	2x USB-A	4x USB-A	6x USB-A	USB-C	USB-C
Charging Standards	N/A	N/A	N/A	PD3.0 QC3.0	PD3.0 QC3.0

Sales Support 1-866-999-4936 ext 113 | www.4XEM.com | sales@4xem.com



Wall Adapters



CLICK TO VIEW	4XUSBCPOWER30W	4XUSBCPOWER45W	4XUSBCPOWER61W	4XUSBCPOWER87W	4XUSBCPOWER96W
Specifications					
Type	Wall	Wall	Wall	Wall	Wall
Total Ports	1	1	1	1	1
Battery Capacity	N/A	N/A	N/A	N/A	N/A
Max Power Output (Single Port)	30W	45W	61W	87W	96W
Max Power Output (Combined)	30W	45W	61W	87W	96W
Port Types	USB-C	USB-C	USB-C	USB-C	USB-C
Charging Standards	PD3.0 QC3.0	PD3.0 QC3.0	PD3.0 QC3.0	PD 2.0	PD3.0 QC3.0

Sales Support 1-866-999-4936 ext 113 | www.4XEM.com | sales@4xem.com

Wall Adapters



CLICK TO VIEW	4XGAN016140WB	4XGAN010100WW	4XGAN018100WW	4XGAN00165WW	4XGAN00165WB
Specifications					
Type	GaN/Wall	GaN/Wall	GaN/Wall	GaN/Wall	GaN/Wall
Total Ports	5	2	1	3	3
Battery Capacity	--	--	--	--	--
Charging Standards	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0
Max Power Output (Combined)	140W	95W	100W	63W	63W
Max Power Output (single port)	100W	100W	100W	65W	65W
Port Type(s)	3xUSB-C 2xUSB-A	2xUSB-C	1xUSB-C	2xUSB-C 1xUSB-A	2xUSB-C 1xUSB-A

Wall Adapters



CLICK TO VIEW	4XGAN00265WB	4XGAN00365WW	4XGAN00365WB	4XGAN01230WW	4XGAN00665WW
Specifications					
Type	GaN/Wall	GaN/Wall	GaN/Wall	GaN/Wall	GaN/Wall
Total Ports	3	1	1	1	2
Battery Capacity	--	--	--	--	--
Charging Standards	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0
Max Power Output (Combined)	63W	65W	65W	30W	63W
Max Power Output (single port)	65W	65W	65W	30W	65W
Port Type(s)	2xUSB-C 1xUSB-A	1xUSB-C	1xUSB-C	1xUSB-C	1xUSB-C 1xUSB-A

Wall Adapters



CLICK TO VIEW	4XGAN00865WB	4XGAN00865WW	4XGAN00845WB	4XGAN00845WW	4XGAN00645WB
Specifications					
Type	GaN/Wall	GaN/Wall	GaN/Wall	GaN/Wall	GaN/Wall
Total Ports	2	2	2	2	2
Battery Capacity	--	--	--	--	--
Charging Standards	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0
Max Power Output (Combined)	65W	65W	45W	45W	45W
Max Power Output (single port)	65W	65W	45W	45W	45W
Port Type(s)	2xUSB-C	2xUSB-C	2xUSB-C	2xUSB-C	1xUSB-C 1xUSB-A

Wall Adapters



CLICK TO VIEW	4XGAN00645WW	4XGAN00533WB	4XGAN00533WW	4XGAN00933WW	4XGAN00933WB
Specifications					
Type	GaN/Wall	GaN/Wall	GaN/Wall	GaN/Wall	GaN/Wall
Total Ports	2	2	2	1	1
Battery Capacity	--	--	--	--	--
Charging Standards	USB-PD 3.0	USB-PD 3.0 PPS	USB-PD 3.0 PPS	USB-PD 3.0 PPS	USB-PD 3.0 PPS
Max Power Output (Combined)	45W	20W	20W	33W	33W
Max Power Output (single port)	45W	33W	33W	33W	33W
Port Type(s)	1xUSB-C 1xUSB-A	1xUSB-C 1xUSB-A	1xUSB-C 1xUSB-A	1xUSB-C	1xUSB-C

Wall Adapters



CLICK TO VIEW	4XGAN01130WB	4XRLC51020WW	4XRLC51020WB	4XRLC51120WW	4XRLC51120WB
Specifications					
Type	GaN/Wall	Wall	Wall	Wall	Wall
Total Ports	3	2	2	1	1
Battery Capacity	--	--	--	--	--
Charging Standards	USB-PD 3.0 PPS	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0
Max Power Output (Combined)	15W	17W	17W	20W	20W
Max Power Output (single port)	30W	20W	20W	20W	20W
Port Type(s)	1xUSB-C 2xUSB-A	1xUSB-C 1xUSB-A	1xUSB-C 1xUSB-A	1xUSB-C	1xUSB-C

Wall Adapters



CLICK TO VIEW	4XRLC38325WW	4XRLC38325WB	4XRLC50915WW	4XRLC50915WB	4XRLC53835WW
Specifications					
Type	Wall	Wall	Wall	Wall	Wall
Total Ports	1	1	2	2	2
Battery Capacity	--	--	--	--	--
Charging Standards	USB-PD 3.0	USB-PD 3.0	N/A	N/A	USB-PD 3.0
Max Power Output (Combined)	25W	25W	15.5W	15.5W	35W
Max Power Output (single port)	25W	25W	12W	12W	35W
Port Type(s)	1xUSB-C	1xUSB-C	2xUSB-A	2xUSB-A	2xUSB-C

Wall Adapters



CLICK TO VIEW	4XRLC53835WB	4XRLC53730WB	4XRLC39535W	4XRLC52612WW	4XRLC52612WB
Specifications					
Type	Wall	Wall	Wall	Wall	Wall
Total Ports	2	2	1	2	2
Battery Capacity	--	--	--	--	--
Charging Standards	USB-PD 3.0	USB-PD 3.0	USB-PD 3.0	N/A	N/A
Max Power Output (Combined)	35W	17W	35W	12W	12W
Max Power Output (single port)	35W	30W	30W	12W	12W
Port Type(s)	2xUSB-C	1xUSB-C 1xUSB-A	1xUSB-C	2xUSB-A	2xUSB-A

Wall Adapters



CLICK TO VIEW	4XRLC52712WW	4XRLC52712WB
Specifications		
Type	Wall	Wall
Total Ports	1	1
Battery Capacity	--	--
Charging Standards	N/A	N/A
Max Power Output (Combined)	12W	12W
Max Power Output (single port)	12W	12W
Port Type(s)	1xUSB-A	1xUSB-A