



4XEM's 45W GAN Charger USB-C + USB-A

Part- 4XGAN00645WB



Introducing the Black 45W GAN Charger with 1 USB-C Port and 1 USB-A Port - the ultimate power solution for all your devices. This sleek and compact charger is designed to deliver fast and efficient charging for your USB-C and USB-A devices, including the new iPhone 15, and 15 Plus as well as the advanced iPhone 15 Pro and Pro Max with Power Delivery technology that guarantees optimal charging speed and efficiency.

The charger features one USB-C port and one USB-A port, allowing you to charge multiple devices simultaneously. The USB-C port is equipped with Power Delivery technology, which means you can charge your USB-C devices with up to 45W of power, providing optimal charging speed and efficiency. The USB-A port is also capable of fast charging your USB-A devices.

The black color design and compact size make it easy to take with you on the go, and it's perfect for traveling, working remotely, or just keeping in your bag for everyday use.

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





## **Features**

- 45W total power output for fast and efficient charging of multiple devices
- 1 USB-C port and 1 USB-A port, providing flexibility to charge a variety of devices.
- USB-C port feature Power Delivery technology for lightning-fast charging of devices that support it.
- Sleek black design with an integrated LED indicator for easy monitoring of charging status
- Compact and portable design makes it easy to take with you on-the-go.
- Overcurrent, overvoltage, and short circuit protection for added safety and peace of mind.

## **Application**

- Charging
- At Home
- At the Office
- Travel



Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



## **DATA SHEET**

Warranty Information Warranty 1 Year

Connector(s)

Charging Port(s)

1x USB Type-C Female
1x USB Type-A Female

Power Source Non-Polarized NEMA 1-15P (Standard NA Wall Outlet)

Fixed with Non-Retractable Prongs

Performance Industry Standards USB-PD 3.0

Certifications

Physical Characteristics Colour Black

Display

LED Indicator(s)

Power: Aqua

Power Cable Length N/A

Product Height 2.05 in [52.0 mm]
Product Width 2.05 in [29.9 mm]

Product Vidth
2.05 in [52.0 mm] (Body Only)

CE

Product Length 2.05 in [52.0 min] (Body Only) 2.67 in [67.9 mm] (Incl. power prongs)

Weight of Product 3.53 oz [100 g]

Power Total Power Budget 45W 45W Max

Power Delivery
Input Voltage
Output Voltage (C1)
Output Voltage (A1)

45W Max
100-240VAC, 50Hz-60Hz @ 1A
45W: 5/9/12/15V 3A, 20V 2.25A
18W: 5V 3A, 9V 2A, 12V 1.5A

Output Voltage (C1) + (A1) 45W MAX - 27W: 5V 2.4A, 9V 3A, 12V 2.25A, 15V 1.8A,

20V 1.35A + 18W: 5V 2.4A, 9V 2A, 12V 1.5A

Environmental Operating Temperature

Storage Temperature

Humidity

32°F to 104°F [0°C to 40°C] -4°F to 176°F [-20°C to 80°C]

5% to 90% (non-condensing)

Packaging Information Package Type

Package Height Poly-Bag

Package Width
Package Length
Shipping (Package) Weight

6.00 in [152.4 mm]
4.00 in [101.6 mm]
1.18 in [30.1 mm]

3.60 oz [102 g]

What's in the Box Included in Package

1x 45W USB-C + USB-A GaN Charger

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

<sup>\*</sup> Product appearance and specifications are subject to change without notice.

<sup>\*</sup> Same day shipping is only available for orders shipping within the United States.