

DATA SHEET

2x2 Port HDMI Splitter Supports 3D 4K/2K 4XHDMI2X24K



Split, switch and amplify your HDMI signal with the 4XEM 2×2 Port HDMI Switch /Splitter (4XHDMI2X24K).

Switch betwen two inpur source devices and send the signal simultaneously to two displays. No setup or special configuration is required, simply connect the input device(s) and output device(s) then start enjoying the view.

The 4XEM 2×2 HDMI switch/splitter/amplifier has an automatic adjusting amplifier. This allows the use of longer cable running to the unit.

4XEM gear is respected industry wide for its high performance, premium quality and our after sales support.

4XEM HDMI splitters and HDMI switches come with our unmatched 2year Warranty!

4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





Features:

- Simple plug and play installation
- Full support for 1920x1080p 3D
- Compatible with all HDMI supported devices
- One HDMI 1.3b input signal split to two HDMI
 1.3b sync devices
- Supports deep color 30bit, 36bit
- Supports Blue-Ray 24/50/60fs/HD-DVD/xvYCC
- Digital audio format, as DTS-HD/Dolby-trueHD/LPCM7.1/DTS/Dolby-AC3/DSD
- Supports signal retiming
- Supports input up to 15meters AWG26 HDMI
 1.3 standard cable length, output up to 25 meters
 AWG26 cable length
- No loss of quality



Application(s):

- Travel
- Home/Office use

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information Warranty 2 year

Physical Characteristics HDMI In Yes

HDMI Out Yes
Colour Black
Number of Displays Supported 2

Number of Displays Supported 2
Number of Input Devices Supported 2
Graphics Modes 4K

Maximum Video Resolution 3840 × 2160

Number of HDMI Inputs 2
Number of HDMI Outputs 2
Height 0.9"
Width 5.4"
Depth 10.9"

Power Power adapter format-input AC (50HZ,60HZ 100V-240V...output: DC12V/2A

Max working current 1.35A Input Current 0.35A

Environmental Operating Temperature -15 to 55°C (5 to 131°F)

Humidity 5% to 90% (non-condensing

Packaging Information Shipping (Package) Weight 2.40 oz [68 g]

Package Width 4.00 in [101.6 mm] 6.00 Package Height in [152.4 mm] 1.65 in

Package Length [42 mm]

What's in the Box Included in Package 1 - 2×2 Port HDMI SplitterSwitcher

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



^{*} Product appearance and specifications are subject to change without notice.

^{*} Same day shipping is only available for orders shipping within the United States.