

4XEM Cat6 RJ45 Keystone Jack UTP 110-Type (Blue)

4XEM Part- 4XKJC6BL



Designed for optimal performance, 4XEM's Cat6 RJ45 110-Type 90 Degree Punch Down Keystone Jacks are perfect for any UTP Ethernet cabling environment. The patterned printed circuit board construction is fully compliant with UL-certified ANSI/EIA/TIA CAT6 connecting hardware specifications. It also features dual-color coded labeling made for both 568A & 568B wiring schemes. This keystone jack module will work with all 4XEM wall plates or any conventional keystone and angled multimedia wall plate or patch panel.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    [tschaus@4xem.com](mailto:tschaus@4xem.com)



## Features:

- Jack meets UL-certified ANSI/TIA/EIA-568-A-B
- Keystone fits into any conventional face plate, outlet box, or panel
- Dual-color coded labeling for both 568A & 568B wiring schemes
- Easy and convenient terminations
- Modern in-wall look
- Durable

## Applications:

- Home
- Connections
- Office
- Servers



**4XEM Products Are Available At Your Favorite Online Retailers**



Warranty Information	Warranty	Lifetime
Connector(s)	Connector Type(s)	RJ-45 8 Conductor 110-Style Punch Block
Physical Characteristics	Cable Spec	Category 6
	Colour	Blue
	Height of Product	0.91 in [23 mm]
	Width of Product	0.79 in [20 mm]
	Length of Product	1.22 in [31 mm]
	Weight of Product	0.26 oz [7.4 g]
Packaging Information	Shipping (Package) Weight	0.28 oz [7.8 g]
	Package Height	3.27 in [83 mm]
	Package Width	2.36 in [60 mm]
	Package Length	0.83 in [21 mm]
What's in the Box	Included in Package	1x C6 Keystone (Blue)

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep**  
**1-866-999-4936 Ext.104    tschaus@4xem.com**

