

**DATA SHEET** 

4XEM's 3-Port DisplayPort to DisplayPort Multi-Monitor Hub

4XEM Part- 4XMST02



Need more monitors connected but don't have the ports? 4XEM's 3-port DP to DP multi-monitor hub is a premier solution for that problem. This device offers the ability to increase your productivity by utilizing up to three separate screens in conjunction with your main device. Connect, up to, three DisplayPort monitors to your device to expand your work or play station to new heights. Supporting the ability to mirror and extend displays you also can adjust the displays as you see find. Such display applications can include spanning spreadsheets over monitors, panoramic viewing, and editing audio and video clips to name a few. Spread out your displays and working capabilities with 4XEM's multi-monitor hubs.

**Problem it solves:** Connect three devices to your DisplayPort display easily with one convenient device.

**4XEM Products Are Available At Your Favorite Online Retailers** 

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





## **Features**

- 3 DisplayPort port
- DisplayPort male connector
- Supports Extended and Duplicate screen modes
- Supports 8K uncompressed video resolution (7680x4320 @ 30Hz)
- Supports 4K ultra-HD video (3840x2160 @ 120Hz)
- Supports Ultra-wide displays
- Micro USB power cable
- Windows 10 compatible
- Lightweight and portable design

## **Application**

- Home theatre
- Office
- Business Presentations
- Multi-screen display

**4XEM Products Are Available At Your Favorite Online Retailers** 

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



## **DATA SHEET**

Warranty Information Warranty 1 Year

Hardware Chipset ID Synaptics VMM5330 Winbond W25Q40CL

Max Uncompressed Bandwidth HBR3 - 32.4Gbps/25.92Gbps

**Industry Standards** DisplayPort 1.1a/1.4

HDCP1.4/2.2 **DSC 1.2** 

Connector(s) Connector A (Source) DisplayPort - Male

> Connector B (Display) DisplayPort++ (x3) - Female Other Micro-USB - Female (Power Only)

Performance **Audio Specifications** Up to 32 Channels

Maximum Digital Resolutions 7680x4320 (8K), 30Hz, 8bpc (Uncompressed)

(for single display) 3840x2160 (4K), 120Hz, 8bpc (Uncompressed)

Software OS Compatibility Windows 10

Power Power Source **USB** 

> Input Voltage 5V DC @ 2A

**Power Consumption** 10W

**Physical Characteristics** Colour Grey

Shell Material Aluminium

Power Cable Length 29.72 in [755 mm] Attached Cable Length 5.27 in [133.8 mm] Product Height 0.57 in [14.5 mm] **Product Width** 3.31 in [84.2 mm] Product Length (Body) 2.02 in [51.2 mm] Product Length (Overall) 9.37 in [238 mm] Weight of Product 3.17 oz [90 g]

Packaging Information Package Type Poly-bag

Notes

Package Height 7.76 in [197 mm] Package Width 5.83 in [148 mm] Package Length 0.64 in [16.2 mm] Shipping (Package) Weight 4.02 oz [114 g]

What's in the Box Included in Package 1x 3-port DisplayPort MST Hub

1x Micro-USB Power Cable

System Requirements "DisplayPort 1.2 with MST+HBR2 support from the GPU is

required for independent display output.

DisplayPort 1.4 support from GPU required for increased

bandwidth and use of DSC '

"Combined bandwith of all output streams cannot exceed that of

the available input bandwidth.

External power supply required for proper operation.

When plugged into a DisplayPort 1.1a host, the 4XMST02 can aggregate all downstream displays to act as a single display."

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep** 1-866-999-4936 Ext.104 tschaus@4xem.com

