![4XEM Problem solved. logo]

4XEM's 3-Port USB-C to DisplayPort and HDMI Multi-Monitor Hub

4XEM Part- 4XMST11

Need more monitors connected but don't have the ports? 4XEM's 3-port USB-C to DP and HDMI multi-monitor hub is a premier video device. This device offers the ability to increase your productivity by utilizing up to 3 separate screens in conjunction with your main device. Connect, up to, two DisplayPort monitors and a single HDMI to your device to expand your work or play station to new heights. Supporting the ability to mirror and extend displays you also can adjust the displays as you see find. Such display applications can include spanning spreadsheets over monitors, panoramic viewing, and editing audio and video clips to name a few. Spread out your displays and working capabilities with 4XEM's multi-monitor hubs.

Problem it solves: Connect three devices to your USB-C enabled display easily with one convenient device.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104   tschaus@4xem.com

Features

- 3 DisplayPort port
- USB-C connector
- Supports Extended and Duplicate screen modes
- Supports 8K uncompressed video resolution (7680x4320 @ 30Hz)
- Supports 4K ultra-HD video (3840x2160 @ 120Hz)
- Supports Ultra-wide displays
- USB-A to USB-C power cable
- Windows 10 compatible
- Lightweight and portable design

Application

- Home theatre
- Office
- Business Presentations
- Multi-screen display

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104   tschaus@4xem.com**

Warranty Information	Warranty	1 Year
Hardware	Chipset ID	Realtek - RTS5459
		Realtek - RTD2183
	Max Uncompressed Bandwidth	HBR3 - 32.4Gbps/25.92Gbps
	Industry Standards	DisplayPort 1.4a
		HDMI 1.4
		Power Delivery 3.0
Connector(s)	Connector A (Source)	USB Type-C - Male
	Connector B (Display)	DisplayPort (x2) - Female
		HDMI - Female
	Other	USB Type-C - Female (Power Only)
Performance	Audio Specifications	Up to 32 Channels
	Maximum Digital Resolutions	7680x4320 (8K), 30Hz, 8bpc (Uncompressed)
		3840x2160 (4K), 120Hz, 8bpc (Uncompressed)
Software	OS Compatibility	Windows 10
Power	Power Source	USB Type-C PD (Power Delivery)
	Input Voltage	5V DC @ 2A
	Power Consumption	10W
	PD Pass-through	Yes
Physical Characteristics	Colour	Grey
	Shell Material	Aluminium
	Power Cable Length	23.03 in [585 mm]
	Attached Cable Length	5.04 in [128.0 mm]
	Product Height	0.57 in [14.5 mm]
	Product Width	3.31 in [84.2 mm]
	Product Length (Body)	2.02 in [51.2 mm]
	Product Length (Overall)	8.74 in [222 mm]
	Weight of Product	2.82 oz [80 g]
Packaging Information	Package Type	Poly-bag
	Package Height	7.76 in [197 mm]
	Package Width	5.83 in [148 mm]
	Package Length	0.64 in [16.2 mm]
	Shipping (Package) Weight	3.60 oz [102 g]
What's in the Box	Included in Package	1x 3-port DisplayPort/HDMI MST Hub
		1x USB 2.0 Type-A to Type-C Power Cable
	System Requirements	"DisplayPort 1.2 with MST+HBR2 support from the GPU is required for independent display output.
	Notes	DisplayPort 1.4 support from GPU required for increased bandwidth and use of DSC."

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

"Combined bandwith of all output streams cannot exceed that of the available input bandwidth.
External power supply required for proper operation."

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104   tschaus@4xem.com