

DATA SHEET

4XEM's 2-Port USB-C to HDMI Multi-Monitor Hub

4XEM Part- 4XMST12



Need more monitors connected but don't have the ports? 4XEM's 2-Port USB-C to HDMI Multi-Monitor Hub is a premier solution for that problem. This device offers the ability to increase your productivity by utilizing up to two separate screens in conjunction with your main device. Connect, up to, two HDMI monitors to your device to expand your work or play station to new heights. Supporting the ability to mirror and extend displays you also can adjust the displays as you see find. Such display applications can include spanning spreadsheets over monitors, panoramic viewing, and editing audio and video clips to name a few. Powered by its USB-C connection this device does not require an additional power source. Spread out your displays and working capabilities with 4XEM's multi-monitor hubs.

Problem it solves: Connect three devices to your USB-C enabled display easily with one convenient device.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Features

- 2 HDMI ports
- USB-C male connector
- Supports Extended and Duplicate screen modes
- Supports 4K ultra-HD video (3840x2160 @ 120Hz)
- Supports Ultra-wide displays
- Supports PD Pass through
- Powered through USB-C connection
- Windows 10 compatible
- Lightweight and portable design



Application

- Home theatre
- Office
- Business Presentations
- Multi-screen display

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information	Warranty	1 Year
Hardware	Max Uncompressed Bandwidth Industry Standards	HBR3 - 32.4Gbps/25.92Gbps DisplayPort 1.4a Alt-Mode HDMI 2.0b
	Connector A (Source) Connector B (Display)	USB Type-C - Male HDMI (x2) - Female
Connector(s)	Connector B (Display)	HDIVII (xz) - Feiliale
Performance	Audio Specifications Maximum Digital Resolutions	Up to 32 Channels 3840x2160 (4K), 60Hz, 8bpc (Uncompressed)
	OS Compatibility	Windows 10
Software	Power Source	
Power	Input Voltage Power Consumption PD Pass-through	USB Type-C PD (Power Delivery) 5V DC @ 2A 10W
		Yes
	Colour Shell Material	Grey
Physical Characteristics	Attached Cable Length Product Height Product Width Product Length (Body)	Aluminium 3.94 in [100.0 mm] 0.66 in [16.8 mm] 1.85 in [46.9 mm]
	Product Length (Overall) Weight of Product	3.77 in [95.8 mm] 9.21 in [234 mm] 1.69 oz [48 g]
	Package Type Package Height	Poly-bag
Packaging Information	Package Width	7.76 in [197 mm]
	Package Length	5.83 in [148 mm]
	Shipping (Package) Weight	0.68 in [17.3 mm] 1.83 oz [52 g]
	Included in Package	
What's in the Box	System Requirements	1x 2-port HDMI MST Hub
		"DisplayPort 1.2 with MST+HBR2 support from the GPU is required for independent display output. DisplayPort 1.3 support from GPU required
		for increased bandwidth."
	Notes	"Combined bandwith of all output streams cannot exceed that of the available input bandwidth. External power supply required for proper
product appearance and specifications are subject to change without notice.		operation."

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

